



Alfa3, s.r.o. is an innovative, towards customers oriented production company which has been dealing with development and production of steel furniture for more than 20 years.	Catalogue contents  Drawer cabinets PROFI
Due to the longtime experience and the involvement of our employees we are able to supply not only quality products, but also to ensure a professional consultancy and service.	The drawer cabinets of the PROFI line represent a suitable solution for dema stry applications. We offer a big number of drawer cabinets in different dime
Our products are characterized by a quality processing, modern design, massive welded construction and tough surface treatment. During the product's construction process we care about using maximally the well-approved unit-principle items and the constructional complexes which make a guarantee of a high level reliability also of the new or customized products.	also a wide assortment of additional items of equipment and accessories. It e you will find an optimal solution fitted to each plant.
We use the first class materials only and well-approved components bought from the prestigious suppliers. The production itself is realized mostly by using the high precise CNC	Workshop drawer cabinets UNI
machines. The surface treatment is realized through the IDEAL-LINE coating line equipped with the GEMA MagicCylinder II coating box with CM30 operation system and 12 automatic electrostatic coating guns.	Workshop trolleys DVU
We are still looking for any occassions to higher the efficiency and productivity of our process-	Workbenches
es. We use the modern environment-friendly technologies. The quality management system is certified by <b>ČSN EN ISO 9001:2009.</b> We are authorized to use the Czech product mark.	This section contents an overview of particular items of workbenches and s ples of already configured sets of workbenches with cabinets of the PROFI and The sets are well-exposed and all the items used are described in details. This as a sample for your own configuration concept.
The workshop furniture presented in this catalogue we produce in two basic product lines:	
The PROFI line is designed for higher weighting of shelves and ejecting systems. There is a wide assortment of standard products. Our customers can possibly use the section Individual programme, accessories and configure an own product furhished according to	
the needs of a particular workplace.	Vertical tool cabinets
The UNI line is designed for lower weighting of shelves and drawers. In the catalogue you can find a wide assortment of standard products—which are intented especially for light industry	Workshop cupboards
plants or assembly workplaces. The accessory assortment is in comparison to the PROFI line limited.  The outer look of our PROFI and UNI line products consists of unifying design items which give	The workshop cupboards with wing doors are popular due to their ratio be price and deposit volume. They represent a good choice for storing materials, pment and documents in industry plants. In this section you will find four the lines of cupboards. A wide assortment of products' standard versions toget
	FUDODEDEO® and ALEADOV® systems
	EUROPERFO® and ALFABOX® systems
	Drawer divider sets, holders for tools
	Plastic bins
	Computer cabinets
	The computer cabinets protect computers which are placed directly at product you can choose versions which can be furnished with a distribution switch ventilator or with holders intented for 19" rack components installation.
000	Cabinets for fire extinguishers and first aid kits
	Surface treatment and safety instructions
	The producer itself reserves the right to misprints, changes in prices and in technical parametres without products, so there can be some differencies in details between the product displayed and supplied.  All the products prices are given excl. VAT EXW plant Luže.

Workshop

trolleys

■ Drawer cabinets PROFI

3636E 4536E 5436E

dimensional 2727E 3627E 4527E 5427E Drawer cabinets UNI line 3636E 4526E 5426E

Workbenches		Workshop cabinets   Perfo system		Perfo systems	Holders for																	
ALCERA	ALPEDE	system	universal	mobile					tools													Plastic bins
ALSOR	ALNAK	warehouse		stationary	200.5																	
Catalogue contents  Drawer cabinets PROFI																						
	The drawer cabinets of the PROFI line represent a suitable solution for demanding in stry applications. We offer a big number of drawer cabinets in different dimensions also a wide assortment of additional items of equipment and accessories. It ensures you will find an optimal solution fitted to each plant.					inets in different dimensions and																


nts	
s PROFI	
ne PROFI line represent a suitable solution for dem er a big number of drawer cabinets in different din	

Plastic bins	Compu cabinet

page

4 - 37

uter	Fire
ets	extinguish





Norkshop drawer cabinets UNI	38 - 39
Norkshop trolleys DVU	40 - 41
Vorkbenches	42 - 61
his section contents an evention of particular items of workhorshor and some evan	

tion contents an overview of particular items of workbenches and some examalready configured sets of workbenches with cabinets of the PROFI and UNI lines. s are well-exposed and all the items used are described in details. This can be used nple for your own configuration concept.



Vertical tool cabinets	62 - 63
Workshop cupboards	64-81
The workshop cupboards with wing doors are popular due to their ratio between their price and deposit volume. They represent a good choice for storing materials, tools, equipment and documents in industry plants. In this section you will find four basic model lines of cupboards. A wide assortment of products' standard versions together with an option to design an individual cupboard's set made of the PROFI line components ensure	



EUROPERFO® and ALFABOX® systems	82 - 85
Drawer divider sets, holders for tools	86 - 87
Plastic bins	88 - 93
Computer cabinets	94 - 95

nputer cabinets protect computers which are placed directly at production plants. In choose versions which can be furnished with a distribution switchgear with a tor or with holders intented for 19" rack components installation.



Cabinets for fire extinguishers and first aid kits	96 - 97
Surface treatment and safety instructions	98 - 99





### List of equipment of the PROFI and UNI lines cabinets and cupboards

The drawer and shelf cabinets we produce in two basic product lines:

standard equipment extra charge equipment

Line PROFI is designed for higher weighting of shelves and drawers, its standard version is better equipped and the customer has a big choice from a wide assortment of already configured versions of cabinets or they can create their own configuration of the product within the individual programme.

Line UNIis designed for lower weighting, it is equipped in more simply way and the customer can choose from a wide assortment of already configured cabinets.

In the following table we introduce the basic differencies in equipment of the PROFI and UNI cabinets: Drawer cabinets DKU, DVU Drawer carrying capacity - sliding 90 kg - 80% 40 kg - 100% 65 kg - 100% 180 kg - 100% Central locking of drawers Protection against opening of several drawers together Safety pin against drawers 'opening - mobile versions Preparation for metal divider sets installation in longitudinal and transverse direction Perforation of the bottom part of the drawer intended for fitting of the metal divider sets Preparation for metal divider sets installation in transverse direction only Option to install a drawer damping

Shelf cabinets	PROFI	UNI
Code	DSP	DSU
Drawer carrying capacity - sliding	90 kg - 80% 65 kg - 100%	40 kg - 100%
	180 kg - 100%	
Central locking of drawers		
Protection against opening of several drawers together		
Preparation for metal divider sets installation in		
longitudinal and transverse direction		
Perforation of the bottom part of the drawer		
intended for fitting of the metal divider sets		
Preparation for metal divider sets installation in		
transverse direction only		
Option to install a drawer damping		
eldclicus ton		

not available

Drawer cabinets PROFI Workbenches Workshop cabinets Perfo systems Workshop dimensional 2727E 3627E 4527E 5427E Drawer cabinets UNI ALCERA ALPEDE system mobile universal trolleys 3636E 4536E 5436E ALSOR ALNAK warehouse stationary **Drawer cabinets PROFI** 

Holders for tools

Plastic bins

Computer cabinets

Fire extinguishers

Surface treatment

The PROFI line drawer cabinets are intended for every day hard using at production plants and services. We offer seven basic heights, four widths and two depths. The bodies are constructed as solid weldments. The bodies are standardly furnished with a central locking system of drawers with a blocation of opening several drawers together which secures them against overturning. Inside the bodies there are inbuilt mouldings for installation of sockets in 1U raster or of shelves in 25 mm raster. The bottom parts of the bodies are furnished with slots for a wheelframe installation or for anchoring the bodies to the floor. In the upper parts there are slots for connection with a workbench or with a putting surface with rubber filler and frame.

The standard cabinet's assortment is prepared for installation of drawers of widths 27E, 36E, 45E and 54E and of depths 27E and 36E where the basic unit of length is 1E = 17 mm. The drawers are perforated along their sides in 1E = 17 mm raster. This perforation is intended for installation of metal divider sets. The drawers are offered in 5 heights from 2U to 6U where the basic unit of height is 1U = 44,45mm. This dimension comes from the standardized height of components of 19" rack distributors. Thanks to this the drawer cabinets can be used not only for storing tools and materials, but also it is possible to inbuilt socket mouldings and electronic or 19" air devices into their bodies. In the standard assortment there are also combined versions of cabinets furnished both with drawers and doors. In case you won 't find any convenient product in our standard assortment, you can use our individual programme and a wide assortment of accessories. We will be glad to set a product just according to your needs.

### Standard programme

In the standard programme section we offer for each of dimensional version of the PROFI line cabinets a lot of already configured basic products. The prices of particular items are given for all available versions of slide-rails with three levels of carrying capacity and 80% or 100% telescopic drawers. The cabinets can be further furnished with items from the individual accessories assortment.

### Individual programme

In case you won't find any convenient product in our standard assortment, you can use our individual programme and a wide assortment of accessories. We will be glad to set a product just according to your needs.

### Slide-rails

The drawers are guided in massive slide-rails Fulterer. These slide-rails are characteristic by an easy and silent running. They are available in three versions:


- Sliding 80%, drawer's carrying capacity 90 kg
- Sliding 100%, drawer's carrying capacity 65 kg
- Sliding 100%, drawer's carrying capacity 180 kg

### **ESD** version

For an extra charge you can order drawer cabinets with ESD surface treatment. The extra charge is calculated individually according to the chosen cabinets and their number.

### Damping

We are among the first producers who can offer you a comfort system of damped closing of drawers. It is a patented system of blocation the opening of several drawers at the same time. This extra charged system is functional for drawer's weighting up to 70 kg.



ALSOR ALNAK warehouse

17

451

universal

mobile

stationary

The drawers are guided in massive slide

18,0,-

25,5,-

35,9,-

32,6,-

47,2,-

### Individual programme, accessories dimensional line 2727E

### Body for drawers installation

Order code	Height		max. load (kg) Price	
DKP KZ 2727 3U	218	138	120	117,4
DKP KZ 2727 6U	351	271	320	205,9
DKP KZ 2727 13U	662	582	520	212,6
DKP KZ 2727 17U	840	760	720	228,0
DKP KZ 2727 21U	1018	938	720	287,5
DKP KZ 2727 26U	1240	1160	720	362,4
DKP KZ 2727 29U	1373	1293	720	404,5
	Α	В		

### Equipment of body intended for installation of drawers: • The body is furnished with a central locking system (cylindrical lock) with


- an integrated function which blocks the opening of several drawers to-gether it's a protection against overturning.
- The bottom part of the body is furnished with slots for anchoring to the floor. We recommend anchoring the cabinetin case it will be loaded to the limit of its maximum max, load,
- Assembly mouldings on the inner part of bodies allow installing drawers in 1U = 44,45 mm raster.
- Into the body there can be mounted a holder of 19" rack accessories, a stopping device, a leading out moulding for cables and hoses and an output slot. You can also install a panel with slots for cables.
- The cabinet in 13U version is furnished with assembling slots with a reinforcement for installation of a wheelframe and a handle


### Body for doors installation

Order code	Heig	ht	max. load (kg	) Price (€)
DKP KD 2727 13U	662	582	520	178,6,-
DKP KD 2727 17U	840	760	720	193,9,-
	۸	D		

### Equipment of body intended for installation of doors:

- The body is furnished with assembling slots intended for installation of shelves in 25 mm raster.
- The cabinet in 13U version is furnished with assembling slots with a nforcement for installation of a wheelframe and a handle







451

### Doors

The doors are furnished with a comfort aluminium handle with a groove allowing to insert a label. On the inner part of the doorwing there is a reinforcing item with EUROPERFO® slots intended for installation of holders for tools. Locking by cylindrical locks. Unlocking doors are magnetically kept in closed position.

Order code	•	Price (€)
DKP DV 27E 9U P	1	55,1,-
DKP DV 27E 13U P	1	57,2,-
DKP DV 27E 13U	2	41,2,-
DKP DV 27E 17U	2	42,5,-



Surface max. load of the shelf is 50 kg, it is adjustable after 25 mm



### Wheelframe

Order code		Price (€)
DKP MGP 27E	rubber castors	122,9,-
DKP MPP 27E	PP castors	212,3,-

Extra charge equipment of the 13U cabinets. Castors with diameter 100 mm, 2x fixed castor a 2x revolving castor with a brake.



### Upper putting surface

Order code	Trice (c)
DKP HPR 2727	34,4,-


For an extra charge the body can be furnished with a putting surface with 5 mm width foam filling and with a 20 mm high frame. This frame is a protection against falling of small objects.



### Damping

Order code	Price (€)
TSI 80	35,9,-

The drawers of the DKP line cabinets can be furnished for an extra charge with a system of damped closing. This system is intended for drawers with maximum weighting up to 70 kg. A high quality gas damper ensures secure running and a long lifetime of the system.



### Safety pin for drawers

Order code	Price (€)
DKP PVZ	7,8,-

For an extra charge the drawers can be furnished with a safety pin which secures them closed. This is useful especially for mobile cabinets. In case of going on a slant surface with



### Drawers 2727E, sliding 80%, max. load 90 kg

		.,	
Order code	Front's height	Side 's heigh	nt Price (€)
DKP Z 2727 2U A	85	58	81,7,-
DKP Z 2727 3U A	129	102	88,4,-
DKP Z 2727 4U A	174	147	95,3,-
DKP Z 2727 5U A	218	191	102,1,
DKP Z 2727 6U A	263	236	108,9
	А	В	
		-	




### Drawers 2727E, sliding 100%, max. load 65 kg

Order code	Fn	ont 's height	Side's heig	ht Price (€)
DKP Z 2727 2U B		85	58	112,9,-
DKP Z 2727 3U B		129	102	119,8,-
DKP Z 2727 4U B		174	147	126,5,-
DKP Z 2727 5U B		218	191	133,4,-
DKP Z 2727 6U B		263	236	140,2,-
		Α	В	



### Drawers 2727E, sliding 100%, max. load 180 kg


Order code	Front's height	Side 's heig	ht Price (€)
DKP Z 2727 3U C	129	102	160,9,-
DKP Z 2727 4U C	174	147	167,8,-
DKP Z 2727 5U C	218	191	174,5,-
DKP Z 2727 6U C	263	236	181,4,-
	А	В	



### Perforated drawer's bottom

Order code	Р
OKP PDZ 2727	

nished with a perforated bottom. It is useful to ombine it with a metal divider set. Bars can be tightly screwed to the drawer's bottom



The drawers are guided in massive slide

-rails Fulterer with ten pulleys. These

slide-rails are characteristic by an easy

The drawers are furnished with a comfort aluminium handle with an installed

holder of a safety pin DKP PVZ and with a groove for a label with drawer's con-

The inner parts of the drawers are pressed and grooved for installing of metal

divider sets. Groove spacing is 1E = 17

The drawers are guided in massive slide-rails Fulterer with ten pulleys. These slide-rails are characteristic by an easy and silent running.
The drawers are furnished with a com-

fort aluminium handle with an installed holder of a safety pin DKP PVZ and with a groove for a label with drawer's con-The inner parts of the drawers are pressed

and grooved for installing of metal divider sets. Groove spacing is 1E = 17

Useable drawer plan is 451 x 451 mm.

PE foam filling of 5,0 mm

The foam filling is an efficient protection of

gauges and other sensitive devices against

7,4,-

height

**DKP PVZ 2727** 

their damage.

### Divider sets for drawers

DMZ 2727 3U 4P

DMZ 2727 5U 4P

DMZ 2727 3U 9P

DMZ 2727 5U 9P

DMZ 2727 2U 12P

DMZ 2727 3U 12P

DMZ 2727 5U 12P



The divider set of the 27E x 27E drawer allows dividing the drawer's inner part into 4 pieces. It contents 1x perforated dividing bar 27E, 1x bar 13E and 1x bar 14E

The 3U divider set is intended for drawers 3U and 4U, the 5U divider set is intended for drawers 5U and



It contents 2x perforated dividing bar 27E and 9x bar 9E. The 3H divider set is intended for

The divider set of the 27E x 27E

drawer's inner part into 9 pieces.

set is intended for drawers 5U and

The divider set of the 27E  $\times$  27E drawer allows dividing the drawer's inner part into 12 pieces. It contents 3x perforated dividing



bar 27E, 6x bar 7E and 2x bar 6E. The 3U divider set is intended for drawers 3U and 4U, the 5U divider set is intended for drawers 5U and




### Plastic bins

The plastic bins are intended for dividing the inner drawer's part. On pages 92 and 93 of this catalogue ment of already configured sets of bins designed directly for particular dimensional lines of drawers. In case that any of those sets do not suit you it is possible to create an individual set. Componets for creating the set you will find on page 88.



Individual foam filling of drawer

We are able to produce customized foam fillings according to customer's requirement and given electronic drawings. Minimum order number is 20 pcs.



dimensional 2727E 3627E 4527E 5427E Drawer cabinets UNI 3636E 4536E 5436E

Workshop trolleys

Workb	enches	Workshop	cabinets	Perfo systems	
LCERA	ALPEDE	system	universal	mobile	
LSOR	ALNAK	warehouse		stationary	


Holders for tools

Plastic bins

Computer cabinets

Fire extinguishers

Surface treatment



Order code	Description	Price (€)
DK PK	bar of the E cabinet	43,9,-
DK D1U	holder 1U, a pair incl. cage nuts M6 and screws	5,8,-
DK D2U	holder 2U, a pair incl. cage nuts M6 and screws	6,8,-
DK D3U	holder 3U, a pair incl. cage nuts M6 and screws	8,5,-
DK K1U	cover 1U full	4,1,-
DK K2U	cover 2U full	5,5,-
DK K3U	cover 3U full	6,8,-
DK KV1U	cover 1U, cut according to customer's specification	5,5,-
DK KV2U	cover 2U, cut according to customer's specification	6,8,-
DK KV3U	cover 3U, cut according to customer's specification	8,1,-
DK VYL	leading moulding for cabinet DK 2727	5,8,-
DK PR3	cover with a slot for cables divided for 3 cables or hoses	8,1,-
Z7V 19 1U	socket moulding with a switch and 7 sockets without overvoltage protection	128,3,-
RS	coupler for compressed air	17,-

### Standard programme dimensional line 2727E

- The body is furnished with a central locking system (cylindrical lock) with an integrated function which blocks the opening of several drawers together - it 's a protection against overturning. The bottompart of the body is furnished with slots for anchoring to the floor. We recommend anchoring the cabinet in case it will be loaded to the limit of its maximum carrying capacity.

  Assembly mouldings on the inner part of bodies allow installing drawers in 1U =
- Into the body there can be mounted a holder of 19" rack accessories, a stopping device, a leading out moulding for cables and hoses and an output slot. You can also install a panel with slots for cables.

### Hanging cabinets for workbenches



DKP 2727 6U 2KB ED 100% 586,6,-



### Cabinets for modular workbenches




### Mobile cabinets




100% 544,7,-

DKP 2727 6U 3AB







### Individual programme, accessories dimensional line 3627E


### Body for drawers installation


Order code		Height	Carryir	ng capacity (kg	) Price (€)
DKP KZ 3627 17		840	760	720	243,9
DKP KZ 3627 21		1018	938	720	307,6
DKP KZ 3627 26U	1	1240	1160	720	387,6
DKP KZ 3627 29U	ı	1373	1293	720	432,8
		Α	В		

### Equipment of body intended for installation of drawers:

- The body is furnished with a central locking system (cylindrical lock) with an integrated function which blocks the opening of several drawers to-
- an integrated function which blocks the opening of several drawers to-gether it's a protection against overturning.

  The bottom part of the body is furnished with slots for anchoring to the floor. We recommend anchoring the cabinetin case it will be loaded to the limit of its maximum carrying capacity.
- Assembly mouldings on the inner part of bodies allow installing drawers in 1U = 44,45 mm raster. • Into the body there can be mounted a holder of 19" rack accessories, a
- stopping device, a leading out moulding for cables and hoses and an output slot. You can also install a panel with slots for cables.






### Drawers 3627E, sliding 80%, carrying capacity 90 kg

Order code	Fro	ont's height	Side's heigh	nt Price (€)
DKP Z 3627 2U A		85	58	86,5,-
DKP Z 3627 3U A		129	102	93,8,-
DKP Z 3627 4U A		174	147	101,0,-
DKP Z 3627 5U A		218	191	108,1,-
DKP Z 3627 6U A		263	236	115,4,-
		Δ	R	

The drawers are furnished with a comfort aluminium handle with an installed holder of a safety pin DKP PVZ and with a groove for a label  $% \left( 1\right) =\left( 1\right) \left( 1\right) \left($ with drawer's contents. The inner parts of the drawers are pressed and grooved for installing

of metal divider sets. Groove spacing is 1E = 17 mm.
Useable drawer plan is 604 x 451 mm.



### Drawers 3627E, sliding 100%, carrying capacity 180 kg

Order code	Front's	haiabt	Cido (e boio	ht Deiso (C)
Older code	FIOIII 3	neignt	Side's heig	III PIICE (€)
DKP Z 3627 3U C		129	102	166,2,-
DKP Z 3627 4U C		174	147	173,4,-
DKP Z 3627 5U C	į	218	191	180,6,-
DKP Z 3627 6U C		263	236	187,8,-
		Λ	D	

The drawers are guided in massive slide-rails Fulterer with ten pulleys. These slide-rails are characteristic by an easy and silent

running.
The drawers are furnished with a comfort aluminium handle with an installed holder of a safety pin DKP PVZ and with a groove for a label with drawer's contents.

The inner parts of the drawers are pressed and grooved for installing of metal divider sets. Groove spacing is 1E = 17 mm. Useable drawer plan is 604 x 451 mm.



### Drawers 3627E, sliding 100%, carrying capacity 65 kg

Order code	Front's height	Side's heig	ht Price (€
DKP Z 3627 2U B	85	58	117,9,-
DKP Z 3627 3U B	129	102	125,0,-
DKP Z 3627 4U B	174	147	132,2,-
DKP Z 3627 5U B	218	191	139,5,-
DKP Z 3627 6U B	263	236	146,7,-
DKP Z 3627 5U B	218	191	139,5,-

The drawers are guided in massive slide-rails Fulterer with ten pulleys. These slide-rails are characteristic by an easy and silent

running.
The drawers are furnished with a comfort aluminium handle with an installed holder of a safety pin DKP PVZ and with a groove for a label

The inner parts of the drawers are pressed and grooved for installing of metal divider sets. Groove spacing is 1E = 17 mm. Useable drawer plan is 604 x 451 mm.



### Upper putting surface

Order code	Price (€)
DKP HPR 3627	36,7,-

For an extra charge the body can be furnished with a putting surface with 5 mm width foam filling and with a 20 mm high frame. This frame is a protection against falling of small objects.



### Pallet base

Order code	Price (€)	
DKP PMP 3627	91,8,-	
The pallet base makes the cabinet's manipul		

### Divider sets for drawers



DMZ 3627 2U 6P 22,0,-DMZ 3627 3U 6P 31,5,-DMZ 3627 5U 6P 43,3,-

The divider set of the 36E x 27E drawer's inner part into 6 pieces. bar 27E and 3x bar 12E.

The 3U divider set is intended for drawers 3U and 4U, the 5U divider set is intended for drawers 5U and



DMZ 3627 3U 9P

DMZ 3627 5U 9P

drawers allows dividing the drawer's inner part into 9 pieces. It contents 2x perforated dividing bar 27E and 6x bar 12E. The 3U divider set is intended for

The divider set of the 36E x 27E

drawers 3U and 4U, the 5U divider set is intended for drawers 5U and



DMZ 3627 2U 12P 35,6,-DMZ 3627 3U 12P 51.7.-DMZ 3627 5U 12P 72,8,-

The divider set of the 36E x 27E drawers allows dividing the drawer's inner part into 12 pieces. bar 27E and 8x bar 9E.

The 3U divider set is intended for drawers 3U and 4U, the 5U divider set is intended for drawers 5U and



### Damping

40,0,-

57,9,-

Order code	Price (€)
SI 80	35,9,-

The drawers of the DKP line cabinets can be furnished for an extra charge with a system of damped closing. This system is intended for drawers with maximum weighting up to 70 kg. A high quality gas damper ensures secure runing and a long lifetime of the system.





The plastic bins are intended for dividing the inner drawer's part. On pages 92 and 93 of this catalogue you can find the complete assort-ment of already configured sets of bins designed directly for particular dimensional lines of drawers. In case that any of those sets do not suit you it is possible to create an individual set. Componets for creating the set you will find on page 88.



Perforated drawer's bottom

nished with a perforated bottom. It is useful to combine it with a metal divider set. Bars can be

Order code Price (€) DKP PDZ 3627 7,1,-For an extra charge the drawers can be fur-

tightly screwed to the drawer's bottom

PE foam filling of 5,0 mm height

**DKP PVZ 3627** 10,0,-The foam filling is an efficient protection of gauges and other sensitive devices against their damage.



Individual foam filling of drawer

fillings according to customer's requirement and given electronic drawings.Minimum order number is 20 pcs.











### Drawer cabinets 21U

DKP 3627 17U 6AA

DKP 3627 17U 6AB

80% - 90 kg 799,2,-

100% - 65 kg 987,0,-





80% - 90 kg 1036,0,-

100% - 65 kg 1286,3,-

DKP 3627 21U 8AA

DKP 3627 21U 8AB







DKP 3627 26U 6AA

80% - 90 kg 1007,9,-



DKP 3627 26U 7AA 80% - 90 kg 1080,0,-

100% - 65 kg 1299,1,-

DKP 3627 26U 7AB




### Drawer cabinets 29U

DKP 3627 29U 9AA

DKP 3627 29U 9AB

DKP 3627 26U 8AA 80% - 90 kg 1152,1,-

DKP 3627 26U 8AB 100% - 65 kg 1402,5,-



80% - 90 kg 1291,0,-

100% - 65 kg 1572,6,-







17 The previous page contents a detailed list of all components.

dimensional 2727E 3627E 4527E 5427E Drawer cabinets UNI

### Workshop trolleys

Workb	enches	Workshop	cabinets	Perfo systems
ALCERA	ALPEDE	system	universal	mobile
ALSOR	ALNAK	warehouse		stationary

Holders for tools

Plastic bins

Computer cabinets

Fire extinguishers

Surface treatment

### Individual programme, accessories dimensional line 4527E

### Body for drawers installation

Order code	Height	Carryin	g capacity (kg)	Price (€)
DKP KZ 4527 17U	840	760	720	263,4,
DKP KZ 4527 21U	1018	938	720	332,2,
DKP KZ 4527 26U	1240	1160	720	418,7,
DKP KZ 4527 29U	1373	1293	720	467,4,
	А	В		

### Equipment of body intended for installation of drawers:

- The body is furnished with a central locking system (cylindrical lock) with an integrated function which blocks the opening of several drawers together - it's a protection against overturning.

  The bottom part of the body is furnished with slots for anchoring to the
- floor. We recommend anchoring the cabinet in case it will be loaded to the limit of its maximum carrying capacity.

  Assembly mouldings on the inner part of bodies allow installing drawers
- in 1U = 44.45 mm raster.
- Into the body there can be mounted a holder of 19" rack accessories, a stopping device, a leading out moulding for cables and hoses and an output slot. You can also install a panel with slots for cables.



### Drawers 4527E, sliding 80%, carrying capacity 90 kg

Order code	Front's height	Side 's heigh	nt Price (€)
DKP Z 4527 2U A	85	58	92,6,-
DKP Z 4527 3U A	129	102	100,3,-
DKP Z 4527 4U A	174	147	108,0,-
DKP Z 4527 5U A	218	191	115,8,-
DKP Z 4527 6U A	263	236	123,5,-
	Α	В	

The drawers are guided in massive slide-rails Fulterer with four ball bearings. These slide-rails are characteristic by an easy and silent

The drawers are furnished with a comfort aluminium handle with an installed holder of a safety pin DKP PVZ and with a groove for a label with drawer's contents

The inner parts of the drawers are pressed and grooved for installing of metal divider sets. Groove spacing is 1E = 17 mm. Useable drawer plan is 757 x 451 mm.




### Drawers 4527E, sliding 100%, carrying capacity 65 kg

Order code	Front's height	Side's heigh	nt Price (€)
DKP Z 4527 2U B	85	58	123,9,-
DKP Z 4527 3U B	129	102	131,6,-
DKP Z 4527 4U B	174	147	139,4,-
DKP Z 4527 5U B	218	191	147,0,-
DKP Z 4527 6U B	263	236	154,8,-
	Λ	D	


The drawers are quided in massive slide-rails Fulterer with ten pulleys. These slide-rails are characteristic by an easy and silent

The drawers are furnished with a comfort aluminium handle with an installed holder of a safety pin DKP PVZ and with a groove for a label

The inner parts of the drawers are pressed and grooved for installing of metal divider sets. Groove spacing is 1E = 17 mm. Useable drawer plan is 757 x 451 mm.







### Drawers 4527E, sliding 100%, carrying capacity 180 kg

			•
Order code	Front's height	Side's heig	ht Price (€)
DKP Z 4527 3U C	129	102	172,7,-
DKP Z 4527 4U C	174	147	180,5,-
DKP Z 4527 5U C	218	191	188,2,-
DKP Z 4527 6U C	263	236	195,9,-
	Δ	R	

The drawers are guided in massive slide-rails Fulterer with ten pulleys. These slide-rails are characteristic by an easy and silent

The drawers are furnished with a comfort aluminium handle with an installed holder of a safety pin DKP PVZ and with a groove for a label with drawer's contents.

The inner parts of the drawers are pressed and grooved for installing of metal divider sets. Groove spacing is 1E = 17 mm. Useable drawer plan is 757 x 451 mm.

### Divider sets for drawers



Order code	Price (€)
DMZ 4527 2U 8P	31,6,-
DMZ 4527 3U 8P	45,1,-
DMZ 4527 5U 8P	61,3,-

The divider set of the 45E x 27E drawer's allows dividing the drawer's inner part into 8 pieces. It contents 3x perforated dividing bar 27E, 3x bar 12E and 1x bar 9E

The 3U divider set is intended for drawers 3U and 4U, the 5U divider set is intended for drawers 5U and



DMZ 4527 5U 12P

drawer's inner part into 12 pieces. It contents 3x perforated dividing bar 27E, 6x bar 12E and 2x bar 9E. The 3U divider set is intended for

drawers 3U and 4U, the 5U divider set is intended for drawers 5U and



Price (€)
46,6,-
67,5,-
94,5,-

The divider set of the 45E x 27E drawers allows dividing the drawer's inner part into 15 pieces. It contents 4x perforated dividing bar 27E and 10x bar 9E.

The 3U divider set is intended for drawers 3U and 4U, the 5U divider set is intended for drawers 5U and



79,7,-

### Perforated drawer's bottom

Order code	Price (€)
DKP PDZ 4527	7,6,-

For an extra charge the drawers can be furnished with a perforated bottom. It is useful to combine it with a metal divider set. Bars can be tightly screwed to the drawer's bottom



### Damping

Order code	Price (€)
TSI 80	35,9,-

The drawers of the DKP line cabinets can be furnished for an extra charge with a system of damped closing. This system is intended for drawers with maximum weighting up to 70 kg. A high quality gas damper ensures secure running and a long lifetime of the system





### Plastic bins

The plastic bins are intended for dividing the inner drawer's part. On pages 92 and 93 of this catalogue you can find the complete assort-ment of already configured sets of bins designed directly for particular dimensional lines of drawers. In case that any of those sets do not suit you it is possible to create an individual set. Componets for creating the set you will find on page 88.



Upper putting surface

Order code Price (€) **DKP HPR 4527** 39,7,-

For an extra charge the body can be furnished with a putting surface with 5 mm width foam filling and with a 20 mm high frame. This frame is a protection against falling of small objects.



Pallet base

Price (€) **DKP PMP 4527** 99,1,-

The pallet base makes the cabinet's manipula-



PE foam filling of 5,0 mm height


DKP PVZ 4527 14,6,-

The foam filling is an efficient protection of gauges and other sensitive devices against their damage.



Individual foam filling of drawer

We are able to produce customized foam fillings according to customer's requirement and given electronic drawings.Minimum order number is 20 pcs.





100% - 65 kg 1361,9,-

DKP 4527 21U 8AB

DKP 4527 21U 7AB

100% - 65 kg 1253,5,-



100% - 65 kg 1470,3,-

DKP 4527 21U 9AB

dimensional 2727E 3627E 4527E 5427E Drawer cabinets UNI

### Workshop trolleys

Workb	enches	Workshop	cabinets	Perfo systems
ALCERA	ALPEDE	system	universal	mobile
ALSOR	ALNAK	warehouse		stationary

Holders for tools

Plastic bins

Computer cabinets

Fire extinguishers

Surface treatment

### Individual programme, accessories dimensional line 5427E

### Body for drawers installation

Order code	Height	Carryir	ng capacity (kg)	Price (€)
DKP KZ 5427 17U	840	760	720	289,7
DKP KZ 5427 21U	1018	938	720	365,4
DKP KZ 5427 26U	1240	1160	720	460,6
DKP KZ 5427 29U	1373	1293	720	514,1
	А	В		


### Equipment of body intended for installation of drawers:

- The body is furnished with a central locking system (cylindrical lock) with an integrated function which blocks the opening of several drawers together it's a protection against overturning.

  The bottom part of the body is furnished with slots for anchoring to the
- floor. We recommend anchoring the cabinet in case it will be loaded to the limit of its maximum carrying capacity.

  Assembly mouldings on the inner part of bodies allow installing drawers
- in 1U = 44,45 mm raster.

  Into the body there can be mounted a holder of 19" rack accessories, a stopping device, a leading out moulding for cables and hoses and an output slot. You can also install a panel with slots for cables.




### Drawers 5427E, sliding 80%, carrying capacity 90 kg

Order code	Front's height	Side 's heigh	nt Price (€)
DKP Z 5427 2U A	85	58	101,0,-
DKP Z 5427 3U A	129	102	109,3,-
DKP Z 5427 4U A	174	147	117,8,-
DKP Z 5427 5U A	218	191	126,1,-
DKP Z 5427 6U A	263	236	134,6,-
	А	В	

The drawers are guided in massive slide-rails Fulterer with four ball bearings. These slide-rails are characteristic by an easy and silent

The drawers are furnished with a comfort aluminium handle with an installed holder of a safety pin DKP PVZ and with a groove for a label with drawer's contents.

The inner parts of the drawers are pressed and grooved for installing of metal divider sets. Groove spacing is 1E = 17 mm. Useable drawer plan is 910 x 451 mm.




### Drawers 5427E, sliding 100%, carrying capacity 65 kg


Order code	Fre	ont´s height	Side 's heigh	nt Price(€)
DKP Z 5427 2U B		85	58	132,3,-
DKP Z 5427 3U B		129	102	140,6,-
DKP Z 5427 4U B		174	147	149,1,-
DKP Z 5427 5U B		218	191	157,5,-
DKP Z 5427 6U B		263	236	165,8,-


The drawers are guided in massive slide-rails Fulterer with ten pulleys. These slide-rails are characteristic by an easy and silent

running.
The drawers are furnished with a comfort aluminium handle with an installed holder of a safety pin DKP PVZ and with a groove for a label with drawer's contents.

The inner parts of the drawers are pressed and grooved for installing of metal divider sets. Groove spacing is 1E = 17 mm. Useable drawer plan is 910 x 451 mm.







### Drawers 5427E, sliding 100%, nosnost 180 kg

Order code	Fro	nt's height	Side's heig	ht Price(€)
DKP Z 5427 3U C		129	102	181,8,-
DKP Z 5427 4U C		174	147	190,2,-
DKP Z 5427 5U C		218	191	198,6,-
DKP Z 5427 6U C		263	236	207,0,-
		0	D	

The drawers are guided in massive slide-rails Fulterer with ten pulleys. These slide-rails are characteristic by an easy and silent

running.
The drawers are furnished with a comfort aluminium handle with an installed holder of a safety pin DKP PVZ and with a groove for a label with drawer's contents.

The inner parts of the drawers are pressed and grooved for installing of metal divider sets. Groove spacing is 1E = 17 mm.

Useable drawer plan is 910 x 451 mm.

### Divider sets for drawers



DMZ 5427 2U 8P 33,5,-DMZ 5427 3U 8P 48,0,-DMZ 5427 5U 8P 66,3,-

he divider set of the 54E x 27E drawers allows dividing the drawer's inner part into 8 pieces. It contents 3x perforated dividing bar 27E, 3x bar 14E and 1x bar 12E.

The 3U divider set is intended for drawers 3U and 4U, the 5U divide set is intended for drawers 5U and




61,7,-

89,8,-

42,2,-

The divider set of the 54E x 27E drawers allows dividing the drawer's inner part into 12 pieces. It contents 3x perforated dividing bar 27E, 6x bar 14E and 2x bar 12E.

The 3U divider set is intended for drawers 3U and 4U, the 5U divider set is intended for drawers 5U and



49,4,-DMZ 5427 2U 15P DMZ 5427 3U 15P 71,3,-DMZ 5427 5U 15P 101,3,-



DMZ 5427 3U 12P

DMZ 5427 5U 12P

### Perforated drawer's bottom


Order code	Price (€)
DKP PDZ 5427	8,3,-

nished with a perforated bottom. It is useful to combine it with a metal divider set. Bars can be tightly screwed to the drawer's bottom




Price (€)	
8,3,-	

For an extra charge the drawers can be fur-



drawers with maximum weighting up to 70 kg. A high quality gas damper ensures secure run ning and a long lifetime of the system.





### Plastic bins

The plastic bins are intended for dividing the inner drawer's part. On pages 92 and 93 of this catalogue you can find the complete assort-ment of already configured sets of bins designed directly for particular dimensional lines of drawers. In case that any of those sets do not suit you it is possible to create an individual set. Componets for creating the set you will find on page 88.



### Upper putting surface

Order code	Price (€)
DKP HPR 5427	43,7,-

For an extra charge the body can be furnished with a putting surface with 5 mm width foam filling and with a 20 mm high frame. This frame is a protection against falling of small objects.



### Pallet base

DKP PMP 5427 109,0,-

The pallet base makes the cabinet's manipulation easier.



### PE foam filling of 5,0 mm height


DKP PVZ 5427 15,9,-The foam filling is an efficient protection of gauges and other sensitive devices against

their damage.



Individual foam filling of drawer

We are able to produce customized foam fillings according to customer's requirement and given electronic drawings.Minimum order



dimensional 2727E 3627E 4527E 5427E Drawer cabinets UNI

Workshop trolleys

Workb	enches	Workshop	cabinets	Perfo systems
ALCERA	ALPEDE	system	universal	mobile
ALSOR	ALNAK	warehouse		stationary

Holders for tools

Plastic bins

Computer cabinets

Fire extinguishers

Surface treatment

# Individual programme, accessories dimensional line 3636E

### Body for drawers installation

Order code	Height	Carryir	ng capacity (kg	) Price (€)
DKP KZ 3636 17U	840	760	720	268,2
DKP KZ 3636 21U	1018	938	720	338,3
DKP KZ 3636 26U	1240	1160	720	426,5
DKP KZ 3636 29U	1373	1293	720	476,0
	А	В		

### Equipment of body intended for installation of drawers:

- The body is furnished with a central locking system (cylindrical lock) with an integrated function which blocks the opening of several drawers together - it's a protection against overturning.
- gether it's a protection against overturning.

  The bottom part of the body is furnished with slots for anchoring to the floor. We recommend anchoring the cabinet in case it will be loaded to the limit of its maximum carrying capacity.

  Assembly mouldings on the inner part of bodies allow installing drawers
- in 1U = 44,45 mm raster.
- Into the body there can be mounted a holder of 19" rack accessories, a stopping device, a leading out moulding for cables and hoses and an output slot. You can also install a panel with slots for cables.



### Drawers 3636E, sliding 80%, carrying capacity 90 kg

Order code	Front's height	Side's heigh	nt Price (€)
DKP Z 3636 2U A	85	58	94,3,-
DKP Z 3636 3U A	129	102	102,2,-
DKP Z 3636 4U A	174	147	110,1,-
DKP Z 3636 5U A	218	191	117,9,-
DKP Z 3636 6U A	263	236	125,8,-
	Δ	R	

The drawers are guided in massive slide-rails Fulterer with four ball bearings. These slide-rails are characteristic by an easy and silent running.

The drawers are furnished with a comfort aluminium handle with an installed holder of a safety pin DKP PVZ and with a groove for a label with drawer's contents.

The inner parts of the drawers are pressed and grooved for installing of metal divider sets. Groove spacing is 1E = 17 mm.

Useable drawer plan is 604 x 604 mm.




### Drawers 3636E, sliding 100%, carrying capacity 180 kg


Order code	Front's height	Side's heigh	nt Price (€)
DKP Z 3636 3U C	129	102	183,2,-
DKP Z 3636 4U C	174	147	191,1,-
DKP Z 3636 5U C	218	191	198,9,-
DKP Z 3636 6U C	263	236	206,8,-

The drawers are guided in massive slide-rails Fulterer with ten pulleys. These slide-rails are characteristic by an easy and silent supplies.

The drawers are furnished with a comfort aluminium handle with an installed holder of a safety pin DKP PVZ and with a groove for a label with drawer's contents.

The inner parts of the drawers are pressed and grooved for installing of metal divider sets. Groove spacing is 1E = 17 mm. Useable drawer plan is  $604 \times 604$  mm.





### Drawers 3636E, sliding 100%, carrying capacity 65 kg

Order code	Front's height	Side 's heigh	t Price (€)
DKP Z 3636 2U B	85	58	129,0,-
DKP Z 3636 3U B	129	102	136,9,-
DKP Z 3636 4U B	174	147	144,8,-
DKP Z 3636 5U B	218	191	152,6,-
DKP Z 3636 6U B	263	236	160,5,-

The drawers are guided in massive slide-rails Fulterer with ten pulleys. These slide-rails are characteristic by an easy and silent running.

The drawers are furnished with a comfort aluminium handle with an installed holder of a safety pin DKP PVZ and with a groove for a label with drawer's contents.

The inner parts of the drawers are pressed and grooved for installing of metal divider sets. Groove spacing is 1E = 17 mm.
Useable drawer plan is 604 x 604 mm.



### Upper putting surface

Order code	Price (€)
DKP HPR 3636	40,4
For an extra charge the	hody can be furn

For an extra charge the body can be furnished with a putting surface with 5 mm width foam filling and with a 20 mm high frame. This frame is a protection against falling of small objects.



### Pallet base

Order code	Price (
DKP PMP 3636	101,
The callet base makes the	cabinat's ma

### Divider sets for drawers



 Order code
 Price (€)

 DMZ 3636 2U 6P
 27,3, 

 DMZ 3636 3U 6P
 38,8, 

 DMZ 3636 5U 6P
 52,4,

The divider set of the 36E x 36E drawers allows dividing the drawer's inner part into 6 pieces. It contents 2x perforated dividing bar 36E and 3x bar 12E.

The 3U divider set is intended for drawers 3U and 4U, the 5U divider set is intended for drawers 5U and



 Order code
 Price (€)


 DMZ 3636 2U 9P
 32,8, 

 DMZ 3636 3U 9P
 47,3,

DMZ 3636 5U 9P

The divider set of the 36E x 36E drawers allows dividing the drawer's inner part into 9 pieces. It contents 2x perforated dividing bar 36E and 6x bar 12E.

The 3U divider set is intended for drawers 3U and 4U, the 5U divider set is intended for drawers 5U and 6II



 Order code
 Price (€)


 DMZ 3636 2U 12P
 43,6, 

 DMZ 3636 3U 12P
 62,7, 

 DMZ 3636 5U 12P
 86,5,

The divider set of the 36E x 36E drawers allows dividing the drawer's inner part into 12 pieces. It contents 3x perforated dividing bar 36E and 8x bar 9E.

The 3U divider set is intended for drawers 3U and 4U, the 5U divider set is intended for drawers 5U and 6U.




### Damping

67,1,-

Order code	Price (€)
08 18	35,9,-

The drawers of the DKP line cabinets can be furnished for an extra charge with a system of damped closing. This system is intended for drawers with maximum weighting up to 70 kg. A high quality gas damper ensures secure running and a long lifetime of the system.





### Plastic bins

The plastic bins are intended for dividing the inner drawer's part. On pages 92 and 93 of this catalogue you can find the complete assortment of already configured sets of bins designed directly for particular dimensional lines of drawers. In case that any of those sets do not suit you it is possible to create an individual set. Componets for creating the set you will find on page 88.



### Perforated drawer's bottom

Order code	Price (€
DKP PDZ 3636	7,7,-

For an extra charge the drawers can be furnished with a perforated bottom. It is useful to combine it with a metal divider set. Bars can be tightly screwed to the drawer's bottom.



# PE foam filling of 5,0 mm height

Order code
DKP PVZ 3636


DKP PVZ 3636 19,8,The foam filling is an efficient protection of gauges and other sensitive devices against their damage.

Price (€)



Individual foam filling of drawer

We are able to produce customized foam fillings according to customer's requirement and given electronic drawings. Minimum order number is 20 pcs.



DKP 3636 29U 9AB

100% - 65 kg 1723,8,-

DKP 3636 29U 10AB

100% - 65 kg 1837,1,-

DKP 3636 29U 11AB

100% - 65 kg 1950,4,-

dimensional 2727E 3627E 4527E 5427E Drawer cabinets UNI

### Workshop trolleys

Workb	enches	Workshop	cabinets	Perfo systems
LCERA	ALPEDE	system	universal	mobile
LSOR	ALNAK	warehouse		stationary

Holders for tools

Plastic bins

cabinets

Computer

Fire extinguishers

Surface treatment

### Individual programme, accessories dimensional line 4536E

### Body for drawers installation

Order code	Height	Carryir	ng capacity (kg	) Price (€)
DKP KZ 4536 17U	840	760	720	302,9
DKP KZ 4536 21U	1018	938	720	382,0
DKP KZ 4536 26U	1240	1160	720	481,5
DKP KZ 4536 29U	1373	1293	720	537,5
	А	В		

### Equipment of body intended for installation of drawers: • The body is furnished with a central locking system (cylindrical lock) with

- an integrated function which blocks the opening of several drawers to-gether it's a protection against overturning.
- The bottom part of the body is furnished with slots for anchoring to the floor. We recommend anchoring the cabinetin case it will be loaded to the limit of its maximum carrying capacity.

  Assembly mouldings on the inner part of bodies allow installing drawers in 1U = 44,45 mm raster.
- Into the body there can be mounted a holder of 19" rack accessories, a stopping device, a leading out moulding for cables and hoses and an output slot. You can also install a panel with slots for cables.



### Drawers 4536E, sliding 80%, carrying capacity 90 kg

Order code	Front's height	Side 's heigh	nt Price(€)
DKP Z 4536 2U A	85	58	103,7,-
DKP Z 4536 3U A	129	102	112,3,-
DKP Z 4536 4U A	174	147	121,0,-
DKP Z 4536 5U A	218	191	129,6,-
DKP Z 4536 6U A	263	236	138,2,-
	А	В	

The drawers are guided in massive slide-rails Fulterer with four ball bearings. These slide-rails are characteristic by an easy and silent

The drawers are furnished with a comfort aluminium handle with an installed holder of a safety pin DKP PVZ and with a groove for a label with drawer's contents.

The inner parts of the drawers are pressed and grooved for installing of metal divider sets. Groove spacing is 1E = 17 mm. Useable drawer plan is 757 x 604 mm.



### Drawers 4536E, sliding 100%, carrying capacity 65 kg

s height Side's height Price (€)
85 58 138,4,-
129 102 147,0,-
174 147 155,7,-
218 191 164,3,-
263 236 173,0,-


The drawers are guided in massive slide-rails Fulterer with ten pulleys. These slide-rails are characteristic by an easy and silent

The drawers are furnished with a comfort aluminium handle with an installed holder of a safety pin DKP PVZ and with a groove for a label

The inner parts of the drawers are pressed and grooved for installing of metal divider sets. Groove spacing is 1E = 17 mm.

Useable drawer plan is 757 x 604 mm.







### Drawers 4536E, sliding 100%, carrying capacity 180 kg

Order code	Fro	ont's height	Side's heigh	nt Price (€)
DKP Z 4536 3U C		129	102	193,3,-
DKP Z 4536 4U C		174	147	201,9,-
DKP Z 4536 5U C		218	191	210,6,-
DKP Z 4536 6U C		263	236	219,2,-
		А	В	

The drawers are guided in massive slide-rails Fulterer with ten pulleys. These slide-rails are characteristic by an easy and silent

running.
The drawers are furnished with a comfort aluminium handle with an installed holder of a safety pin DKP PVZ and with a groove for a label The inner parts of the drawers are pressed and grooved for installing

of metal divider sets. Groove spacing is 1E = 17 mm Useable drawer plan is 757 x 604 mm.





Order code	Price (€)
MZ 4536 2U 8P	39,5,-
MZ 4536 3U 8P	56,1,-
MZ 4536 5U 8P	75,0,-
. 4	de
101	1

	,
Order code	Price (€)
MZ 4536 2U 15P	57,2,-
MZ 4536 3U 15P	82,2,-
MZ 4536 5U 15P	112,8,-

The divider set of the 45E x 36E drawers allows dividing the drawer's inner part into 8 pieces. It contents 3x perforated dividing

bar 36E, 3x bar 12E and 1x bar 9E,

The 3U divider set is intended for drawers 3U and 4U, the 5U divider set is intended for drawers 5U and



66,8,-93,4,-

The divider set of the 45E x 36E drawer's allows dividing the drawer's inner part into 12 pieces. It contents 3x perforated dividing bar 36E, 6x bar 12E and 2x bar 9E

The 3U divider set is intended for drawers 3U and 4U, the 5U divider set is intended for drawers 5U and



DMZ 4536 3U 12P

DMZ 4536 5U 12P

### Perforated drawer's bottom

Order code	Price (€)
DKP PDZ 4536	8,6,-

For an extra charge the drawers can be furnished with a perforated bottom. It is useful to combine it with a metal divider set. Bars can be tightly screwed to the drawer's bottom.



### Damping

Order code	
TSI 80	

furnished for an extra charge with a system of damped closing. This system is intended for drawers with maximum weighting up to 70 kg. A high quality gas damper ensures secure run ning and a long lifetime of the system.

35,9,-











### Upper putting surface

Order code	Price (€)
DKP HPR 4536	45,7,

For an extra charge the body can be furnished with a putting surface with 5 mm width foam filling and with a 20 mm high frame. This frame is a protection against falling of small objects



### Pallet base

Order code	Price (
DKP PMP 4536	114,

The pallet base makes the cabinet's manipula-



### PE foam filling of 5,0 mm height

DKP PVZ 4536 20,6,-


The foam filling is an efficient protection of gauges and other sensitive devices against their damage.



drawer

We are able to produce customized foam fillings according to customer's requirement and given electronic drawings. Minimum order

27/02/2





DKP 4536 29U 9AB

100% - 65 kg 1878,2,-

DKP 4536 29U 10AB 100% - 65 kg 1999,3,-

DKP 4536 29U 11AB

100% - 65 kg 2120,5,-

dimensional 2727E 3627E 4527E 5427E Drawer cabinets UNI

Workshop trolleys

Workb	enches	Workshop cabinets		Perfo systems
ALCERA	ALPEDE	system	universal	mobile
ALSOR	ALNAK	warehouse		stationary
		,		

Holders for tools

Plastic bins

Computer cabinets

Fire extinguishers

Surface treatment

# Individual programme, accessories dimensional line 5436E

### Body for drawers installation

Order code	Height	Carryin	ig capacity (kg)	Price (€)
DKP KZ 5436 17U	840	760	720	347,7,
DKP KZ 5436 21U	1018	938	720	438,5,
DKP KZ 5436 26U	1240	1160	720	552,6,
DKP KZ 5436 29U	1373	1293	720	616,9,
	А	В		

# Equipment of body intended for installation of drawers: The body is furnished with a central locking system (cylindrical lock) with

- an integrated function which blocks the opening of several drawers together - it's a protection against overturning.
- The bottom part of the body is furnished with slots for anchoring to the floor. We recommend anchoring the cabinet in case it will be loaded to the limit of its maximum carrying capacity.

  Assembly mouldings on the inner part of bodies allow installing drawers
- in 1U = 44,45 mm raster.
- Into the body there can be mounted a holder of 19" rack accessories, a stopping device, a leading out moulding for cables and hoses and an output slot. You can also install a panel with slots for cables.




### Drawers 5436E, sliding 80%, carrying capacity 90 kg

Order code	Front's heigh	nt Side's heigh	t Price (€)
DKP Z 5436 2U A	85	58	116,1,-
DKP Z 5436 3U A	129	102	125,7,-
DKP Z 5436 4U A	174	147	135,4,-
DKP Z 5436 5U A	218	191	145,1,-
DKP Z 5436 6U A	263	236	154,8,-
	А	В	

The drawers are guided in massive slide-rails Fulterer with four ball bearings. These slide-rails are characteristic by an easy and silent running.

The drawers are furnished with a comfort aluminium handle with an installed holder of a safety pin DKP PVZ and with a groove for a label with drawer's contents.

The inner parts of the drawers are pressed and grooved for installing of metal divider sets. Groove spacing is 1E = 17 mm.
Useable drawer plan is 910 x 604 mm.




### Drawers 5436E, sliding 100%, carrying capacity 65 kg


Order code	Front's height	Side 's heint	nt Price(€)
DKP Z 5436 2U B	85	58	150,7,-
DKP Z 5436 3U B	129	102	160,4,-
DKP Z 5436 4U B	174	147	170,1,-
DKP Z 5436 5U B	218	191	179,8,-
DKP Z 5436 6U B	263	236	189,5,-


The drawers are guided in massive slide-rails Fulterer with ten pulleys. These slide-rails are characteristic by an easy and silent running.

running.
The drawers are furnished with a comfort aluminium handle with an installed holder of a safety pin DKP PVZ and with a groove for a label with drawer's contents.

The inner parts of the drawers are pressed and grooved for installing of metal divider sets. Groove spacing is 1E = 17 mm.
Useable drawer plan is 910 x 604 mm.







### Drawers 5436E, sliding 100%, carrying capacity 180 kg

Order code	Front's height	Side 's heig	ht Price (€)
DKP Z 5436 3U C	129	102	206,7,-
DKP Z 5436 4U C	174	147	216,3,-
DKP Z 5436 5U C	218	191	226,1,-
DKP Z 5436 6U C	263	236	235,8,-
	А	В	

The drawers are guided in massive slide-rails Fulterer with ten pulleys. These slide-rails are characteristic by an easy and silent running.

The drawers are furnished with a comfort aluminium handle with an installed holder of a safety pin DKP PVZ and with a groove for a label with drawer's contents.

The inner parts of the drawers are pressed and grooved for installing of metal divider sets. Groove spacing is 1E = 17 mm.

Useable drawer plan is 910 x 604 mm.

### Divider sets for drawers




Order code	Price (€)
DMZ 5436 2U 8P	41,5,-
DMZ 5436 3U 8P	59,0,-
DMZ 5436 5U 8P	80,0,-

The divider set of the 54E x 36E drawers allows dividing the drawer's inner part into 8 pieces. It contents 3x perforated dividing bar 36E, 3xbar 14E and 1x bar 12E.

The 3U divider set is intended for drawers 3U and 4U, the 5U divider set is intended for drawers 5U and 6U.





The 3U divider set is intended for drawers 3U and 4U, the 5U divider set is intended for drawers 5U and 6U.



 Order code
 Price (€)

 DMZ 5436 2U 15P
 73,9, 

 DMZ 5436 3U 15P
 107,6, 

 DMZ 5436 5U 15P
 156,6,




Perforated	drawer	s botton

DKP PDZ 5436

For an extra charge the drawers can be furnished with a perforated bottom. It is useful to combine it with a metal divider set. Bars can be tightly screwed to the drawer's bottom.

9,6,-



### Damping

Order code	Price
TSI 80	35,

The drawers of the DKP line cabinets can be furnished for an extra charge with a system of damped closing. This system is intended for drawers with maximum weighting up to 70 kg. A high quality gas damper ensures secure running and a long lifetime of the system.





### Plastic bins

The plastic bins are intended for dividing the inner drawer's part. On pages 92 and 93 of this catalogue you can find the complete assortment of already configured sets of bins designed directly for particular dimensional lines of drawers. In case that any of those sets do not suit you it is possible to create an individual set. Componets for creating the set you will find on page 88.



### Upper putting surface

Order code	Price (€)
DKP HPR 5436	52,4,-

For an extra charge the body can be furnished with a putting surface with 5 mm width foam filling and with a 20 mm high frame. This frame is a protection against falling of small objects.



### Pallet base

Order code	Price (€)
DKP PMP 5436	130,9,-

The pallet base makes the cabinet's manipula-



# PE foam filling of 5,0 mm height


Order code	Price (€)
OKP PVZ 5436	21,4,-

The foam filling is an efficient protection of gauges and other sensitive devices against their damage.



Individual foam filling of drawer

We are able to produce customized foam fillings according to customer's requirement and given electronic drawings. Minimum order number is 20 pcs.





DKU 17U 1D


243,3,-


DKU 17U 3A S

394,3,-

DKU 17U 4A S

443,2,-





Fire

extinguishers

Surface

treatment

Computer

cabinets

39 The depth of all the cabinets is 600 mm.

Workbenches Workshop cabinets Perfo systems

warehouse

ALCERA ALPEDE system

ALSOR ALNAK

DKU 6U 3A S

**DKU 13U 5A S** 

DKU 17U 5A S

332,9,-

463,7,-

492,3,-

### Drawer cabinets PROFI Workshop Holders for dimensional 2727E 3627E 4527E 5427E Drawer cabinets UNI trolleys

Workbenches		Workshop	cabinets	Perfo systems
ALCERA	ALPEDE	system universal		mobile
ALSOR	ALNAK	warehouse		stationary

tools

Plastic bins

Computer cabinets

Fire extinguishers

Surface treatment

# Trolleys DVU

3636E 4536E 5436E

The UNI line trolleys are intended for transport of components and tools. They are useful for setup men, service workers and CNC machines operators.

The bodies of the trolleys are constructed as solid weldments, they have a central locking system and they are furnished with a wheelframe with a pair of fixed and a pair of revolving castors with a brake. The castor's diameter is 100 mm.

The drawers are guided in telescopic slide-rails with 100% sliding and with a carrying capacity of 40 kg. They are furnished with an aluminium handle which has a groove for inserting a label with drawer's contents. The inner drawer's dimensions are 36E x 26E, where 1E = 17 mm, useable drawer plan is 612 x 391 (381) mm. The drawers are perforated in the bottom and in the frame in 1E raster so that metal dividing bars can be mounted. The metal dividing bars can be placed in one direction only. The inner space of the drawers can be further furnished with plastic bins, see page 88, or with a foam filling designed according to the disposition given by the customer. Versions with doors or a version with a flat trolley function are also available.

### Basic version

The standard versions of trolleys are in their upper part furnished with a putting surface filled with a 5,0 mm foam. Along the putting surface there is a frame which makes a protection against falling of small objects.



### Version for CNC carriers transport

The DSP CNC trolleys for CNC carriers transport are in their upper part furnished with adapters intended for fixing carriers with boxes for storing milling cutters. The boxes are available for all the common used clamping systems and you can find them on













Drawer	Front's height (mm)	Side 's height (n
2U	4,1,-	3,1,-
3U	6,2,-	4,3,-
4U	8,4,-	6,1,-
5U	10,5,-	7,9,-
6U	12,7,-	9,7,-
	Α	В

Dividing bar for drawers					
Order code	Drawer	Price (€)			
VU DP 2U S	2U	7,1,-			
VU DP 3U S	3U	10,7,-			
VU DP 4U S	4U	13,1,-			
VU DP 5U S	5U	14,6,-			
VU DP 6U S	6U	16,7,-			





dimensional 2727E 3627E 4527E 5427E Drawer cabinets UNI

LTD desk

Workshop trolleys

Workb	enches	Workshop	cabinets	Perfo systems
ALCERA	ALPEDE	system	universal	mobile
ALSOR	ALNAK	warehouse		stationary

Holders for tools

Plastic bins

Computer cabinets


Fire extinguishers

Surface treatment

### Work desks

### Beech chipboard

Massive beech desk made of 40 mm waterproof chipboard. Edges are beveled. Its surface is treated with linseed oil.



	The same of					
Order code	Length (mm)	Depth (mm)	Price (€)	Order code	Length (mm)	Depth (mm)
DBS A 40 1200 700	1200	700	154,0,-	DLT 25 1200 700	1200	700
DBS A 40 1500 700	1500	700	168,3,-	DLT 25 1500 700	1500	700
DBS A 40 2000 700	2000	700	225,6,-	DLT 25 2000 700	2000	700
	А	В			А	В

### ESD work desk



Laminated 25 mm chipboard desk with 2.0 mm ABS edge.

)	Price (€)	Order code	A	1500	Price (€)	
	107,6,-	DLE 27 1200 700	1200	700	268,6,-	
	134,7,-	DLE 27 1500 700	1500	700	311,9,-	
	179,6,-	DLE 27 2000 700	2000	700	391,1,-	
			А	В		

Laminated 27 mm chipboard desk with an ESD rubber pad on the work surface, the desk's circumference is furnished with an ABS edge.

В

### Beech multiplex

Desk made of force glued beech veneer, height 40 mm. Edges are beveled. Its surface is treated with linseed oil.



Order code	Length (mm)	Depth (mm)	Price (€)
DBM 40 1200 700	1200	700	213,4,-
DBM 40 1500 700	1500	700	288,1,-
DBM 40 2000 700	2000	700	349,8,-
	А	В	

### In case of a big order we can possibly supply other

- nonstandard dimensions ESD lamino
- desks with sheeting desks with heightened

edges

### **Drawer cabinets PROFI**

The system cabinets for the PROFI line workbenches are designed to fulfil all the requirements laid on professional workshop furniture which is intended for the hardest using at industry and service plants.

### Technical parametres:


- resistant welded body with max. load 720 kg for stacionary versions and 120 320
- central locking with a blocation of opening several drawers together drawers with max.load 90 kg and sliding 80%, alternatively drawers with sliding 100% and max, load 65 or 180 kg
- prepared for installation of metal divider sets for dividing the drawers, alternatively for installation of plastic or foam filling
- option to install an extra charge system of damped closing
   comfort AL handle with a groove for a label, for mobile versions there is an option
- to order a safety pin shelf with max. load 50 kg, adjustable after 25 mm option to install 19" rack components

### Plastic bins

The plastic bins are intended for dividing the inner drawer's part.
On pages 92 and 93 of this catalogue you can find the complete assort-ment of already configured sets of bins designed directly for particular dimensional lines of drawers. In case that any of those sets do not suit you it is possible to create an individual set. Componets for creating the set you will find on page 88.

### Hanging cabinets for workbenches









555




### Cabinets for modular workbenches













### Cabinets for workbenches 17U














### Divider sets for drawers



Order code	Price (€)
DMZ 2727 2U 4P	12,5,-
DMZ 2727 3U 4P	18,0,-
DMZ 2727 5U 4P	25,5,-

x 27E drawers allows dividing the drawer's inner part into 4 pieces dividing bar 27E, 1x bar 13E and 1x bar 14E. The 3U divider set is in

The divider set of the 27E

tended for drawers 3U and 4U, the 5U divider set is intended for drawers



DMZ 2727 2U 9P 24,6,-DMZ 2727 3U 9P 35,9,-DMZ 2727 5U 9P 51,0,-

lows dividing the drawer's inner part into har 27F and 6x har 9F The 3U divider set is intended for drawers 3U and 4U, the 5U di-

27E x 27E drawers al-

Dividing bar for drawers

DKU DP 3U S 3U

DKU DP 4U S

DKU DP 2U S 2U 5,1,-

DKU DP 5U S 5U 10,4,-

DKU DP 6U S 6U 12,0,-

4U

DMZ 2727 2U 12P 32,6,vider set is intended for drawers 5U and DMZ 2727 3U 12P 47,2,-DMZ 2727 5U 12P 64,9,-



27E x 27E drawers al-

and 4U, the 5U divider wers 5U and 6U.

### Cabinets for workbenches UNI

The cabinets of the UNI line are price-friendly and they find their place at assembly plants.

Technical parametres:
resistant welded body with max. load 400 kg for stacionary versions and with max. load 80 kg for hanging versions

drawers with max. load 40 kg and sliding 100% prepared for installation of metal divider sets, dividing in transverse

comfort AL handle with a groove of a label, without any safety pin
 shelf with max. load 40 kg, adjustable after 25 mm







284,0,-

7,7,-

9,4,-







**Drawer cabinets PROFI** Workbenches Workshop cabinets Perfo systems Workshop Holders for Fire Computer dimensional 2727E 3627E 4527E 5427E Drawer cabinets UNI Plastic bins ALCERA ALPEDE system universal mobile trolleys extinguishers tools cabinets 3636E 4536E 5436E ALSOR ALNAK warehouse stationary CE Energy channels The energy channels are designed as distributors allowing installation of components intended for placing on DIN moulding and of 19" PC or telecommunication components. They are also intended for installation of 250V or 400V inbuilt sockets. In our assortment there are also front panels with couplers for compressed air distribution. The energy channels are prepared for placing on holders of EUROPERFO panels ALFA3. if you need, the energy channels can be furnished with following extra charge items:
stop button toggle switch for controlling of light of the upper extension transformer and socket for 12V or 24V USB socket Further components according to customer's requirements. # 0000000 Order code Price (€) EGK 1500 2U K2 EGK 1500 2U L1 258,8,-296,5,-Price (€) Price (€) Energy channel EGK KOR 1500 2U furnished with one RCK 2U 3Z2 1TZ panel with 3 pcs of inbuilt industry sockets 230V, with one threephase socket 5x 16A, with 1x RCK 2U 1JJ panel EGK 550 2U K2 EGK 550 2U K3 EGK 550 1U K1 184,1,-EGK 550 2U K1 198,8,-205,6,-97,3,-Energy channel EGK KOR 1500 2U furnished with one RCK 2U 4 ZZ panel with 4 pcs of inbuilt industry sockets 230V, with one RCK 2U 1JJ panel with one-phase circuit breaker B 10A and a cover Energy channel EGK KOR 550 2U furnished with one RCK 2U 4ZZ panel with 4 pcs of 230V inbuilt Energy channel EGK KOR 550 2U furnished with one RCK 2U 3ZZ 1TZ panel with 3 pcs of 230V inbuilt industry sockets and with 1 pc of three-Energy channel EGK KOR 550 2U furnished with one RCK 2U 2V panel with 2 pcs of couplers for Energy channel EGK KOR 550 1U furnished with one 19" 1U socket moulding 27V 19 1U with 7 pcs of 230V sockets and a switch. industry sockets. compressed air. with one-phase circuit breaker B 10A and 1x three-phase circuit breaker B 16A and a cover RCK 2U KP. phase socket 5 x 16A. RCK 211 KP EGK 1500 2U K3 330,5,-Energy channel EGK KOR 1500 2U furnished EGK 750 2U K2 EGK 750 2U K3 EGK 750 2U K1 200,8,-207,7,-99,3,with a RCK 2U 3ZZ 1TZ panel with 3 pcs of in-built industry sockets 230V, with one three-phase socket 5x 16A, with a RCK 2U 1JJ 1TJ Energy channel EGK KOR 750 2U furnished with Energy channel EGK KOR 750 2U furnished with Energy channel EGK KOR 750 2U furnished with one RCK 2U 3ZZ 1TZ panel with 3 pcs of 230V inbuilt industry sockets and with 1 pc of threeone RCK 2U 4ZZ panel with 4 pcs of 230V inbuilt one RCK 2U 2V panel with 2 pcs of couplers for panel with one-phase circuit breaker B 10A and 1x three-phase circuit breaker B 16A and industry sockets. phase socket 5 x 16A. 1x RCK 2U 2V panel with 2 pcs of couplers for 230,2,-EGK 1000 2U K2 267,9,-EGK 1000 2U K3 265,2,-EGK 1000 2U K1 Energy channel EGK KOR 1000 2U furnished with one RCK 2U 4ZZ panel with 4 pcs of 230V inbuilt industry sockets and one RCK 2U 1JJ panel with a one-phase circuit breaker B 10A. Energy channel EGK KOR 1000 2U furnished with one RCK 2U 3ZZ 1TZ panel with 3 pcs of Energy channel EGK KOR 1000 2U furnished with one RCK 2U 6ZZ panel with 6 pcs of 230V 230V inbuilt industry sockets, with one three inbuilt industry sockets without protection phase socket 5x 16A and with one RCK 2U 1JJ and with one RCK 2U 2V panel with 2 pcs of panel with a one-phase circuit breaker B 10A and with a three-phase circuit breaker B 16A. couplers for compressed air. EGK 2000 2U K1 331,7,-EGK 2000 2U K2 335,8,-Energy channel EGK KOR 2000 2U furnished with one RCK 2U KP cover, with one RCK 2U 4ZZ panel with 4 pcs of 230V inbuilt industry Energy channel EGK KOR 2000 2U furnished with one RCK 2U KP cover, with one RCK 2U 6ZZ panel with 6 pcs of 230V inbuilt industry sockets, with one RCK 2U 1TZ panel with 1x three-phase inbuilt socket 5x 16A and with sockets, with one RCK 2U 1TZ panel with 1x three-phase inbuilt socket 5x 16A and with one RCK 2U 1JJ 1TJ panel with a one-phase circuit breaker B 10A and with 1x three-phase circuit one RCK 2U 2V panel and with 2 pcs of couplers for compressed air. breaker B 16A. EGK 2000 2U L1 EGK 2000 2U K3 277,9,-365,8,-

Energy channel EGK KOR 2000 2U furnished

with one RCK 2U 4 ZZ panel with 4 pcs of inbuilt industry sockets 230V, with one RCK 2U 1JJ panel with one-phase circuit breaker B 10A and 2

pcs of covers RCK 2U KP.

Energy channel EGK KOR 2000 2U furnished with one RCK ZU KP cover, with one RCK ZU 4ZZ panel with 4 pcs of 230V inbuilt industry sockets, with one RCK ZU 1TZ panel with 1x three-

phase inbuilt socket 5x 16A, with one RCK 2U 1JJ 1TJ panel with a one-phase circuit breaker B 10A and with 1x three-phase circuitbreaker B

16A and with one RCK 2U 2V panel with 2 pcs of

couplers for compressed air.

Surface

treatment

trolleys

Workbenches Workshop cabinets Perfo systems Workshop ALCERA ALPEDE system universal mobile ALSOR ALNAK warehouse stationary

Holders for tools

Plastic bins

Computer cabinets

Fire extinguishers

Surface treatment

# alcera

### Individual programme of components of the ALCERA and ALPEDE workbenches

### Unadjustable foot

The foot is constructed as a massive weldment, it is furnished with reinforcing elements and with slots for connecting it with a workbench's desk. Its max. load is 500 kg and its height is 840 mm.



Version	Price
standard version	71,
ESD version	91,
	standard version

### Adjustable foot

The foot is constructed as a massive weldment, it is furnished with reinforcing elements and with slots for connecting it with a workbench's desk. Its max. load is 350 kg and its height is 660-1015 mm.

### Mobile foot

The foot is constructed as a massive weldment, it is furnished with reinforcing elements and with slots for connecting it with a workbench's desk. Its max. load is 150 kg and its height is 840 mm. The castors' diameter is 125 mm, material PP.



Order code	Version	Price (€)
DP NOH 17U PP	fixed castor	123,1,-
DP NOH 17U PB	revolving castor with a brake	198.8

### Join

### Feet join

The feet join is designed to reinforce the workbench 's construction. You can mount it in various positions.



Order code	Version	Length (mm)	Price (€)
DPTRN 150 N	standard version	1500	32,7,-
DP TRN 150 N ESD	ESD version	1500	38,8,-
DP TRN 200 N	standard version	2000	35,4,-
DP TRN 200 N ESD	ESD version	2000	42,8,-

### Bases

### Base with feet

The base is intended for modular versions of workbenches. It can be combined with the DKP 2727 line cabinets or with the DKU line cabi-



Order code	Version	Price (€)
DPP NPO 2	for 2 DKP cabinets	130,6,-
DPP NPO 3	for 3 DKP cabinets	190,7,-
DPU NPO 3	for 3 DKB cabinets	150,2,-
DPU NPO 4	for 4 DKB cabinets	219,3,-

### Lower deposit shelf

DP NOH 17U S

DP NOH 17U S ESD

The shelves are to be mounted in between of the feet's lower bars or into the side slots of the PROFI line cabinets in 17U version. The reinforced shelf's construction has surface max. load 80 kg.

standard version 123,8,-

147,6,-



### Pallet base

The pallet base is intended for modular versions of workbenches. It can be combined with the DKP 2727 line cabinets or with the DKU line cabinets of 13U height.



Order code	Version	Price (€)
DPP MPO 2	for 2 DKP cabinets	150,2,-
DPP MPO 3	for 3 DKP cabinets	219,3,-
DPU MPO 3	for 3 DKB cabinets	172,7,-
DPU MPO 4	for 4 DKB cabinets	252,1,-

### Mobile base

The mobile base is intended for modular versions of workbenches. It is to be combined with two cabinets of the DKP 2727 line of 13U height. It has 2 fixed castors and 2 revolving castors with a brake, both of 100 mm diameter. A handle is the part of supply.



Version	Price (€)
for 2 DKP cabinets	277,2,-
	***************************************

### Accessories

### Holders of EUROPERFO panels and accessories

Stable profiled holder in L shaped. To be mounted by a screw joint in the bottom part of the work desk.



Order code	Height (mm)	Upper extension max. load (kg	) Price (€)
DP DEP 10U S	444	15	23,8,
DP DEP 15U S	667	15	30,6,
DP DEP 20U S	889	15	33,3,
DP DEP 25U S	1067	15	37,4,
DP DEP 30U S	1290	15	41,8,
DP DEP 10U B	444	30	31,9,
DP DEP 15U B	667	30	45,1,
DP DEP 20U B	889	30	57,6,
DP DEP 25U B	1067	30	68,5,
DP DEP 30U B	1290	30	78,4,
	Δ		

# Corner reinforcing element

It can substitute a feet join and it is mounted between the desk and a foot so that the construction of the workbench is

order code	Price (€)	
OP RVP ND	17,7,-	9

### ESD elements



Order code		Name	Price (€)
ESD PZK	1	earthing cable	9,9,-
ESD PZBA	2	earthing box A	18,8,-
ESD PZBB	3	earthing box B	44,8,-
ESD PZN	4	earthing bracelet	12,6,-



stationary

Holders for tools

Plastic bins

Computer cabinets

Fire extinguishers

Surface treatment

# Individual programme of components of the ALCERA and ALPEDE workbenches

### Illuminating ramp

The hanging holder of the illuminating body is to be mounted on holders of the EUROPERFO panels of the DEP line. In case of working sitting we recommend installing a lampshade which protects the workers from glare. The illuminating bodies holders are prepared for installation of the Trevos lamps of the Prima line. We recommend using the lamps with an electronic control gear with IP 66 protection.


The lamp's price does not include the price of a source. For an extra charge we can supply standard or LED fluorescent lamp fixtures



Order code	Length (mm)	Depth (mm)	Price (€)
DP DZA 1500	1500	432	47,3,-
DP DZA 2000	2000	432	50,2,-
DP SZT 1500	lampshad	de, length 1500	25,8,-
DP SZT 2000	lampshad	de, length 2000	31,5,-
P 136 AC E 1x36W EVG	one-tube	body	80,2,-
P 236 PC E 2x36W EVG	two-tube	body	100,0,-
ALMAX 236 E	AL two-tub	e body	241,3,-
	toggle sw	vitch for EVG lamps	11,4,-
		Name	

### Hinged shelves - screw joint

We standardly produce shelves in two widths and three depths. The part of the supply are also assembling consols for installation in holders of the EUROPERFO panels of the DEP line. The shelves have in their front parts a stop moulding and a moulding for description. The shelf's slope can be set in several positions. Mounting by screw



ength (mm)	Depth (mm)	Price (€)
715	240	40,8,-
715	340	52,7,-
715	440	64,6,-
965	240	49,8,-
965	340	64,3,-
965	440	78,8,-
Α	В	
	715 715 715 965 965 965	715 340 715 440 965 240 965 340 965 440

### Antistatic pad for shelves

For shelves of the ESD workbenches we recommend using an antistatic pad. The pad has to be earthed by an earthing cable.



Order code		Length (mm)	Depth (mm)	Price (€)
ESD G POL 200 702		200	702	9,8,-
ESD G POL 300 702		300	702	14,4,-
ESD G POL 400 702		400	702	19,1,-
ESD G POL 200 952		200	952	13,1,-
ESD G POL 300 952		300	952	19,4,-
ESD G POL 400 952		400	952	25,6,-
ESD PZK	*			8,9,-
		Α	В	

### earthing cable


### Hanging system

The holder of the hanging system is intended for mounting on the holders of the EUROPERFO panels of the DEP line. The holder is furnished with slots for mounting a 33 x 31 mm guiding profile in 50 mm spacing. The max. load of the construction is 15 kg. The profile can be furnished with two- or four-castors steel trolleys. The DZK version allows installing an illuminating body.



### Hinged shelves - revolving handle


We standardly produce shelves in two widths and three depths. The part of the supply are also assembling consols for installation in holders of the EUROPERFO panels of the DEP line. The shelves have in their front parts a stop moulding and a moulding for description. The shelf's slope can be easily set in several positions by using the



Order code	Length (mm)	Depth (mm)	Price (€)
DP POL 200 702 S	720	240	62,6,-
DP POL 300 702 S	720	340	74,5,-
DP POL 400 702 S	720	440	86,4,-
DP POL 200 952 S	970	240	76,3,-
DP POL 300 952 S	970	340	90,9,-
DP POL 400 952 S	970	440	105,4,-
	А	В	

### EUROPERFO® panels


The profiled sheet board is intended for mounting to the EUROPERFO - DPA DEP XXX holders. The panels are standardly supplied in zinc-galvanized version. The perforation for placing of the holders for tools is made through square slots  $10 \times 10$  mm, spacing is 38 mm.




Order code	Height (mm)	Length (mm)	Price (€)
DP EP 5U 704	222	704	25,2,-
DP EP 10U 704	444	704	39,5,-
DP EP 5U 954	222	954	32,7,-
DP EP 10U 954	444	954	51,0,-
	Δ	R	

### Hanging cupboards

The hanging cupboard increases the secured deposit capacity of the workplace. It is furnished with wing doors lockable by a C1 cylindrical lock with two-point locking system. It is also furnished with EUROPERFO panels on its inner door parts and with an adjustable shelf. The cupboard has in its side walls slots for fitting to the DP DEP holders, in the backwall there are slots for fixation to the wall. Due to the security reasons the fixation to the wall is mandatory.



The profiled sheet board is intended for mounting to the EUROPERFO - DPA DEP holders. The panels are standardly supplied in zinc-galvanized version. The board is pressed in 50 x 20 mm, it is designed for plastic bins installation.



Order code	Height (mm)	Length (mm)	) Price (€)
DP EB 5U 704	222	704	35,2,-
DP EB 10U 704	444	704	55,2,-
DP EB 5U 954	222	954	45,7,-
DP EB 10U 954	444	954	71,4,-
	А	В	



Order code	Dimensions (mm) Price (€)			The second second second
DP ZS 705 10U	444 x 705 x 200 200,1,-	-		Name and Address of the Owner, where the Owner, which is the Owner, where the Owner, which is the Owner, where the Owner, which is the Owner, whic
DP ZS 955 10U	444 x 955 x 200 228,3,-		The same of the sa	

### Workshop trolleys

### Workbenches Workshop cabinets Perfo systems ALCERA ALPEDE system universal mobile ALSOR ALNAK warehouse

Holders for tools

Plastic bins

Computer cabinets

Fire extinguishers

alcera **PROFI** 

Surface treatment

# alcera UNI

3636E 4536E 5436E



### Workbenches alcera UNI - standard versions


- The work desk is made of 40 mm waterproof glued beech chipboard. • The height of the work surface of unadjustable versions is 880 mm.
- Range of manual height settings of the work surface of versions
- with adjustable feet is 700 1055 mm. UNI cabinets with lockable doors and shelves of surface max. load
- 40 kg, shelves are adjustable after 25 mm. • The UNI cabinets with 100% telescopic drawers, drawer's surface
- max. load 40 kg, central locking, an aluminium handle with a groove for inserting a label with drawer's contents, drawers perforated on their sides and bottoms for using metal dividing bars in transverse direction. ESD versions of ALCERA workbenches can be ordered for the below
- given extra charge.



1500 172,2,-2000 194,1,-

The ESD set consists of a 27 mm high antistatic pad, a snap button, an earthing cable and an ESD earthing box A.







alcera U15 K01 1500 578,6,alcera U20 K01 2000 638,6,-



alcera U15 K02 1500 732,6,alcera U20 K02 2000 792,6,-



alcera U15 K03 1500 781,6,-2000 841,5,alcera U20 K03



Order code	Width (mm)	Price (€)
alcera U15 K04	1500	483,0,-
alcera U20 K04	2000	540,2,-



Order code	Width (mm	) Price (€)
alcera U15 K05	1500	634,0,-
alcera U20 K05	2000	691,3,-



Order code	Width (mm	n) Price (€)
alcera U15 K06	1500	683,0,-
alcera U20 K06	2000	740,3,-



Order code	Width (mm)	Price (€)
alcera U15 K07	1500	732,0,-
alcera U20 K07	2000	789,3,-



alcera U15 K08 1500 805,8,alcera U20 K08 2000 863,1,-



Order code	Width (mm)	) Price (€)
alcera U15 K09	1500	854,8,-
alcera U20 K09	2000	912,1,-

2350 1540,3,-

2000 1246,1,-



Order code	Width (mm	) Price (€)
alcera U15 K10	1500	1054,8
alcera U20 K10	2000	1112,1



Order code	vvidtii (IIIIII)	PIILE (E)
alcera U15 K11	1500	1152,8,-
alcera U20 K11	2000	1210,1,-

# Wrapping workbench workbench is furnished with adjustable feet, a cutter with a holder of cutting material and a cutting cartridge with a blade knife. Unrolling bar with centering cones can be placed above or under the work desk. The upper extension of the workbench is furnished

alcera UBS K01 with a cabinet

alcera UBS Z01

workbench is furnished with adjust-able reinforced feet, an ESD work desk with an earthing cable and an ESD earthing box ESD PZBA, an energy channel, an upper extension with EUROPERFO fillings, 200 mm deep hinged shelves, ESD pads with earth ing cables, an illuminating ramp with a light P236 and a hanging C-profile with a trolley with four castors.

Antistatic workbench




# stationary Range of manual height settings of the work surface of versions with adjustable feet is 700 - 1055 mm. adjustable after 25 mm.

### Workbenches alcera PROFI - standard versions Technical parametres:

- The workdesk is made of 40 mm waterproof glued beech chipboard.
- The height of the work surface of unadjustable versions is 880 mm.
- PROFI cabinets with lockable doors and handles and shelves of surface max. load 50 kg, shelves are
- The PROFI cabinets with 80% telescopic drawers, drawer's surface max. load 90 kg, central locking. with a blocation of opening several drawers together, an aluminium handle with a groove for insert-
- ing a label with drawer's contents, drawers perforated on their sides for using metal dividing bars.
- Cabinets with 100% telescopic drawers and max. load 65 or 180 kg can be ordered for an extra charge








alcera P15 K09 1500 851,4,-

Upper extensions of workbenches

alcera P20 K09
















alcera P15 K03 1500 831,3,-

2000 891,3,-

1500 787,4,-

2000 844,7,-

alcera P20 K03

alcera P15 K07

alcera P20 K07

		-
de	Width (mm	) Price (ŧ
P15 K11	1500	1399
P20 K11	2000	1/157




7,0,- alcera P20 K12

alcera P15 K04

alcera P20 K04

alcera P15 K08

alcera P20 K08



1500 972,5,-

1500 855,4,-

2000 912,8,-

2000 1032,5,-



SDEP 15 10U K1 1500 150,4,-SDEP 20 10U K1 2000 173,5,beams 10U,EUROPERFO® panels 10U



Order code	Width (mm	) Price (€)	
SDEP 15 20U K1	1500	371,0,-	
SDEP 20 20U K1	2000	444,6,-	
beams 20U, EUROPERFO® panels, EUROBOX® panels, 200 mm hinged shelves			



SDEP 20 25U K1 2000 896,3,beams 25U, energy channel, EUROPERFO® panels, EUROBOX® panels, 200 mm hinged shelves, beam

trolleys

ALCERA ALPEDE system universal mobile ALSOR ALNAK warehouse stationary

tools

cabinets

Fire extinguishers

alpede **PROFI** 

Surface treatment

# alpede UNI

## Workbenches alpede UNI - standard versions

- The workdesk is made of 40 mm waterproof glued beech chipboard. Massive base on feet or pallet base for easy moving using common handling device.
- The height of the work surface is 880 mm.
- UNI cabinets 13U with lockable doors and shelves of surface max. load 40 kg, shelves are adjustable after 25 mm.
- ▶ The UNI cabinets 13U with 100% telescopic drawers, drawer's surface max. load 40 kg, central locking, an aluminium handle with a groove for inserting a label with drawer's contents, drawers perforated on their sides and bottoms for using metal dividing bars in transverse

### Workbench alpede PROFI - standard versions The workdesk is made of 40 mm waterproof glued beech chipboard.


- Massive base on feet or pallet base for easy moving using common handling device.
- The height of the work surface is 880 mm.

alpede PK12 K01 942,1,-

- PROFI cabinets 13U with lockable doors and handles and shelves of surface max. load 50 kg, shelves are adjustable after 25 mm.
- The PROFI cabinets 13U with 80% telescopic drawers, drawer's surface max. load 90 kg, central locking with a blocation of opening several drawers together, an aluminium handle with a groove for inserting a label with drawer's contents, drawers perforated on their sides for using metal dividing bars.









alpede UN15 KO2 1191,1,-




alpede UN15 K03 1515,4,-



alpede UN15 K04 1562,6,-







alpede UN20 K02 1781,1,-



alpede UN20 K03 2103,6,-



alpede UN20 K04 2103,6,-



alpede UP15 K01 1115,7,-



alpede UP15 K02 1213,6,-



alpede UP15 K03 1536,1,-



alpede UP15 K04 1585,1,-



alpede UP20 K01 1618,0,-



alpede UP20 K02 1814,0,-



alpede UP20 K03 2136,5,-



alpede UP20 K04 2136,5,-



alpede PK12 K02 1191,9,-

alpede PK12 K03 1146,9,-

alpede PK12 K04 1509,6,-

universal mobile stationary

Holders for tools


Plastic bins

Computer cabinets


Fire extinguishers

Lower deposit shelf

Surface treatment



- Range of manual height settings of the work surface 681 1037 mm.
   Range of manual height settings of the work surface 681 1037 mm.
   The colour of the frame is RAL 7035 or RAL 7016, inner profiles of feet are
   The colour of the frame is RAL 7035 or RAL 7016, inner profiles of feet are
- The max. load of workbench is 400 kg.



### Extensional workbench ALSOR

DPL 200 Z S

coated with blue zinc chromate.

- Dimensions of work surface are 1200 x 500 mm.
- Range of manual height settings of the work surface 681 1037 mm.
   The colour of the frame is RAL 7035 or RAL 7016, inner profiles of feet are

2000

557,0,-

### ESD workbench ALSOR

- coated with blue zinc chromate. light or dark grey. The shelf is reinforced

  The frame is made of 40 x 40 mm steel profiles, inner profiles of feet are 35 x 35 mm. with a steel profile, its max. load is 30 kg.
- The max. load of workbench is 400 kg. Work desk - 25 mm light grey laminated chipboard, light or dark grey ABS 27 mm ESD workdesk, light or dark grey ABS edge, earthing cable and earth-
  - For an extra charge the frame can be painted with ESD colour.



oci cooc	***************************************	11100 (0)
PL 120 Z ESD	1200	635,8,-
PL 150 Z ESD	1500	692,2,-
PL 200 Z ESD	2000	797,0,-

### Extensional ESD workbench ALSOR Dimensions of work surface are 1200 x 500 mm

- Range of manual height settings of the work surface 681 1037 mm.

  The colour of the frame is RAL 7035 or RAL 7016, inner profiles of feet are
- coated with blue zinc chromate.
- The frame is made of 40 x 40 mm steel profiles, inner profiles of feet are 35 x 35 mm.

  The max. load of workbench is 400 kg.

  Workdesk 25 mm light grey laminated chipboard, light or dark grey ABS

  Z7 mm ESD work desk, light or dark grey ABS edge, earthing cable and earth-





### Components for upper extension

DPL 120 P50 S

### Holder of EUROPERFO® panels and accessories

Stable system holder of upper extension incl. adapters for connecting to the frame of the workbench. The holders are produced in two versions - for upper extension with max. load of 15 or 30 kg. Available colours RAL 7035 or 7016.

370,8,-

Order code	height (mm)	upper extension max. load (kg	g) Price (€
DL DEP 10U S	459	15	23,8
DL DEP 15U S	681	15	30,6
DL DEP 20U S	903	15	33,3
DL DEP 25U S	1125	15	37,4
DL DEP 30U S	1305	15	41,8
DL DEP 10U B	459	30	31,9
DL DEP 15U B	681	30	45,1
DL DEP 20U B	903	30	57,6
DL DEP 25U B	1125	30	68,5
DL DEP 30U B	1305	30	78,4

### EUROPERFO® panels

The profiled sheet board is intended for mounting to the EU-ROPERFO holders. The perforation for placing of the holders for tools of the DEP line is made through square slots 10 x 10 mm, spacing is 38 mm. Available colours RAL 7035 or 7016.

rder code	Dimensions h x w (mm)	Price (€)
L EP 5U 1140	222 x 1140	38,0,-
DL EP 5U 1440	222 x 1440	43,7,-
L EP 5U 1940	222 x 1940	56,6,-

### Combined moulding for hanging of bins

The profiled moulding designed for hanging of plastic bins of the SB line, the moulding is intended for mounting to the EUROPERFO holders. Its middle part is perforated with slots  $10 \times 10$  mm and with 38 mm spacing which enables installation of the DEP holders of tools. Available colours RAL 7035 or 7016.

Order code	Dimensions h x w (mm)	Price (€)
DL EPZ 1140	139 x 1140	40,2,-
DL EPZ 1440	139 x 1440	46,6,-
DL EPZ 1940	139 x 1940	60,2,-

### Shelf for upper extension

The shelf is 300 mm deep and its max. load is 15 kg. Beams and reinforcing element are available in RAL 7035 or RAL

The desk of the standard version is made of light grey laminated chipboard with ABS edge in light or dark grey. 27 mm ESD workdesk, dark grey ABS edge and earthing

P4		
		251
Order code	Length (mm)	Price (€)
DL POL 300 1200 H	1200	85,4,-
DL POL 300 1500 H	1500	103,4,-
DL POL 300 2000 H	2000	133,4,-
DL POL 300 1200 H ESD	1200	145,1,-
DL POL 300 1500 H ESD	1500	176,3,-
DL POL 300 2000 H ESD	2000	228,3,-

# Beams made of steel profiles furnished with a holder of illuminating body, forstanding 530 mm.

Order code	Length (mm)	Price (€)
DL DZA 1500	1500	60,8,-
DL DZA 2000	2000	64,0,-

Beam of illuminating body

Order o	ode	Info	Price (€)
P136	AC E 1x36W EVG	one-tube body without a source	80,2,-
P236	AC E 2x36W EVG	two-tube body without a source	100,0,-
		toggle switch for EVG lamps	11,4,-
ALMA	X 236E	two-tube aluminium body without a source	241.3

### Hanging C-profile for tools

DL CZP 1500

DL CZP 2000

C-profil for installation on beams of holders of illuminating body. The profile can be furnished with trolley with two or four castors, max, load

24,1,-

26,9,-


1500

2000



	7.
Order code	
DP DZS 2V	t
DP DZS 4V	t

Price (€) rolley with two castors 17,0,trolley with four castors 28,2,-









Joint holder with a hinged shelf, dim. 222 x 444 mm, max. load of the shelf is 10 kg.



DL POL B S 60,2,-

### EUROPERFO® panel

Joint holder with EUROPERFO® panel for DEP system holders for tools. Dimensions 444 x 444



DL EP B S 53,9,-EUROBOX® panel

### vith EUROBOX® panel for plastic













dimensional 2727E 3627E 4527E 5427E Drawer cabinets UNI

Workshop trolleys

Workbenches Workshop cabinets Perfo systems ALCERA ALPEDE system universal mobile ALSOR ALNAK warehouse stationary

Holders for tools

Plastic bins

Computer cabinets

Width (mm) Price (€)

1200 828,8,-

1500 869,1,-

2000 939,6,-

Fire extinguishers

Surface treatment

# alsor UNI

### Workbenches alsor UNI - standard versions Technical parametres:

- Work desk made of grey laminated chipboard with dark grey ABS edge. Massive frame made of foursquare profiles, surface max. load of work surface is 400 kg.
- Range of manual height settings of the work surface is 681 1037 mm.
- The UNI hanging cabinets with 100% telescopic drawers, drawer's surface max. load
- 40 kg, central locking, an aluminium handle with a groove for inserting a label with drawer's contents, drawers perforated on their sides and bottoms for using metal dividing bars in transverse direction.
- ESD versions of ALCERA workbenches can be ordered for the below given extra charge.





Order code	Width (mm)	Price (€)
alsor U12 K01	1200	576,1,-
alsor U15 K01	1500	616,3,-
alsor U20 K01	2000	686,9,-



Order code	Width (mm)	Price (€)
alsor U12 K03	1200	730,2,-
alsor U15 K03	1500	770,4,-
alsor U20 K03	2000	840,9,-





Order code	Width (mm)	Price (€)
alsor U12 K02	1200	730,2,-
alsor U15 K02	1500	770,4,-
alsor U20 K02	2000	840,9,-



Order code	Width (mm)	Price (€)
alsor U12 K04	1200	779,1,-
alsor U15 K04	1500	819,3,-
alsor U20 K04	2000	889,9,-



Extra charge (€) 1200 189,6,-1500 205,8,-2000 240,1,-

The ESD set consists of a 27 mm high antistatic pad, a snap button, an earthing cable and an ESD earthing



# alsor **PROFI**

Technical parametres: Work desk made of grey laminated chipboard

with light or dark grey ABS edge.

Workbenches alsor PROFI - standard versions

- Massive frame made of foursquare profiles, surface max. load of work surface is 400 kg.
- Range of manual height settings of the work surface is 681 - 1037 mm.
- The PROFI hanging cabinets with 80% telescopic drawers, drawer's surface max. load 90 kg, central locking with a blocation of opening several drawers together, an aluminium handle with a groove for inserting a label with drawer's contents, drawers perforated on their sides for using metal dividing bars.
- Cabinets with 100% telescopic drawers and max. load 65 or 180 kg can be ordered for an extra charge.





Order code	Width (mm)	Price (€)
alsor P12 K03	1200	896,9,-
alsor P15 K03	1500	937,1,-
alsor P20 K03	2000	1007,7,-

Upper extensions of workbenches

1200 970,1,alsor P12 K04 1010,3,alsor P15 K04 1500 alsor P20 K04 2000 1080,8,-

alsor P12 K02

alsor P15 K02

alsor P20 K02

# If our versions of upper extensions do not meet your requirements, you can design your own version made of components which you will find in section Individual programme for ALSOR workbenches.

Order code	Width (mm)	Price (€)
SDEL 12 10U K1	1200	142,0,-
SDEL 15 10U K1	1500	154,1,-
SDEL 20 10U K1	2000	180,6,-
reinforced beams 10U. El	UROPERFO® pa	nel, com-


bined moulding for plastic bins



Order code	Width (mm)	Price (€)			
SDEL 12 20U K1	1200	316,8,-			
SDEL 15 20U K1	1500	352,7,-			
SDEL 20 20U K1	2000	422,0,-			
reinforced beams 20U, 2x EUROPERFO® panel, combined moulding for plastic bins, shelf					



SDEL 15 25U K1 1500 955,1,-SDEL 20 25U K1 2000 1036,7,reinforced beams 25U, energy channel, EUROP-ERFO® panel, combined moulding for plastic bins, shelf, beam with light ALMAX, hanging system with trolley with four castors





beech

1200 1857,1,alnak 12 K01 alnak 15 K01 1500 1891,5,alnak 20 K01 2000 1945,2,-



cherry

hazel

alder

1200 1915,4,alnak 12 K02 alnak 15 K02 1500 1955,6,alnak 20 K02 2000 2022,2,-Back covering sheet 5U = 222 mm



grey with anthracite

alnak 12 K03 1200 2102,6,alnak 15 K03 1500 2166,6,alnak 20 K03 2000 2276,0,-Beams 10U H459 mm with assembly slots, spacing 22 mm, back covering sheet, EUROPERFO® panel 5U, shelf

300 mm.



Remote control AL-H Switchboard with two buttons for height settings of work surface, extra charge equipment of ALNAK workbenches. Extra charge 11,7,-

1500 3019,0,-

Beams 20U H903 mm with assembly slots, spac-

ing 22 mm, back covering sheet, 3x EUROPERF0® panel 5U, shelf 300 mm, energy channel K1, illuminating body holder, lamp ALMAX.

alnak 15 K04



standard equipment of ALNAK work-



ment of ALNAK workbenches. Extra charge 93,1,- €.



alnak 15 KO5 2000 3347,9,-


Width of upper extension is 1500 mm, beams 20U H903 mm with assembly slots, spacing 22 mm, back covering sheet, 3x EUROPERFO® panel 5U, shelf 300 mm, energy channel K1, illuminating body holder, lamp ALMAX, cabinet DKU 6U 2AS.




alnak 15 K06 2000 2284,6,-

Back covering sheet, cabinet DKU 6U 2AS.

birch







Holders for

tools

Plastic bins

The adapters are intended for mounting into supporting frames of the DDSV line cupboards. They sions. The given price is for a pai 18,1,- The shelves, which are intended for mounting into ejecting frames of the DSV cupboards, are produced in DSV EP A **DSV P2 10** 100 22,7,three height versions with edge's height 20, 50 and 100 mm. They are DSV P3 2 16.2.-20 available for all the dimensional versions of the DSV cupboards. DSV P3 5 18,2,-The supply includes holders to be mounted into the frame. The **DSV P3 10** 

20,4,-

14,6,-

16,4,-

18,4,-

shelves can be adjusted after 25

100

50

100

DSV P42


DSV P45

DSV P4 10

The CNC carriers represent a basic manipulation DSV CNC N52 51,6,element which is intended for installation of plastic bins for storing tools. Each carrier is on its both sides furnished with aluminium han-DSV CNC N82 58,8,-DSV CNC N102 64,0,dles with safety pin which ensures carrier's safe fixation in the ejecting frame. The carriers are available for boxes of sizes 52, 82 and 102 m. The CNC boxes you will find on page 89 of

holders for the DEP line tools. For

of the frame 3 panels are needed.



37,1,-The EUROPERFO panel dim. 522 x 466 x 10 mm is to be mounted into the supporting part of the ejecting frame of the DSV cupboards. The DSV EB A

47,2,-The ALFABOX panel dim. 522 x 466 x 13 mm is to be mounted into the supporting part of the ejecting frame of the DSV cupboards. The plastic bins of the SB line up to the size 2. For installation along the whole height of the frame 3 panels



DSV 92 1 2A

DSV 92 1 2B

Surface

treatment

Fire

extinguishers

Computer

cabinets

The vertical system cupboards are designed for storing tools and material at warehouses and production workplaces. The cupboards furnished with ejecting systems of the DSV line allow to their users an easy access to objects stored in their whole depth of the deposit space. A wide range of accessories and additional equipment will help you to maintain the system and order in the stored items. The bodies of the DSV cupboards has carrying capacity 800 kg. The bottom part of the body is furnished with

a height adjustment. In the bottom and back walls there are slots for anchoring to build constructions. The cupboards are locked centrally with an inbuilt safety system which blocks ejecting of several frames at the same time. In case that the cupboards are weighted equally it makes a protection against overturning.

The ejecting frames are guided in massive slide rails Fulterer which do not need any maintence. In our offer there are frames in version A with carrying capacity 60 kg and frames in version B with carrying capacity 180 kg. In the frontal side there is placed a massive aluminium handle. Its outer part is modified to allow inserting a label with drawer's contents. The frame's construction is prepared for mounting of accessories.

We can design and produce accessories intended for mounting into the ejecting frames of the DSV cupboards according to customer's specification. The holders of componets of the Trumpf tool system are also available.

DSV 92 1 3A

DSV 92 1 3B

Frame carrying capacity (kg) Price (€)

1211,0,-

1594,3,-








2151,0,-





Order code	Frame carrying capacity (kg)	Price (€)
DSV 92 1 4A	60	1886,6,-
DSV 92 1 4B	180	2680,4,-

Damped closing

TSV 181 69,4,-

The ejecting frames of the DSV cup-

boards in version B with carrying capacity 180 kg can be furnished (for the below given extra charge) with a system of damped closing.

The given price is for furnishing of

Price (€)

Order code

■ Drawer cabinets PROFI		Morkshon	Workbenches	Workshop cabinet	s Perfo systems			C	Fire	<b>6 6</b>
dimensional 2727E 3627E 4527E 5427E Drawer cabinets	UNI	Workshop trolleys	ALCERA ALPEDE	system universal	mobile	Holders for tools	Plastic bins	Computer cabinets	Fire extinguishers	Surface treatment
line 3636E 4536E 5436E		,	ALSOR ALNAK	warehouse	stationary			00.0.1.1000		
Workshop cupboards										
System cupboards PROFI page 66 - 71 Cupboard's depth 600mm.		o <mark>ards UNI</mark> J´s depth 500mm.	pag	e 72 - 75						
The system cupboards of the DSP line represent a professional solution for storing materials and tools at industry and service plants. They are designed for high weighting of shelves, drawers and ejecting systems.	for sto	pboards of the DSU line or	ols at industry plants	. They are						
In our assortment you can find a wide range of standard versions or in the individual programme section you can set your own cupboard furnished according to your demands.	concer	g the cupboards DSU the rning both common vers ards for tools incl. version	ions of workshop cupt ns furnished with a writ	ooards and ing desk.			Universal cupboards US  Cupboard's depth 400mm.  The universal cupboards U  price-friendly solution for sto	Cupb S represent a The ring of materi- line	rehouse cupboards SS, I oard's depth 200, 300, 400mm. warehouse cupboards e are designed for stori	of the SS and US ng small pieces
The body is characterized by a solid welded construction and it is furnished with a height adjustment and with slots for anchoring to the floor or to the wall. The body's carrying capacity is 400 - 800 kg. The body is inside prepared for installation of shelves or supporting construction for installation of drawers. EUROPERFO* the inner part of doors is perforated in order to mount holders for tools. For an extra	to the floo for installa	is characterized by a solid welded cor or or to the wall. The body 's carrying ation of shelves or supporting constru IFO® the inner part of doors is perfora e can supply a perforated upper part c	capacity is 200 - 600 kg. The body is action for installation of drawers. ted in order to mount holders for to	inside prepared			als, tools, documents and off at production plants, wareh and archives.	ice equipment and nouses, offices plan The	I materials at producti nts and warehouses. warehouse cupboard:	s are offered in
charge we can supply a perforated upper part of cupboard's back wall.  ALFABOX® for an extra charge you can order bodies which are in their upper half of the back wall	■ The doors	s are hinged on massive pivots, and cing element. Locking is solved by	gle of opening is 110°. On their in				The cupboards US are offere	ed in many di- out	ny dimensional versions doors or versions inter	nded for mount-
and in the upper part pressed in order to mount plastic bins. The doors are hinged on massive pivots, angle of opening is 110°. On their inner part there is	mechanis  The shelve	sm. v <b>es</b> have a surface carrying capacity 8	0 kg and are adjustable after 25 mr	n.			mensional versions. Their m sional construction allows co	nnecting them	on the wall are also ava	
a reinforcing element. Locking is solved by a turning padlock cap and a three-point locking mechanism. Alternatively you can order cupboards with glass-filled doors.  The shelves have a surface carrying capacity 100 kg and are adjustable after 25 mm.		ers in 4623 E and 2223 Eversion are o liding is 100%. Into the drawers there					together or with additional or creating then variable cupbo	cupboards and furnis	ody is characterized by a solid weld shed with slots for anchoring to the v city is 100 - 300 kg. The body is insi	wall. The body ´s carrying
The drawers in 4527 E version we offer in five heights. Versions with carrying capacity 65, 100 or 180 kg and sliding 80 or 100% are also available.							Besides the basic cupboards in our assortment you can	with drawers  The d	of shelves. loors are hinged on massive pivo On their inner part there is a reir	
The CNC ejecting frames are intended for installation of carriers for CNC tools. Their parametres are the same as for drawers.					-		sions for storing chemicals a showcases, versions with le	nd small parts, ing is	solved by a turning padlock cap techanism.	
Damped closing can be ordered for an extra charge. It is a comfort device for drawers or for CNC ejecting frames.					40000	Etc.	and versions with ejecting	Thes	helves have a surface carrying table after 25 mm.	apacity 60 kg and are
The blocation of opening several drawers makes a protection against cupboard's overturning when several heavily weighted drawers are opened at the same time. This system is for an						-	hanging files.  The body is characterized by a solid welder.	d construction and it is		
extra charge. As the first producer we offer this system for cupboards with wing doors.						TANK	furnished with slots for anchoring to the wa capacity is 100 - 300 kg. The body is inside tion of shelves.	ll. The body ´s carrying		
					-	1	The doors are hinged on massive pivots 110°. On their inner part there is a reinfo			
					(B) (B)		ing is solved by a turning padlock cap an ing mechanism.	d a three-point lock-		
		4 -	110000	IT		1	The shelves have a surface carrying cap adjustable after 25 mm.	pacity 60 kg and are		-
					-				- Control of	
215		100			1 min 1	(1) A(1)			Contractor of	ALC: UNKNOWN
		1	1000						Total Control	and the same
19191199 111			20.00.00			No.		-	640-0-0-0	The same of
- 11/11/11		The second second	e 155		4.				COLUMN TO	-
Contributed and			e NAME						Indiana and	
The second secon						100			Territoria.	Control of
2-3-38	9 1	1					1	-	Part of the last	
Tarabana Tarabana		-	1000				1		Parallel Mark	
		- 1	1	1//			10		FIRST DEPARTMENT	
		_				1000				
					4.0	10				1000
The second secon							4	-		
					21	-			THE REAL PROPERTY.	
The second second second		_			11 11		1			
CAN-	10	Cont.		1	and the state of t					
				1						
						1				
			-	The same of the sa		111				
						A STATE OF				
				-	-					
64				1000		100				65

dimensional 2727E 3627E 4527E 5427E Drawer cabinets UNI

Workshop trolleys

Workbenches Workshop cabinets Perfo systems ALCERA ALPEDE system universal mobile ALSOR ALNAK warehouse stationary

Holders for tools

Plastic bins

Computer cabinets

Fire extinguishers

Surface treatment

### System cupboards PROFI Individual programme, accessories

### Body with full doors

The body of the DSP line universal cupboard. The wing doors are hinged on massive metal pivots with opening option of 100° angle. The door's internal part are perforated in EUROPERFO system. The inner space of cupboards can be further furnished with shelves or drawers fitted in supporting construction. The body of the low cupboard is furnished with a putting surface with a frame and a foam filling.



-			
Order code	Dimesions (mm)	Carrying capacity (kg)	Price (
DSP 92 1 K P	1950 x 920 x 600	800	389,
DSP 92 3 K P	1170 x 920 x 600	400	292,

### Body with glass-filled doors

The body of the DSP line universal cupboard. The wing doors are hinged on massive metal pivots with opening option of 100° angle. The doors are filled with safety hardened glass. The inner space of cupboards can be further furnished with shelves or drawers fitted in supporting construction. The body of the low cupboard is furnished with a putting surface with a frame and a foam filling.



	The same of the sa		
		Carrying	
Order code	Dimesions (mm)	capacity (kg)	Price (€)
SP 92 1 K S	1950 x 920 x 600	800	491,9,-
SP 92 3 K S	1170 x 920 x 600	400	368,9,-

# 91,9,-

### EUROPERFO® modification of body

the inner part of the DSP 92 1 K body is made for installation of system holders for tools.



### ALFABOX® modification of body

ALFABOX modification of doors and of the upper half of the inner part of the DSP 92 1 K body is made for installation of plastic bins and system holder of





### Covering panel of EUROPERFO slots

If you need the EUROPERFO slots can be covered by a panel (for an extra charge) which has to be fitted from the outer side on the rear part of the body. The panel protects against dust and dirt going in through the



DSP 92 1 KEP 35,5,-

### Basic shelf

The reinforced shelf with surface carrying capacity 100 kg  $\,$  incl. 4 pcs of holders to be mounted into the body. The shelves are adjustable after 25  $\,$ 



### Blocation of opening several drawers together

For an extra charge you can order a safety system which blocks opening of several drawers at the same time. It is a protection against overturning of the product.



Order code	Height (mm)	Price (€)
DSP BVZ 8U	372	71,7,-
DSP BVZ 21U	950	96,6,-
DSP BVZ 40U	1868	127,4,-

# Supporting construction for drawers installation

In case of drawers installation it is necessary to choose a supporting construction in the corresponding size. The supporting construction is modified for optional installation of damped closing.



Order code		Height (mm)	Price (€)		
DSP 92 PK 8U	*	372	76,6,-		
DSP 92 PK 21U	*	950	130,6,-		
DSP 92 PK 40U		1868	164,0,-		
* The price includes a dividing shelf					

### Shelf for supporting construction mounting

The reinforced shelf with surface carrying capacity 100 kg incl. 4 pcs of holders to be mounted into the body. The shelf's dimensions are adapted for mounting to the supporting construction for drawers installation. The shelves are adjustable after 25 mm.





### Pallet base

For an extra charge the cupboards can be placed on a pallet base which makes the cupboard's manipulation easier. In case of using it in combination with a cupboard with ejecting systems we recommend anchoring the cupboard to the wall.

Alternatively you can use the DSP BVZ system. This system descreases the risk of cupboard's overturning because it blocks opening of more drawers at the same time.




### Damped closing of drawers

For an extra charge the drawers of the DSP line cupboards can be furnished with a system of damped closing. This system is intended for drawers with maximum weighting up to 70 kg. A high quality gas damper ensures secure running and a long lifetime of the system.



Order code	Price (€)
TSI 80	35,9,-

### Individual programme, accessories




### Drawers 4527E, sliding 80%, carrying capacity 90 kg

Order code	Front's height	Side's height	Price (€)
DKP Z 4527 2U A	85	58	92,6,-
DKP Z 4527 3U A	129	102	100,3,
DKP Z 4527 4U A	174	147	108,0,
DKP Z 4527 5U A	218	191	115,8,
DKP Z 4527 6U A	263	236	123,5,
	А	В	

The drawers are guided in massive slide-rails Fulterer with four ball bearings. These slide-rails are characteristic by an easy and silent

The drawers are furnished with a comfort aluminium handle with an installed holder of a safety pin DKP PVZ and with a groove for a label with drawer's contents.

The inner parts of the drawers are pressed and grooved for installing of metal divider sets. Groove spacing is 1E = 17 mm.




### Drawers 4527E, sliding 100%, carrying capacity 65 kg

Order code	Front's height	Side 's heigh	ht Price (€)
DKP Z 4527 2U B	85	58	123,9,-
DKP Z 4527 3U B	129	102	131,6,-
DKP Z 4527 4U B	174	147	139,4,-
DKP Z 4527 5U B	218	191	147,0,-
DKP Z 4527 6U B	263	236	154,8,-
	А	В	

The drawers are guided in massive slide-rails Fulterer with ten pulleys. These slide-rails are characteristic by an easy and silent

running.
The drawers are furnished with a comfort aluminium handle with an installed holder of a safety pin DKP PVZ and with a groove for a label


The inner parts of the drawers are pressed and grooved for installing of metal divider sets. Groove spacing is 1E = 17 mm. Useable drawer plan is 757 x 451 mm.



### CNC ejecting frame

Order code	Sliding	Carrying cap	pacity(kg) Price (€)
DSP CNC R A	80 %	90	104,0,
DSP CNC R B	100 %	65	135,3,
DSP CNC R C	100 %	180	176.5.

The ejecting frame is guided in top quality massive slide rails Fulterer. You can choose either a basic version (sliding 80%, carrying capacity 90 kg) or versions with sliding 100% and carrying capacity 65 or 180 kg. The supporting frame is furnished with a comfort aluminium handle with an option to insert a label. The frame is adapted for installation of removable carriers of CNC boxes. The CNC ejecting frame is to be fixed in the same way as drawers, it means to the supporting construction of the DSP 92 PK line.



### Drawers 4527E, sliding 100%, carrying capacity 180 kg

Order code	Front's height	Side's height	Price (€)
DKP Z 4527 3U C	129	102	172,7,-
DKP Z 4527 4U C	174	147	180,5,-
DKP Z 4527 5U C	218	191	188,2,-
DKP Z 4527 6U C	263	236	195,9,-

The drawers are guided in massive slide-rails Fulterer with ten pulleys. These slide-rails are characteristic by an easy and silent

running. The drawers are furnished with a comfort aluminium handle with an installed holder of a safety pin DKP PVZ and with a groove for a label

The inner parts of the drawers are pressed and grooved for installing of metal divider sets. Groove spacing is 1E = 17 mm.

Useable drawer plan is 757 x 451 mm.



### **CNC** carriers

Order code	Dimension (mm)	Price (€)
DSP CNC N52	52	57,3,
DSP CNC N82	82	65,4,
DSP CNC N102	102	71.2

The CNC carriers represent a basic manipulation element which is intended for installation of plastic bins for storing tools. Each carrier is on its both sides furnished with aluminium handles with safety pin which ensures carrier's safe fixation in the ejecting frame. The carriers are available for boxes of sizes 52, 82 and 102 mm. The CNC boxes you will find on page 89 of this catalogue.

### Divider sets for drawers



Order code	Price (€)
MZ 4527 2U 8P	31,6,-
MZ 4527 3U 8P	45,1,-
MZ 4527 5U 8P	61,3,-

The divider set of the 45E x 27E drawers allows

dividing the drawer's inner part into 8 pieces. It contents 3x perforated dividing bar 27E, 3x bar

The 3U divider set is intended for drawers 3U and 4U, the 5U divider set is intended for drawers 5U and 6U.



Order code	Price (€)
DMZ 4527 2U 12P	38,5,-
DMZ 4527 3U 12P	55,8,-
DMZ 4527 5U 12P	79,7,-
UNIC 4527 50 12P	19,1,-

The divider set of the 45E x 27E drawers allows dividing the drawer's inner part into 12 pieces. It contents 3x perforated dividing bar 27E, 6x

The 3U divider set is intended for drawers 3U and 4U, the 5U divider set is intended for drawers 5U and 6U.



Order code	Price (€)
DMZ 4527 2U 15P	46,6,-
DMZ 4527 3U 15P	67,5,-
DMZ 4527 5U 15P	94,5,-

The divider set of the 45E x 27E drawers allows dividing the drawer's inner part into 15 pieces. It contents 4x perforated dividing bar 27E and

The 3U divider set is intended for drawers 3U and 4U, the 5U divider set is intended for drawers 5U and 6U.



### Perforated drawer's bottom

DKP PDZ 4527

Price (€) 7,6,-For an extra charge the drawers can be fur-

nished with a perforated bottom. It is useful to combine it with a metal divider set. Bars can be

tightly screwed to the drawer's bottom.



### Individual foam filling of drawer

We are able to produce customized foam fillings according to customer's requirement and given electronic drawings.Minimum order number is 20 pcs.



### Plastic bins

The plastic bins are intended for dividing the inner drawer's part. On pages 92 and 933of this catalogue you can find the complete assort-ment of already configured sets of bins designed directly for particular dimensional lines of drawers. In case that any of those sets do not suit you it is possible to create an individual set. Componets for creating the set you will find on page 88.






# Standard programme

The workshop cupboards DSU are price-friendly solution if you want to store materials and tools at production plants. These cupboards are intended for average level of shelf's and drawer's weighting.

Among the cupboards DSU there are a lot of standard versions concerning both common versions of workshop cupboards and cupboards for tools incl. versions furnished with a writing desk.




















Workbenches Workshop cabinets Perfo systems

Drawer cabinets PROFI

74 75





# Showcases



#### **Cupboards for chemicals**

ing capacity is 5 kg.

glass, the shelves are made of safety two-layer glass. Their surface carry-

The cupboards for chemicals are furnished with intercepting container of 15 l volume. The part of container's construction is also a perforated pad. The doors are perforated in their upper and bottom part.




## Cupboards for A4 files


The cupboards furnished with ejecting frames of carrying capacity 40 kg are intended for placing of A4 files. The files can be placed in longitudinal or transverse




# Warehouse cupboards


The cupboards are furnished with special shelves with plastic bins intended for storing small pieces. On the frontal part of the bins there are plates for inserting a label with bin's contents. The bars are removable. The shelf's surface carrying capacity is 60 kg and they are adjustable after 25 mm.





Order code	Dimension (mm)	Price (€)	
VS US 49	490	84,0,-	The cupboards of the US line can be fitted with
VS US 80	800	121,5,-	a lockable box with wing doors. The doors are lockable by a cylindrical lock EURO-LOCKS. The
VS US 92	920	129,3,-	lock has 2000 combinations and is standardly
VS US 120	1200	161,6,-	supplied with 2 keys.





Holders for

tools

Plastic bins

Fire

extinguishers

Surface


treatment

Computer

cabinets







3636E 4536E 5436E

dimensional 2727E 3627E 4527E 5427E Drawer cabinets UNI

Workshop trolleys

Workbenches Workshop cabinets Perfo systems ALCERA ALPEDE system universal mobile ALSOR ALNAK warehouse stationary

Holders for tools

Plastic bins

Computer cabinets

Fire extinguishers

Surface treatment


# Divider sets for drawers, holders for tools

The dividing bars are designed for dividing the drawer's inner space into smaller segments in order to store the small pieces, tools and materials in a well-arranged way. The system consists of longitudinal perforated bars and dividing plates. For drawers with depth 27 and 36 E we offer dividing bars in two lengths and three heights. For dividing in transverse direction we use dividing plates which allow due to their wide dimensional range dividing the drawer's inner space according to customer's requirements. In case of ordering drawers with perforated bottom the longitudinal and transverse dividing bars can be connected with the bottom by screws.



#### Longitudinal dividing bars, perforated

Order code	Dimension (mm)	Drawer's depth	Drawer's heigh	t Price(€)
DMZ PP 27E 2U	58 x 19 x 457	27E	2U	8,2,-
DMZ PP 27E 3U	102 x 19 x 457	27E	3U, 4U	11,4,-
DMZ PP 27E 5U	191 x 19 x 457	27E	5U, 6U	14,3,-
DMZ PP 36E 2U	58 x 19 x 610	36E	2U	10,9,-
DMZ PP 36E 3U	102 x 19 x 610	36E	3U, 4U	15,1,-
DMZ PP 36E 5U	191 x 19 x 610	36E	5U, 6U	18,9,-



#### Transverse dividing bars, flat

Order code	Dimension (mm)	Drawer's depth	Drawer's height	t Price (€)
DMZ PJ 5E 2U	55 x 83 x 10	5E	2U	0,8,-
DMZ PJ 5E 3U	100 x 83 x 10	5E	3U, 4U	1,2,-
DMZ PJ 5E 5U	190 x 83 x 10	5E	5U, 6U	2,1,-
DMZ PJ 6E 2U	55 x 100 x 10	6E	2U	0,9,-
DMZ PJ 6E 3U	100 x 100 x 10	6E	3U, 4U	1,4,-
DMZ PJ 6E 5U	190 x 100 x 10	6E	5U, 6U	2,5,-
DMZ PJ 7E 2U	55 x 117 x 10	7E	2U	1,0,-
DMZ PJ 7E 3U	100 x 117 x 10	7E	3U, 4U	1,7,-
DMZ PJ 7E 5U	190 x 117 x 10	7E	5U, 6U	2,9,-
DMZ PJ 9E 2U	55 x 151 x 10	9E	2U	1,4,-
DMZ PJ 9E 3U	100 x 151 x 10	9E	3U, 4U	2,2,-
DMZ PJ 9E 5U	190 x 151 x 10	9E	5U, 6U	3,7,-
DMZ PJ 12E 2U	55 x 202 x 10	12E	2U	1,9,-
DMZ PJ 12E 3U	100 x 202 x 10	12E	3U, 4U	2,9,-
DMZ PJ 12E 5U	190 x 202 x 10	12E	5U, 6U	4,9,-
DMZ PJ 13E 2U	55 x 219 x 10	13E	2U	1,9,-
DMZ PJ 13E 3U	100 x 219 x 10	13E	3U, 4U	2,9,-
DMZ PJ 13E 5U	190 x 219 x 10	13E	5U, 6U	5,0,-
DMZ PJ 14E 2U	55 x 238 x 10	14E	2U	2,3,-
DMZ PJ 14E 3U	100 x 238 x 10	14E	3U, 4U	3,6,-
DMZ PJ 14E 5U	190 x 238 x 10	14E	5U, 6U	6,2,-
DMZ PJ 27E 2U	55 x 457 x 10	27E	2U	4,1,-
DMZ PJ 27E 3U	100 x 457 x 10	27E	3U, 4U	6,5,-
DMZ PJ 27E 5U	190 x 457 x 10	27E	5U, 6U	11,2,-

# EUROPERFO® panels \*\*\*\*\*\*\*\*\*\*


The panels are furnised with slots for fitting the holder of tools of the DEP line. In the rear part there is a reinforning element with mounting slots.


DEP PNL 494 494 EUROPERFO panel for mounting on the wall 494 x 494 37,4,-



DEP PNL 494 988 EUROPERFO panel for depth with the wall with the wall depth with the w

mounting on the wall





Pos.	Order code	Name	Dimension (mm)	Price (€)	Pos.	Order code	Name	Dimension (mm)	Price (€)
1	DEP 2A D15S	hook 45°	15	1,8,-	26	DEP 4A D150 UI	straight eye	150	3,8,-
2	DEP 2A D50 I	holder	50	1,9,-	27	DEP 4A D150 US	eye 45°	150	4,0,-
3	DEP 2A D50 S	hook 45°	50	1,9,-	28	DEP 4A D150 UL	eye 90°	150	4,0,-
4	DEP 2A D50 L	hook 90°	50	1,9,-	29	DEP 4A MGD 32	magnetic holder	ø 35	8,4,-
5	DEP 4A D50 I	double holder	50	3,1,-	30	DEP 4A S35 D	holder of pliers	35 x 20	3,4,-
6	DEP 4A D50 S	double hook 45°	50	3,3,-	31	DEP 4A S55 D	holder of pliers	60 x 20	3,5,-
7	DEP 4A D50 L	double hook 90°	50	3,3,-	32	DEP 4A S75 D	holder of pliers	80 x 20	3,7,-
8	DEP 4A D50 UI	straight eye	50	3,3,-	33	DEP 4A P40 0	holder of tools	ø 40	3,4,-
9	DEP 4A D50 US	eye 45°	50	3,4,-	34	DEP 4A P60 0	holder of tools	ø 60	3,7,-
10	DEP 4A D50 UL	eye 90°	50	3,4,-	35	DEP 4A P80 0	holder of tools	ø 80	4,4,-
11	DEP 2A D100 I	holder	100	2,0,-	36	DEP DSR 6 10	holder of screwdrivers	6x Ø10,5	3,7,-
12	DEP 2A D100 S	hook 45°	100	2,1,-	37	DEP DSR 8 6 10	holder of screwdrivers	4x ø 6,5 / 4x ø 10,5	4,4,-
13	DEP 2A D100 L	hook 90°	100	2,1,-	38	DEP DVY 6 10	holder of drifts	6x ø 10,5	4,0,-
14	DEP 4A D100 I	double holder	100	3,4,-	39	DEP DIK 9	holder of imbus keys		3,7,-
15	DEP 4A D100 S	double hook 45°	100	3,5,-	40	DEP DNK 12	holder of socket keys	385 - 9x ø25,ø27,ø32,ø35	6,5,-
16	DEP 4A D100 L	double hook 90°	100	3,5,-	41	DEP DPK 9B	holder of spanners		5,0,-
17	DEP 4A D100 UI	straight eye	100	3,5,-	42	DEP DSJ 3	holder of sprays	3x ø 60	6,2,-
18	DEP 4A D100 US	eye 45°	100	3,7,-	43	DEP DPZ 300	holder of plastic bins	300	4,4,-
19	DEP 4A D100 UL	eye 90°	100	3,7,-	44	DEP DPZ 400	holder of plastic bins	400	5,8,-
20	DEP 2A D150 I	holder	150	2,0,-	45	DEP DPZ 500	holder of plastic bins	500	7,1,-
21	DEP 2A D150 S	hook 45°	150	2,2,-	46	DEP DPK 9A	holder of spanners		5,8,-
22	DEP 2A D150 L	hook 90°	150	2,2,-	47	DEP DKB A 0100	holder of cables and hoses	g 200 / 100	37,7
23	DEP 4A D150 I	double holder	150	3,7,-	48	DEP PLK A4	sheet pocket A4	225 x 250	5,8,-
24	DEP 4A D150 S	double hook 45°	150	3,8,-	49	DEP PXD A4	plexi pocket A4	225 x 250	20,3
25	DEP 4A D150 L	double hook 90°	150	3,8,-					

3636E 4536E 5436E

ALSOR ALNAK warehouse

# Plastic bins

The plastic bins are used to divide the internal space of drawers of the workshop cupboards and cabinets. They allow storing of materials and small pieces in wellarranged way. On their circumference they are furnished with a dovetail joint so they can be connected and make bigger wholes. The bins are made of ABS and they are standardly in red colour. Alternatively the bins in blue colour can be ordered.

When you assemble the bins into sets you have to follow a rule - the beginning of the dovetail joint, which makes in one of the bin's corner an arrow shape, must be always oriented in the same direction. That is the reason why the rectangle bins are offered in longitudinal and also transverse versions.





#### Square version

Order code	Outer dimension (mm)	Inner dimension (mm)	Price (
PPB 2101 BOX 35 x 50 x 50	35 x 52 x 52	33 x 52 x 52	1,4,
PPB 2109 BOX 35 x 100 x 100	35 x 102 x 102	33 x 92 x 92	3,1,
PPB 2201 BOX 70 x 100 x 100	70 x 102 x 102	68 x 92 x 92	4,2,
PPB 2208 BOX 70 x 150 x 150	70 x 152 x 152	68 x 142 x 142	5,9,





#### Rectangle version

Order code	Outer dimension (mm)	Inner dimension (mm	) Price (€)
PPB 2106 BOX 35 x 50 x 300	35 x 52 x 302	33 x 43 x 292	3,1,-
PPB 2107 BOX 35 x 50 x 350	35 x 52 x 352	33 x 43 x 342	3,5,-
PPB 2110 BOX 35 x 100 x 150	35 x 102 x 152	33 x 92 x 142	4,0,-
PPB 2111 BOX 35 x 100 x 200	35 x 102 x 202	33 x 92 x 192	4,7,-
PPB 2112 BOX 35 x 100 x 250	35 x 102 x 252	33 x 92 x 242	5,7,-
PPB 2114 BOX 35 x 100 x 600	35 x 102 x 602	33 x 92 x 592	10,1,-
PPB 2156 PR 35 x 50	33 x 3 x 48		0,5,-
PPB 2157 PR 35 x 100	33 x 3 x 98		0,5,-
PPB 2202 BOX 70 x 100 x 150	70 x 102 x 152	68 x 92 x 142	5,0,-
PPB 2203 BOX 70 x 100 x 200	70 x 102 x 202	68 x 92 x 192	5,7,-
PPB 2204 BOX 70 x 100 x 250	70 x 102 x 252	68 x 92 x 242	6,5,-
PPB 2234 BOX 70 x 100 x 600	70 x 102 x 602	68 x 92 x 592	11,3,-
PPB 2230 PR 70 x 100	38 x 3 x 98		0,7,-




88





Order code	Outer dimension (mm)	) Inner dimension (mm	) Price (€)
PPB 2108 BOX 35 x 100 x 50	35 x 102 x 52	33 x 92 x 42	1,9,-
PPB 2115 BOX 35 x 150 x 50	35 x 152 x 52	33 x 142 x 42	2,2,-
PPB 2116 BOX 35 x 150 x 100	35 x 152 x 102	33 x 142 x 92	4,0,-
PPB 2122 BOX 35 x 200 x 50	35 x 202 x 52	33 x 192 x 42	2,5,-
PPB 2123 BOX 35 x 200 x 100	35 x 202 x 102	33 x 192 x 92	4,7,-
PPB 2129 BOX 35 x 250 x 50	35 x 252 x 52	33 x 242 x 42	2,9,-
PPB 2130 BOX 35 x 250 x 100	35 x 252 x 102	33 x 242 x 92	5,7,-
PPB 2136 BOX 35 x 300 x 50	35 x 302 x 52	33 x 292 x 42	3,1,-
PPB 2137 BOX 35 x 350 x 50	35 x 352 x 52	33 x 342 x 42	3,5,-
PPB 2139 BOX 35 x 600 x 100	35 x 602 x 102	33 x 592 x 42	10,1,-
PPB 2156 PR 35 x 50	33 x 3 x 48		0,5,-
PPB 2157 PR 35 x 100	33 x 3 x 98		0,5,-
PPB 2202 BOX 70 x 150 x 100	70 x 152 x 102	68 x 142 x 92	5,0,-
PPB 2213 BOX 70 x 200 x 100	70 x 202 x 102	68 x 192 x 92	5,7,-
PPB 2219 BOX 70 x 250 x 100	70 x 252 x 102	68 x 242 x 92	6,5,-
PPB 2238 BOX 70 x 600 x 100	70 x 602 x 102	68 x 592 x 92	11,3,-
PPB 2230 PR 70 x 100	38 x 3 x 98		0,7,-
has			



Longitudinal version for callipers and micrometer

	Order code	0	uter dimension (mm)	Inner dimension (mm)	Price (€)
callipers	PPB 2160 BOX 35 x 100 x 2	250	35 x 102 x 252	33 x 92(56) x 52(49)	7,4,-
micromete	PPB 2162 BOX 35 x 100 x 2	200	35 x 102 x 202	33 x 92(45) x 192(95)	6,1,-
micromete	PPB 2164 BOX 35 x 100 x 2	250	35 x 102 x 252	33 x 92(45) x 242(145)	7,4,-



#### Transverse version for callipers and micrometer

	Order code	Outer dimension (mm)	Inner dimension (mm)	Price (€)
callipers	PPB 2161 BOX 35 x 250 x 100	35 x 252 x 102	33 x 242(49) x 92(56)	7,4,-
micrometer	PPB 2163 BOX 35 x 200 x 100	35 x 202 x 102	33 x 192(95) x 92(45)	6,1,-
micrometer	PPB 2165 BOX 35 x 250 x 100	35 x 252 x 102	33 x 242(49) x 92(56)	7,4,-

The plastic boxes are used for storing tools. The boxes can be put directly in drawers, they can be fitted into the CNC carriers or they can be mounted by adapters on the work desks or on the wall. On their circumference they are furnished with a dovetail joint so they can be connected and make bigger wholes. The boxes are made of ABS and they are standardly in red colour.



stationary

### Boxes for straight shank tools

Order code	Outer dimension (mm)	No. of slots	Diameter (mm)	Price (€)
PPB 2036 D2,35	72 x 52 x 52	25x	2.35	3,0,-
PPB 2000 D3	72 x 52 x 52	25x	3	3,0,-
PPB 2001 D4	72 x 52 x 52	9x	4	3,0,-
PPB 2002 D5	72 x 52 x 52	9x	5	3,0,-
PPB 2003 D6	72 x 52 x 52	9x	6	3,0,-
PPB 2004 D8	72 x 52 x 52	4x	8	3,0,-
PPB 2005 D10	72 x 52 x 52	4x	10	3,0,-
PPB 2006 D12	72 x 52 x 52	4x	12	3,0,-
PPB 2007 D14	72 x 52 x 52	4x	14	3,0,-
PPB 2008 D16	72 x 52 x 52	4x	16	3,0,-
PPB 2009 D18	72 x 52 x 52	2x	18	3,0,-
PPB 2010 D20	72 x 52 x 52	1x	20	3,0,-
PPB 2011 D25	72 x 52 x 52	1x	25	3,0,-
PPB 2012 D30	72 x 52 x 52	1x	30	3,0,-
PPB 2057 D32	72 x 52 x 52	lx	32	3,4,-
PPB 2058 D40	72 x 52 x 52	lx	40	3,4,-



#### Boxes for Morse cutting tools

Order code	Outer dimension (mm)	No. of slots	Slot	Price (€)
PPB 2013 M1	72 x 22 x 22	lx	Morse 1	2,1,-
PPB 2305 M1	72 x 52 x 52	4x	Morse 1	3,4,-
PPB 2014 M2	72 x 32 x 32	lx	Morse 2	2,5,-
PPB 2306 M2	72 x 52 x 52	lx	Morse 2	3,4,-
PPB 2015 M3	72 x 42 x 42	lx	Morse 3	2,8,-
PPB 2307 M3	85 x 52 x 52	lx	Morse 3	3,4,-
PPB 2016 M4	102 x 52 x 52	lx	Morse 4	3,0,-
PPB 2040 M5	102 x 82 x 82	lx	Morse 5	5,2,-



Boxes for ISO cutting tools

Order code	Outer dimension (mm)	No. of slots	Slot	Price (€)
PPB 2041 ISO 30	102 x 82 x 82	lx	ISO 30	5,2,-
PPB 2017 ISO 40	102 x 82 x 82	1x	ISO 40	5,2,-
PPB 2018 ISO 50	135 x 102 x 102	1x	ISO 50	6,9,-



#### Boxes for tools with tightening fixtures ABS

Order code	Outer dimension (mm)	No. of slots	Slot	Price (€)
PPB 2044 ABS 25	72 x 52 x 52	lx	ABS 25	3,4,-
PPB 2045 ABS 32	72 x 52 x 52	1x	ABS 32	3,4,-
PPB 2046 ABS 40	72 x 52 x 52	lx	ABS 40	3,4,-
PPB 2047 ABS 50	72 x 82 x 82	lx	ABS 50	5,2,-
PPB 2048 ABS 63	72 x 82 x 82	lx	ABS 63	5,2,-



#### Boxes for tools with tightening fixtures HSK, KM, WDX, UTS

Order code	Outer dimension (mm)	No. of slots	Slot	Price (€)
PPB 2051 HSK 32	72 x 52 x 52	lx	HSK 32	3,4,-
PPB 2052 HSK 40	72 x 52 x 52	lx	HSK 40	3,4,-
PPB 2053 HSK 50	72 x 82 x 82	lx	HSK 50	5,2,-
PPB 2054 HSK 63	72 x 82 x 82	lx	HSK 63	5,2,-
PPB 2055 HSK 80	72 x 102 x 102	lx	HSK 80	6,9,-
PPB 2065 HSK 100	72 x 102 x 102	lx	HSK 100	6,9,-



#### Boxes for tools with tightening fixtures CAPTO

Order code	Outer dimension (mm)	No. of slots	Slot	Price (€)
PPB 2066 CAPTO C3	72 x 52 x 52	lx	CAPTO C3	3,5,-
PPB 2067 CAPTO C4	72 x 52 x 52	lx	CAPTO C4	3,5,-
PPB 2068 CAPTO C5	72 x 82 x 82	lx	CAPTO C5	5,6,-
PPB 2069 CAPTO C6	72 x 102 x 102	lx	CAPTO C6	6,9,-



#### Boxes for tools with tightening fixtures VDI

Order code	Outer dimension (mm)	No. of slots	Slot	Price (€)
PPB 2073 VDI 30	72 x 52 x 52	lx	VDI 30	5,6,-
PPB 2074 VDI 40	102 x 102 x 102	lx	VDI 40	6,9,-
PPB 2075 VDI 50	102 x 102 x 102	lx	VDI 50	6,9,-



Boxes for tool holders

Order code	Outer dimension (mm)	No. of slots	Slot	Price (€)
PPB 2310 BOX 20x20	72 x 52 x 52	1x	20,4 x 20,4	3,4,-
PPB 2311 BOX 25x25	72 x 52 x 52	1x	25,4 x 25,4	3,4,-
PPB 2312 BOX 30x30	72 x 52 x 52	1x	30,4 x 30,4	3,4,-



## Drawer cabinets PROFI

dimensional 2727E 3627E 4527E 5427E Drawer cabinets UNI 3636E 4536E 5436E

# Workshop trolleys

Workbenches		Workshop cabinets		Perfo systems
ALCERA	ALPEDE	system	universal	mobile
ALSOR	ALNAK	warehouse		stationary

Holders for tools

Plastic bins

Computer cabinets

Fire extinguishers

Surface treatment







Order code	Outer dimension (mm	) Inner dimension (mm	) No. of boxes	Price (€
PPB 2248 SW 100 x 100/4/2	102 x 102 x 94	44 x 39 x 67	4	9,5,
PPB 2249 SW 100 x 100/4	102 x 102 x 94	44 x 39 x 67	4	9,3,
PPB 2250 SW 100 x 100/2	102 x 102 x 94	90 x 39 x 67	2	8,3,
PPB 2251 SW 100 x 100/1	102 x 102 x 94	90 x 86 x 67	1	7,7,
PPB 2252 SW 100 x 150/1	152 x 102 x 94	139 x 86 x 67	1	8,9,
PPB 2255 SW 150 x 150/1	152 x 152 x 94	139 x 138 x 67	1	11,4
PPB 2059 D	72 x 102 x 15	* adapter for mounting	ig on a workbench	3,7,
~ note				

The swing boxes are furnished with little removable tilting or ejecting boxes. They are intended for storing small pieces and materials. On their circumference they are furnished with a dovetail joint so they can be connected and make bigger wholes. The bins are made of ABS and they are standardly in red colour. Alternatively the bins in blue colour can be ordered.

The boxes are in their rear part furnished with slots so they can be mounted on the wall or using an adapter they can be fitted to a work desk.








Walchouse D	1113			
Order code	Name	Outer dimension (mm)	Price (€)	
PPB 2030 Z1	drawer	83 x 91 x 300		5,0,-
PPB 2031 Z2	drawer	83 x 182 x 300		8,1,-
PPB 2081 ZP	pallet bin	100 x 150 x 400		6,9,-
PPB 2082	pallet bin connector	44 x 22 x 11		0,2,-
PPB 2083 PR	pallet bin bar	89 x 144 x 7		0,8,-

The warehouse bins are used for storing small pieces and materials. In our offer you can find drawers for cupboards of the US line and pallet bins with a tilting frontal part.



# VariBoxes



The VariBox system is a variable unit-principle system suitable especially for furnishing of ware-houses and assembly plants. The configured drawer blocks are suitable for storing small materials and small spare parts. The drawers can be used separately or in combination with the US cupboards. The body's construction is available in grey or black colour. The drawers can be ordered in light grey, blue, red or black colour,

We can make a special offer of VariBox set on the customer's demand.



## Special plastic boxes

Boxes for drills, screw taps and imbus keys

Order code	Outer dimension (mm	n) Diameter (mm)	No. of slots	Price (€)
PPB 2023 BOX D1-D4,9	72 x 202 x 52	1-4,9 after 0,1	40	7,1,-
PPB 2024 BOX D5-D7,9	72 x 202 x 52	Ø 5-7,9 after 0,1	40	7,1,-
PPB 2025 BOX D8-D9,9	72 x 202 x 52	Ø 8-9,9 after 0,1	40	7,1,-
PPB 2026 BOX D10-D11,9	72 x 202 x 52	ø 10-11,9 after 0,1	40	7,1,-
PPB 2027 BOX D12-D13,9	72 x 202 x 52	ø 12-13,9 after 0,1	40	7,1,-
PPB 2028 BOX D1-D13,5	72 x 202 x 52	ø 1-13,5 after 0,5 + 3,2 + 4,3 + 6,8	30	7,1,-
PPB 2071 BOX M3-M12	72 x 202 x 52	* for screw taps M3-M12	28	7,1,-
PPB 2043 IK 2-10	72 x 52 x 52	* for imbus keys 2-10	8	4,0,-
PPB S1	308 x 202 x 72	* for drills ? 1-13,9 after 0,1	200	43,0,-
* note				

The plastic boxes are used for storing tools. The boxes can be put directly in drawers, they can be fitted into the CNC carriers or they can be mounted by adapters on the work desks or on the wall. On their circumference they are furnished with a dovetail joint so they can be connected and make bigger wholes. The boxes are made of ABS and they are standardly in red colour. Alternatively the boxes in blue colour can be ordered.

If you are interested we are able to offer also boxes for spring collets and electrodes for sinking machines

### Additional items

Order code	Name	Outer dimension (mm) Price (€)	
PPB 2029 MD 12 x 12	filling	72 x 12 x 12	0
PPB 2019 MD 22 x 22	filling	72 x 22 x 22	1
PPB 2020 K	wedge for mounting on	a workbehûtb x 100	3
PPB 2078 AP	EUROPERFO adapter	97 x 100 x 19,5	3
PPB 2021 ST	label	36 x 75 x 4,5	0







#### Special suitcases and other cases

We dispose of our own workshop where we produce suitcases, cases and transport boxes. All the assortment is handmade of high quality components supplied by prestigious suppliers.

We offer a small series production in dimensions on customer's demand. We can also produce a filling according the shape and dimensions of the stored items.

The suitcases, boxes and other cases are designed especially for storing medical equipment, tools, weapons, audiovisual and enlighting technologies, measuring


Below there are shown three basic dimensional versions of suitcases made of aluminium, plywood and artificial leather without internal equipment.

Order code	Length (mm)	Depth (mm)	Height (mm)	Price (€)
KF 35 50 12 A	500	350	120	293,5,-
KF 40 60 15 A	600	400	150	313,5,-
KF 50 70 20 A	700	500	200	333,5,-

If you are interested in making a special offer please contact us. We are able to make a special offer according to the given specifications.



91





Workbenches Workshop cabinets Perfo systems

Workshop

934.8.-

Drawer cabinets PROFI



CSS 65 1 A



furnished with a glass-filled door made of 4 mm thick safety glass. The upper part is intended for placing an LCD monitor on stand or a CRT monitor up to 20". The dimensions of the place for a monitor are 470 x 570 x 550 mm. An ejecting shelf for a keyboard and a mouse is placed under a lockable tilting door. In the bottom part there is place for a computer, a printer or other devices. The part of the standard version is a shelf adjustable after 25 mm. In the back wall of the cabinet there are covers with ventilation slots and cable outlets. The versions on a socle with a height adjustment or on wheelframe are available. The cabinet is well prepared for mounting accessories.

For an extra charge you can order an ejecting shelf for a printer, a moulding for 19" rack accessory mounting or a distribution switchgear with sockets or a combined distribution switchgear with sockets and a ventilator. The distribution switchgears are to be mounted into the back wall of the cabinet.







Holders for

Computer

Fire

Surface





The computer cabinet is intended for placing a computer with an LCD monitor and external equipment at plants. The upper part of the cabinet is furnished with a glass-filled door made of 4 mm thick safety glass. The upper part is intended for placing an LCD monitor without up to 20". A monitor of 115 mm maximum depth can be placed directly on the cabinet's holder with slots in VESA 75 or 100 mm standard. The dimensions of the place for a monitor are 470 x 570 x 115 mm. An ejecting shelf for a keyboard and a mouse is placed under a lockable tilting door. In the bottom part there is place for a computer, a printer or other devices. The part of the standard version is a shelf adjustable after 25 mm. In the back wall of the cabinet there are covers with ventilation slots and cable outlets. The versions on a socle with a height adjustment or on wheelframe are available. The cabinet is well prepared for mounting accessories.

94


CSP 65 1 A

# Cabinets for fire extinguishers and first aid kits


The cabinets for extinguishers are produced in two versions. The cabinets intended for using in interiors are signed HPI, the cabinets for using in exteriors have a roof of zinc-galvanized sheet and are signed HPV. The cabinets for fire extinguishers are constructed as resistant weldments with full rear part and

with wing-doors. In the door plate there is a key holder placed behind the breakable glass. The cabinet is furnished with slots for placing the sealing. In our offer you can find the cabinets in size for FE 6 Kg in two heights, FE 9 Kg and FE CO2. It is possible to choose among versions for 1 up to 4 extinguishers. The cabinets are furnished with a self-adhesive label with the symbol of extinguisher. The surface treatment is solved by powder coating, standardly in RAL 3000 - flame red, alternatively they can be supplied in white colour. The part of the supply are two keys and the material for anchoring into the wall. For an extra charge it is possible to produce the cabinets in stainless version or in version designed for inbuilding into the wall. Recommended using:


- shops and supermarkets
- parkings and garages
- offices and administrative blocks
- blocks of flats
- production plants



# Exterior cabinets for fire extinguishers



#### First aid kits



\* version with simple locking and a turning padlock

The metal first aid kits are constructed as resistant weldments. We offer them in three dimension lines and two versions with simple locking with turning padlock or with locking by cylindrical lock and a key holder placed behind the breakable glass. The basic versions of the first aid kits have shelves in the body and in the doors they are furnished with heightened edges protecting the stored medical material against falling. The first aid kits are furnished with a self-adhesive label with an appropriate symbol.





Plastic bins

Colour combinations of body painted in RAL 7035 - pale grey with doors painted in any shade of the KLASIK chart are included in the basic price, so there is no extra charge.

Coating in other colours of the RAL chart is possible for an individually calculated extra charge.

Fire

extinguishers

Surface

treatment

Computer

cabinets



Holders for

tools

mobile

stationary

## Security instructions

Do not overweight the maximum allowed carrying capacity of the shelves, drawers and bodies. The maximum carrying capacity of the shelves and drawers is given for the surface static weighting.

When you put objects into the cupboards, bear in mind the right weight distribution. The heaviest objects store in the lower shelves or drawers and the lightest in the upper ones.

When it is technically possible, anchor the bodies to the wall or to the floor. In case of installation by cupboards' backs against each other, screw their bodies together.

When the drawer cabinets cannot be anchored we recommend choosing the type with a system blocking the opening of several drawers together. This system is a protection against cabinet's overturning due to the change of the gravity centre.

When you want to buy a mobile drawer cabinet we recommend furnishing the drawers with a safety pin protecting them against their spontaneous opening. The safety pin protects against opening of the

unlocked drawers during going on a slip plane. When you buy a mobile cabinet which is not furnished with a safety pin against spontaneous opening of

unlocked drawers you have to lock the drawers properly before moving the cabinet.

Any object stored in the drawer must not overlap the edge of the drawer's side walls.

Do not step on shelves or in the drawers.

Use only the original accessories approved by the producer.



**ALFA 3, s.r.o.** Husova 263 538 54 Luže

Tel.: +420 469 671 295

e-mail: obchod@alfa3.cz

An updated list of authorized sellers you will find on

www.alfa3.cz



