

**alfa** **R** *QUALITY  
INNOVATION  
DESIGN*  
cloakroom furniture





## Lockers with inserted doors

Basic reduced height High volume Divided doors Z shape lockable boxes glass-filled doors Miniboxes Additional cabinets for fire brigade Benches

## Benches

benches for lockers backrest and racks

## Lockers with front-standing doors

Basic Divided doors Z shape

Accessories

Locking systems

Surface treatment

[www.alfa3.eu](http://www.alfa3.eu)

Alfa3, s.r.o. is an innovative, towards customers oriented production company which has been dealing with development and production of steel furniture for more than 25 years. Due to the longtime experience and the involvement of our employees we are able to supply not only quality products, but also to ensure a professional consultancy and service.

Our products are characterized by quality processing, a modern design, a massive welded construction and a durable surface treatment. During the construction process of our products we care about using maximally the well-approved unit-principle items and the constructional complexes which make a guarantee of high level reliability also of the new or customized products.

We use only the first class materials and well-approved components bought from prestigious suppliers. The production itself is mostly realized by using high precise CNC machines and computerized production systems of PSBB line. The surface treatment is realized through IDEAL-LINE coating line equipped with GEMA MagicCylinder II coating box with CM30 operation system and 12 automatic electrostatic coating guns.

We are still looking for any occasions to higher the efficiency and productivity of our processes. We use modern environment-friendly technologies. The quality management system is certified by ISO 9001. We are authorized to use the Czech product mark.

The products intended for cloakroom furnishing are important pillars of our product's portfolio and that is why we pay high attention to them. The cloakroom lockers have gone through a generational modification and they newly provide better utility properties and higher safety level. In our assortment you can find six model lines which are graded so that they can meet all spatial, safety and design demands of the widest range of customers.

### CONTENTS

#### Lockers with inserted doors - technical description

##### Product lines

##### Basic cloakroom lockers with inserted doors

The cloakroom lockers with inserted doors are characterized by their universal usage, resistant welded construction, modern look and careful processing. In our assortment there are four basic product lines which differ in door construction and in level of standard equipment.



##### Cloakroom lockers of reduced height

##### High volume cloakroom lockers with inserted doors

##### Divided cloakroom lockers with inserted doors

##### Cloakroom lockers with inserted doors, Z shape

##### Lockers with lockable boxes

##### Lockers with glass-filled doors

##### Miniboxes, constructional boxes

##### Additional cabinets for cloakroom lockers, sloping tops

##### Compact cloakroom units

##### Cloakroom lockers and lockers with lockable boxes ALTROS

The ALTROS lockers are furnished with specially profiled doors of higher resistance. These products are the best choice for those customers who search for an innovative design but do not want to do any compromises in safety standards.



##### Cloakroom lockers for fire brigade

##### Lockers for work clothes distribution

##### Additional cabinets for cloakroom lockers and benches for lockers

##### Benches

The modified version of benches is characterized by a modern simple design. The framework is welded from steel profiles of rectangular section. In our assortment you can find several versions of sitting surfaces.



##### Benches with backrest and racks

##### Double-sided bench with backrest and racks

##### ALFORT lockers with front-standing doors - technical description

##### Cloakroom lockers with front-standing doors

The ALFORT line cloakroom lockers have a robust welded body which is designed to be fitted with different door panels made of metal, laminated chipboard, sandwich desk with HPL surface or safety glass. Together with a wide range of surface treatments it gives options to architects to use them also at the most demanding interiors.



##### Cloakroom lockers with front-standing doors, divided

##### Cloakroom lockers with front-standing doors, Z shape

##### Lockers with lockable boxes with front-standing doors

##### Accessories

##### Locking systems

##### Surface treatment

Page

4 - 5

6 - 7

8 - 9

10 - 11

12 - 13

14 - 15

16 - 17

18 - 19

20 - 21

22 - 23

24 - 25

26 - 27

28 - 29

30 - 31

32 - 33

34 - 35

36 - 37

38 - 39

40 - 41

42 - 43

44 - 45

46 - 47

48 - 49

50 - 53

54 - 55

56 - 57

58 - 59

The producer reserves itself the right to misprints, changes in prices and in technical parameters without previous notice. We are still improving our products, so there can be some differences in details between the product displayed and supplied. All the prices are stated excl. VAT and EXW plant Luže. The prices are valid for minimum order amount which is 10 pieces. If you order less than the minimum amount, an extra charge will be counted.

# Cloakroom lockers with inserted doors - technical description

All the important constructional items of the third generation of the cloakroom lockers with doors inserted in a frame construction have been completely reworked. Metal parts are made of steel sheets with higher solidity. The frame construction of the frontal part of the body is newly profiled and provides higher resistance against violent breaking the door into the body and makes a solid support for the safety door bolt. The door construction has been also completely reworked. They are newly furnished with reinforcing elements, they are standardly prepared for installation of opening limiters and damping elements.



• Doors are fitted on massive metal pivots with opening angle approx. 100°, reinforced fitting of the upper pivot.

**Extra charge equipment:**

○ Metal doors are fitted on massive bar suspensions, opening angle up to 170°

**Nameplates and numbering**

• Plastic transparent frame for a nameplate of dim. 15 x 60 mm.

**Extra charge equipment:**

○ Self-adhesive plastic tags in colour of aluminium with engraved digits.  
○ Self-adhesive foil digits cut in cutting plotter.



**Locking systems**

• Cylindrical lock C1, 4000 combinations, a master key option.

• Turning security padlock cap OB1 is intended for a padlock of stirrup diameter 6 - 8 mm.

Locking system consists of a bolt with a safety hook which increases the resistance of the doors against violent breaking.

**Extra charge equipment:**

○ Coin deposit lock  
○ Code mechanical lock  
○ Code electronic lock  
○ Online electronic systems  
○ Chip electronic lock



**Ventilation system**

The body is furnished with an efficient ventilation system which fulfils with a generous margin demands of DIN 4547 standard. Ventilation slots are cut in a safety section and they are placed in the frontal edge of the upper partition, in locker's bottom, in locker's back wall and on surface of all shelves. To ensure the right function of ventilation please follow the installation instruction of the producer.

• The bottom part of the body is fitted with plastic sliders.


**Extra charge equipment:**

○ Height-adjustable plastic sliders

**Socle 40 mm**

The constructional height of the basic body version is 1800 mm. Lowered versions of bodies of 1500 mm are also alternatively available. Lockers can be installed directly on cloakroom's floor, on a brick socle or on a bench. Their bottom part is standardly fitted with plastic sliders.

○ Versions with integrated sloping tops with elevation of 195 mm and slope angle of 21° are available for an extra charge.



**Socle 160 mm**

The constructional height of the body on heightened socle is 1920 mm. Lowered versions of bodies of 1620 mm are also alternatively available. Their bottom part is standardly fitted with plastic sliders.

○ Versions with integrated sloping tops with elevation of 195 mm and slope angle of 21° are available for an extra charge. Cloakroom lockers with sloping tops whose max. height is over 2000 mm are supplied on a mounted heightened socle.




**Feet 120 mm**

The constructional height of the body on feet is 1920 mm. Lowered versions of bodies of 1620 mm are also alternatively available. Their feet have a reinforced construction and are fitted with plastic endings.

○ Heightly adjustable feet are available for an extra charge.


○ Versions with integrated sloping tops with elevation of 195 mm and slope angle of 21° are available for an extra charge. Cloakroom lockers with sloping tops whose max. height is over 2000 mm are supplied on mounted feet.



**Additional cabinets and benches for lockers**

The cloakroom lockers can be placed on a heightened socle or on a bench. In our assortment you can find additional cabinets and benches for lockers in basic version, in version with a reclining grate for footwear and in version with lockable drawers for footwear.

○ For an extra charge the bodies can be furnished with integrated sloping tops with elevation of 195 mm and slope angle of 21°.



Product lines

■ standard equipment □ extra charge equipment × can't be supplied

**alsin** safety class A

- One-plated doors with a massive reinforcement along their whole height
  - Reinforced construction around the lock - protection against turning and bending of the bolt
  - Door bolt with a hook - protection against door crushing
  - Doors hinged on massive metal pivots, max. opening angle 100°
  - Hook for towel on inner door part
  - Shelf with surface carrying capacity 30 kg
  - Clothes bar with carrying capacity 10 kg
  - 2 plastic hooks with carrying capacity 4 kg in each compartment
  - Mounting slots on sides of bodies for mounting into lines
  - Mounting slots in the bottom for mounting to the construction of a bench
- Opening limiter  
 □ Mounting slots on back wall of the body  
 □ Preparation for additional mounting of a shelf in the bottom part of the body  
 □ Preparation for additional mounting of feet or socle

**aldur 1** safety class C

- Recommended version for cloakrooms at schools.
- Their reinforced construction of doors and bodies is made of 0,8 mm sheet metal.
- Double-plated doors with high resistance against twisting and bending
- Reinforced construction around the lock - protection against turning and bending of the bolt
- Door bolt with a hook - protection against door crushing
- Doors hinged on massive metal pivots, max. opening angle 100°
- Opening limiter
- Hook for towel on inner door part
- Shelf with surface carrying capacity 30 kg
- Clothes bar with carrying capacity 10 kg
- 3 plastic hooks with carrying capacity 4 kg in each compartment
- Mounting slots on sides of bodies for mounting into lines
- Mounting slots on back wall of the body
- Mounting slots in the bottom for mounting to the construction of a bench
- Preparation for additional mounting of a shelf in the bottom part of the body
- Preparation for additional mounting of feet or socle

**aldop** safety class B

- Double-plated doors with high resistance against twisting and bending
- Reinforced construction around the lock - protection against turning and bending of the bolt
- Door bolt with a hook - protection against door crushing
- Doors hinged on massive metal pivots, max. opening angle 100°
- Hook for towel on inner door part
- Shelf with surface carrying capacity 30 kg
- Clothes bar with carrying capacity 10 kg
- 3 plastic hooks with carrying capacity 4 kg in each compartment
- Mounting slots on sides of bodies for mounting into lines
- Mounting slots on back wall of the body
- Mounting slots in the bottom for mounting to the construction of a bench
- Opening limiter
- Preparation for additional mounting of a shelf in the bottom part of the body
- Preparation for additional mounting of feet or socle

**aldera**

- Doors made of laminated chipboard with ABS edge
  - Door bolt with a hook - protection against door crushing
  - Doors hinged on massive metal pivots, max. opening angle 100°
  - Hook for towel on dividing wall, not available for one-compartment lockers
  - Shelf with surface carrying capacity 30 kg
  - Clothes bar with carrying capacity 10 kg
  - 3 plastic hooks with carrying capacity 4 kg in each compartment
  - Mounting slots on sides of bodies for mounting into lines
  - Mounting slots on back wall of the body
  - Mounting slots in the bottom for mounting to the construction of a bench
  - Preparation for additional mounting of a shelf in the bottom part of the body
  - Preparation for additional mounting of feet or socle
- Opening limiter  
 × Without a nameplate

## Lockers with inserted doors

Basic	reduced height	High volume	Divided	doors Z shape	lockable boxes	glass-filled doors	Miniboxes	Additional cabinets	for fire brigade
-------	----------------	-------------	---------	---------------	----------------	--------------------	-----------	---------------------	------------------

### Basic cloakroom lockers with inserted doors

The cloakroom lockers with inserted doors are characterized by their universal usage, durable welded construction, modern look and careful processing.

In our assortment you can find four basic product lines which differ in doors construction and the range of standard equipment.

The parts of the body are in their frontal part specially profiled and they are connected so that they reach high solidity and superstandard resistance. The body is furnished with an efficient system of natural ventilator. In the upper part inside of each compartment there is a deposit shelf. Under the shelf there is a clothes bar with plastic hooks.



- 1 - alsin**  
The locker is furnished with one-plated doors made of a massive closed profile. Along the whole door circumference there is a safety bending. The doors have a reinforcement of the mounting slot of the lock.
- 2 - aldop**  
The locker is furnished with double-plated doors with superstandard resistance against bending and twisting. The doors have a reinforcement of the mounting slot of the lock. The opening limiter is supplied standardly.
- 3 - aldera**  
The locker is furnished with doors made of laminated chipboard with ABS edge.
- 4 - aldur 1**  
The locker is made of 0,8 mm sheet metal and is furnished with double-plated doors and with a range of other elements reinforcing the resistance of the entire construction. These products are highly recommended for using at schools or at plants with higher demands on resistance and safety.

#### Extra charge for version on socle 160 mm

Module	Product's width (mm)	Price (EUR)
250	250	5,5,-
	500	7,1,-
	750	8,5,-
300	300	5,8,-
	600	7,5,-
	900	9,5,-
350	350	6,2,-
	700	8,2,-
	1050	10,5,-
400	400	6,5,-
	800	8,9,-
	1200	11,6,-

#### Extra charge for version on feet 120 mm

Module	Product's width (mm)	Price (EUR)
all	all	10,9,-

#### Extra charge for height modification (socle and feet)

Module	Product's width (mm)	Price (EUR)
all	all	8,1,-

#### Extra charge for an extra shelf

Module	Price (EUR)	Price (EUR)
250	5,1,-	8,4,-
300	5,5,-	9,0,-
350	6,2,-	10,2,-
400	6,8,-	11,2,-

welded for additional mounting



## Benches

Benches	benches for lockers	backrest and racks
---------	---------------------	--------------------

## Lockers with front-standing doors

Basic	Divided	doors Z shape
-------	---------	---------------

Accessories	Locking systems	Surface treatment
-------------	-----------------	-------------------

### Module 250 mm / 205 l

Order code	Product's width (mm)	Product's depth (mm)	Product's height (mm)	Price (EUR)
L3M 25 1 1 S	1	alsin	134,9,-	
A3M 25 1 1 S	2	aldop	144,4,-	
D3M 25 1 1 S	3	aldera	170,4,-	
R3M 25 1 1 S	4	aldur 1	173,3,-	

Order code	Product's width (mm)	Product's depth (mm)	Product's height (mm)	Price (EUR)
L3M 25 2 1 S	1	alsin	207,6,-	
A3M 25 2 1 S	2	aldop	222,2,-	
D3M 25 2 1 S	3	aldera	262,2,-	
R3M 25 2 1 S	4	aldur 1	266,6,-	

### All product's depth 500 mm

Order code	Product's width (mm)	Product's depth (mm)	Product's height (mm)	Price (EUR)
L3M 25 3 1 S	1	alsin	303,0,-	
A3M 25 3 1 S	2	aldop	324,4,-	
D3M 25 3 1 S	3	aldera	382,7,-	
R3M 25 3 1 S	4	aldur 1	389,2,-	

### Module 300 mm / 245 l

Order code	Product's width (mm)	Product's depth (mm)	Product's height (mm)	Price (EUR)
L3M 30 1 1 S	1	alsin	139,3,-	
A3M 30 1 1 S	2	aldop	148,8,-	
D3M 30 1 1 S	3	aldera	175,6,-	
R3M 30 1 1 S	4	aldur 1	178,6,-	

Order code	Product's width (mm)	Product's depth (mm)	Product's height (mm)	Price (EUR)
L3M 30 2 1 S	1	alsin	214,3,-	
A3M 30 2 1 S	2	aldop	229,0,-	
D3M 30 2 1 S	3	aldera	270,2,-	
R3M 30 2 1 S	4	aldur 1	274,7,-	

Order code	Product's width (mm)	Product's depth (mm)	Product's height (mm)	Price (EUR)
L3M 30 3 1 S	1	alsin	313,0,-	
A3M 30 3 1 S	2	aldop	334,3,-	
D3M 30 3 1 S	3	aldera	394,5,-	
R3M 30 3 1 S	4	aldur 1	401,1,-	

### Module 350 mm / 285 l

Order code	Product's width (mm)	Product's depth (mm)	Product's height (mm)	Price (EUR)
L3M 35 1 1 S	1	alsin	156,2,-	
A3M 35 1 1 S	2	aldop	166,0,-	
D3M 35 1 1 S	3	aldera	195,9,-	
R3M 35 1 1 S	4	aldur 1	199,2,-	

Order code	Product's width (mm)	Product's depth (mm)	Product's height (mm)	Price (EUR)
L3M 35 2 1 S	1	alsin	240,2,-	
A3M 35 2 1 S	2	aldop	255,4,-	
D3M 35 2 1 S	3	aldera	301,4,-	
R3M 35 2 1 S	4	aldur 1	306,6,-	

Order code	Product's width (mm)	Product's depth (mm)	Product's height (mm)	Price (EUR)
L3M 35 3 1 S	1	alsin	350,7,-	
A3M 35 3 1 S	2	aldop	372,9,-	
D3M 35 3 1 S	3	aldera	440,1,-	
R3M 35 3 1 S	4	aldur 1	447,5,-	

### Module 400 mm / 330 l

Order code	Product's width (mm)	Product's depth (mm)	Product's height (mm)	Price (EUR)
L3M 40 1 1 S	1	alsin	171,2,-	
A3M 40 1 1 S	2	aldop	181,6,-	
D3M 40 1 1 S	3	aldera	214,2,-	
R3M 40 1 1 S	4	aldur 1	217,9,-	

Order code	Product's width (mm)	Product's depth (mm)	Product's height (mm)	Price (EUR)
L3M 40 2 1 S	1	alsin	263,4,-	
A3M 40 2 1 S	2	aldop	279,3,-	
D3M 40 2 1 S	3	aldera	329,6,-	
R3M 40 2 1 S	4	aldur 1	335,1,-	

Order code	Product's width (mm)	Product's depth (mm)	Product's height (mm)	Price (EUR)
L3M 40 3 1 S	1	alsin	384,5,-	
A3M 40 3 1 S	2	aldop	407,8,-	
D3M 40 3 1 S	3	aldera	481,2,-	
R3M 40 3 1 S	4	aldur 1	489,3,-	


## Cloakroom lockers of reduced height

Cloakroom lockers of reduced height are intended for using in cloakrooms of primary schools. Alternatively they can be used in combination with additional cabinets or benches.

The construction is consisted with basic version of lockers with inserted doors. All the parts are constructed with the regard to maximum safety of all users. The accessible edges are bended. The size of ventilation slots is reduced to prevent eventual injury caused by trapping children's fingers.

All product's depth 500 mm


### Module 250 mm / 170 l



Order code	Price (EUR)
L3M 25 1 1 SV15 1 alsin	121,4,-
A3M 25 1 1 SV15 2 aldop	130,4,-
R3M 25 1 1 SV15 3 aldur 1	156,6,-



Order code	Price (EUR)
L3M 25 2 1 SV15 1 alsin	186,7,-
A3M 25 2 1 SV15 2 aldop	200,7,-
R3M 25 2 1 SV15 3 aldur 1	240,8,-



Order code	Price (EUR)
L3M 25 3 1 SV15 1 alsin	272,6,-
A3M 25 3 1 SV15 2 aldop	293,0,-
R3M 25 3 1 SV15 3 aldur 1	351,6,-


### Module 300 mm / 205 l



Order code	Price (EUR)
L3M 30 1 1 SV15 1 alsin	125,4,-
A3M 30 1 1 SV15 2 aldop	134,4,-
R3M 30 1 1 SV15 3 aldur 1	161,3,-




Order code	Price (EUR)
L3M 30 2 1 SV15 1 alsin	192,9,-
A3M 30 2 1 SV15 2 aldop	206,8,-
R3M 30 2 1 SV15 3 aldur 1	248,2,-



Order code	Price (EUR)
L3M 30 3 1 SV15 1 alsin	281,6,-
A3M 30 3 1 SV15 2 aldop	301,9,-
R3M 30 3 1 SV15 3 aldur 1	362,3,-

### Module 350 mm / 240 l



Order code	Price (EUR)
L3M 35 1 1 SV15 1 alsin	140,5,-
A3M 35 1 1 SV15 2 aldop	150,0,-
R3M 35 1 1 SV15 3 aldur 1	179,9,-




Order code	Price (EUR)
L3M 35 2 1 SV15 1 alsin	216,2,-
A3M 35 2 1 SV15 2 aldop	230,7,-
R3M 35 2 1 SV15 3 aldur 1	276,8,-




Order code	Price (EUR)
L3M 35 3 1 SV15 1 alsin	315,6,-
A3M 35 3 1 SV15 2 aldop	336,9,-
R3M 35 3 1 SV15 3 aldur 1	404,2,-

### Module 400 mm / 270 l



Order code	Price (EUR)
L3M 40 1 1 SV15 1 alsin	154,1,-
A3M 40 1 1 SV15 2 aldop	163,9,-
R3M 40 1 1 SV15 3 aldur 1	196,7,-



Order code	Price (EUR)
L3M 40 2 1 SV15 1 alsin	237,0,-
A3M 40 2 1 SV15 2 aldop	252,1,-
R3M 40 2 1 SV15 3 aldur 1	302,6,-



Order code	Price (EUR)
L3M 40 3 1 SV15 1 alsin	346,0,-
A3M 40 3 1 SV15 2 aldop	368,2,-
R3M 40 3 1 SV15 3 aldur 1	441,8,-

### Extra charge for version on socle 160 mm

Module	Product's width (mm)	Price (EUR)
250	250	5,5,-
	500	7,1,-
	750	8,5,-
300	300	5,8,-
	600	7,5,-
	900	9,5,-
350	350	6,2,-
	700	8,2,-
	1050	10,5,-
400	400	6,5,-
	800	8,9,-
	1200	11,6,-

### Extra charge for version on feet 120 mm

Module	Product's width (mm)	Price (EUR)
all	all	10,9,-


### Extra charge for height modification (socle and feet)

Module	Product's width (mm)	Price (EUR)
all	all	8,1,-



- 1 - alsin  
The locker is furnished with one-plated doors made of a massive closed profile. Along the whole door circumference there is a safety bending. The doors have a reinforcement of the mounting slot of the lock.
- 2 - aldop  
The locker is furnished with double-plated doors with superstandard resistance against bending and twisting. The doors have a reinforcement of the mounting slot of the lock. The opening limiter is supplied standardly.
- 3 - aldur 1  
The locker is made of 0,8 mm sheet metal and is furnished with double-plated doors and with a range of other elements reinforcing the resistance of the entire construction. These products are highly recommended for using at schools or at plants with higher demands on resistance and safety.

High volume cloakroom lockers with inserted doors




The high volume cloakroom lockers are constructed so that one user has two separate compartments available. Both door wings are lockable with one common lock.

We produce lockers of compartment's width 500, 600, 750 and 800 mm. In our offer there are three basic product lines which differ in doors constructions and in range of standard equipment.


The parts of their body are in frontal parts specially profiled and particular constructional elements are connected together so that a high solidness and superstandard resistance are reached. The body is furnished with a system of natural ventilation. In the upper part inside of each compartment there is placed a deposit shelf. Below the shelf there is fitted a clothes bar with plastic hooks.

All product's depth 500 mm

Module 250 mm / 410 l




Order code	Price (EUR)
L3M 25 2 K S 1 alsin	204,3,-
A3M 25 2 K S 2 aldop	218,9,-
D3M 25 2 K S 3 aldera	258,3,-
R3M 25 2 K S 4 aldur 1	262,7,-




Order code	Price (EUR)
L3M 25 2 K P 1 alsin	219,7,-
A3M 25 2 K P 2 aldop	234,2,-
D3M 25 2 K P 3 aldera	276,4,-
R3M 25 2 K P 4 aldur 1	281,0,-

Module 300 mm / 490 l



Order code	Price (EUR)
L3M 30 2 K S 1 alsin	211,2,-
A3M 30 2 K S 2 aldop	225,7,-
D3M 30 2 K S 3 aldera	266,3,-
R3M 30 2 K S 4 aldur 1	270,8,-




Order code	Price (EUR)
L3M 30 2 K P 1 alsin	227,6,-
A3M 30 2 K P 2 aldop	242,1,-
D3M 30 2 K P 3 aldera	282,7,-
R3M 30 2 K P 4 aldur 1	290,5,-

Module 350 mm / 570 l



Order code	Price (EUR)
L3M 35 2 K S 1 alsin	237,0,-
A3M 35 2 K S 2 aldop	252,2,-
D3M 35 2 K S 3 aldera	297,6,-
R3M 35 2 K S 4 aldur 1	297,6,-




Order code	Price (EUR)
L3M 35 2 K P 1 alsin	255,5,-
A3M 35 2 K P 2 aldop	270,7,-
D3M 35 2 K P 3 aldera	316,1,-
R3M 35 2 K P 4 aldur 1	324,9,-

Module 400 mm / 660 l



Order code	Price (EUR)
L3M 40 2 K S 1 alsin	260,1,-
A3M 40 2 K S 2 aldop	276,1,-
D3M 40 2 K S 3 aldera	325,8,-
R3M 40 2 K S 4 aldur 1	331,3,-



Order code	Price (EUR)
L3M 40 2 K P 1 alsin	280,5,-
A3M 40 2 K P 2 aldop	296,5,-
D3M 40 2 K P 3 aldera	346,2,-
R3M 40 2 K P 4 aldur 1	355,8,-

1 - alsin  
The locker is furnished with one-plated doors made of a massive closed profile. Along the whole door circumference there is a safety bending. The doors have a reinforcement of the mounting slot of the lock.

2 - aldop  
The locker is furnished with double-plated doors with superstandard resistance against bending and twisting. The doors have a reinforcement of the mounting slot of the lock. The opening limiter is supplied standardly.

3 - aldera  
The locker is furnished with doors made of laminated chipboard with ABS edge.

4 - aldur 1  
The locker is made of 0,8 mm sheet metal and is furnished with double-plated doors and with a range of other elements reinforcing the resistance of the entire construction. These products are highly recommended for using at schools or at plants with higher demands on resistance and safety.

Extra charge for version on socle 160 mm

Module	Product's width (mm)	Price (EUR)
250	500	7,1,-
300	600	7,5,-
350	700	8,2,-
400	800	8,9,-

Extra charge for version on feet 120 mm

Module	Product's width (mm)	Price (EUR)
all	all	10,9,-

Extra charge for height modification (socle and feet)

Module	Product's width (mm)	Price (EUR)
all	all	8,1,-

Divided cloakroom lockers with inserted doors



The divided cloakroom lockers of low volume have two door wings placed one above another in each compartment. They are suitable for all places where you need as much space as possible for many users on a small place. But you have to take into consideration that the deposit space is only approx. 100 - 160 dm3 according to the chosen width of the locker.

We offer three product lines which differ in door construction and in range of the standard equipment.



- 1 - alsin  
The locker is furnished with one-plated doors made of a massive closed profile. Along the whole door circumference there is a safety bending. The doors have a reinforcement of the mounting slot of the lock.
- 2 - aldop  
The locker is furnished with double-plated doors with superstandard resistance against bending and twisting. The doors have a reinforcement of the mounting slot of the lock. The opening limiter is supplied standardly.
- 3 - aldera  
The locker is furnished with doors made of laminated chipboard with ABS edge.
- 4 - aldur 1  
The locker is made of 0,8 mm sheet metal and is furnished with double-plated doors and with a range of other elements reinforcing the resistance of the entire construction. These products are highly recommended for using at schools or at plants with higher demands on resistance and safety.

Extra charge for internal arrangement type S

Extra charge for version on socle 160 mm

Module	Product's width (mm)	Price (EUR)
250	250	5,5,-
	500	7,1,-
	750	8,5,-
300	300	5,8,-
	600	7,5,-
	900	9,5,-
350	350	6,2,-
	700	8,2,-
	1050	10,5,-
400	400	6,5,-
	800	8,9,-
	1200	11,6,-

Extra charge for version on feet 120 mm

Module	Product's width (mm)	Price (EUR)
all	all	10,9,-


Extra charge for height modification (socle and feet)

Module	Product's width (mm)	Price (EUR)
all	all	8,1,-



Module	Product's width (mm)	Price (EUR)
250	250	10,2,-
	500	20,4,-
	750	30,6,-
300	300	11,0,-
	600	21,9,-
	900	32,8,-
350	350	12,3,-
	700	24,7,-
	1050	37,0,-
400	400	13,6,-
	800	27,2,-
	1200	40,7,-

Module 250 mm / 100 l



Order code	Price (EUR)
L3M 25 1 2 A 1 alsin	165,7,-
A3M 25 1 2 A 2 aldop	180,2,-
D3M 25 1 2 A 3 aldera	212,7,-
R3M 25 1 2 A 4 aldur 1	216,3,-

500



Order code	Price (EUR)
L3M 25 2 2 A 1 alsin	255,0,-
A3M 25 2 2 A 2 aldop	277,3,-
D3M 25 2 2 A 3 aldera	327,2,-
R3M 25 2 2 A 4 aldur 1	332,7,-

All product's depth 500 mm




Order code	Price (EUR)
L3M 25 3 2 A 1 alsin	372,2,-
A3M 25 3 2 A 2 aldop	404,8,-
D3M 25 3 2 A 3 aldera	477,7,-
R3M 25 3 2 A 4 aldur 1	485,8,-

Module 300 mm / 120 l



Order code	Price (EUR)
L3M 30 1 2 A 1 alsin	170,5,-
A3M 30 1 2 A 2 aldop	185,0,-
D3M 30 1 2 A 3 aldera	218,3,-
R3M 30 1 2 A 4 aldur 1	222,0,-

600




Order code	Price (EUR)
L3M 30 2 2 A 1 alsin	262,2,-
A3M 30 2 2 A 2 aldop	284,6,-
D3M 30 2 2 A 3 aldera	335,9,-
R3M 30 2 2 A 4 aldur 1	341,5,-

900



Order code	Price (EUR)
L3M 30 3 2 A 1 alsin	382,9,-
A3M 30 3 2 A 2 aldop	415,6,-
D3M 30 3 2 A 3 aldera	490,4,-
R3M 30 3 2 A 4 aldur 1	498,7,-

Module 350 mm / 140 l



Order code	Price (EUR)
L3M 35 1 2 A 1 alsin	191,2,-
A3M 35 1 2 A 2 aldop	206,1,-
D3M 35 1 2 A 3 aldera	243,3,-
R3M 35 1 2 A 4 aldur 1	247,4,-

700



Order code	Price (EUR)
L3M 35 2 2 A 1 alsin	294,2,-
A3M 35 2 2 A 2 aldop	317,2,-
D3M 35 2 2 A 3 aldera	374,3,-
R3M 35 2 2 A 4 aldur 1	380,6,-

1050




Order code	Price (EUR)
L3M 35 3 2 A 1 alsin	429,5,-
A3M 35 3 2 A 2 aldop	463,1,-
D3M 35 3 2 A 3 aldera	546,4,-
R3M 35 3 2 A 4 aldur 1	555,6,-

Module 400 mm / 160 l



Order code	Price (EUR)
L3M 40 1 2 A 1 alsin	210,1,-
A3M 40 1 2 A 2 aldop	225,5,-
D3M 40 1 2 A 3 aldera	266,2,-
R3M 40 1 2 A 4 aldur 1	270,7,-

800



Order code	Price (EUR)
L3M 40 2 2 A 1 alsin	323,3,-
A3M 40 2 2 A 2 aldop	347,0,-
D3M 40 2 2 A 3 aldera	409,4,-
R3M 40 2 2 A 4 aldur 1	416,4,-

1200




Order code	Price (EUR)
L3M 40 3 2 A 1 alsin	472,0,-
A3M 40 3 2 A 2 aldop	506,6,-
D3M 40 3 2 A 3 aldera	597,8,-
R3M 40 3 2 A 4 aldur 1	607,9,-

Basic	reduced height	High volume	Divided	doors Z shape	lockable boxes	glass-filled doors	Miniboxes	Additional cabinets	for fire brigade
-------	----------------	-------------	---------	---------------	----------------	--------------------	-----------	---------------------	------------------

Benches	benches for lockers	backrest and racks
---------	---------------------	--------------------

Basic	Divided	doors Z shape
-------	---------	---------------

## Cloakroom lockers with inserted Z-shaped doors



The low volume cloakroom lockers have two door wings in each compartment. So for each user there is available one deposit shelf placed along the whole width of the compartment and narrowed space for hanging of clothes furnished with a clothes bar and plastic hooks. We recommend ordering a plastic box for footwear from our original accessories assortment. With our offer you can choose version in Z-shaped doors.

They are suitable for all places where you need as much space as possible for many users on a small place. We offer three product lines which differ in door construction and in range of the standard equipment.



- 1 - alsin**  
The locker is furnished with one-plated doors made of a massive closed profile. Along the whole door circumference there is a safety bending. The doors have a reinforcement of the mounting slot of the lock.
- 2 - aldop**  
The locker is furnished with double-plated doors with superstandard resistance against bending and twisting. The doors have a reinforcement of the mounting slot of the lock. The opening limiter is supplied standardly.
- 3 - aldera**  
The locker is furnished with doors made of laminated chipboard with ABS edge.
- 4 - aldur 1**  
The locker is made of 0,8 mm sheet metal and is furnished with double-plated doors and with a range of other elements reinforcing the resistance of the entire construction. These products are highly recommended for using at schools or at plants with higher demands on resistance and safety.

### Extra charge for version on feet 120 mm

Module	Product's width (mm)	Price (EUR)
all	all	10,9,-

### Extra charge for version on socle 160 mm

Module	Product's width (mm)	Price (EUR)
300	300	5,8,-
	600	7,5,-
	900	9,5,-
350	350	6,2,-
	700	8,2,-
	1050	10,5,-
400	400	6,5,-
	800	8,9,-
	1200	11,6,-


### Extra charge for height modification (socle and feet)

Module	Product's width (mm)	Price (EUR)
all	all	8,1,-




All product's depth 500 mm


### Module 300 mm / 120 l



Order code	Price (EUR)
L3M 30 1 Z S 1 alsin	234,4,-
A3M 30 1 Z S 2 aldop	248,9,-
D3M 30 1 Z S 3 aldera	293,7,-
R3M 30 1 Z S 4 aldur 1	298,7,-




Order code	Price (EUR)
L3M 30 2 Z S 1 alsin	360,7,-
A3M 30 2 Z S 2 aldop	383,0,-
D3M 30 2 Z S 3 aldera	451,9,-
R3M 30 2 Z S 4 aldur 1	459,6,-




Order code	Price (EUR)
L3M 30 3 Z S 1 alsin	526,5,-
A3M 30 3 Z S 2 aldop	559,1,-
D3M 30 3 Z S 3 aldera	659,8,-
R3M 30 3 Z S 4 aldur 1	671,0,-

### Module 350 mm / 140 l



Order code	Price (EUR)
L3M 35 1 Z S 1 alsin	241,7,-
A3M 35 1 Z S 2 aldop	256,7,-
D3M 35 1 Z S 3 aldera	302,9,-
R3M 35 1 Z S 4 aldur 1	308,1,-




Order code	Price (EUR)
L3M 35 2 Z S 1 alsin	371,9,-
A3M 35 2 Z S 2 aldop	394,9,-
D3M 35 2 Z S 3 aldera	466,0,-
R3M 35 2 Z S 4 aldur 1	473,9,-




Order code	Price (EUR)
L3M 35 3 Z S 1 alsin	542,9,-
A3M 35 3 Z S 2 aldop	576,6,-
D3M 35 3 Z S 3 aldera	680,4,-
R3M 35 3 Z S 4 aldur 1	691,9,-

### Module 400 mm / 160 l



Order code	Price (EUR)
L3M 40 1 Z S 1 alsin	249,0,-
A3M 40 1 Z S 2 aldop	264,4,-
D3M 40 1 Z S 3 aldera	312,0,-
R3M 40 1 Z S 4 aldur 1	330,5,-




Order code	Price (EUR)
L3M 40 2 Z S 1 alsin	383,1,-
A3M 40 2 Z S 2 aldop	406,8,-
D3M 40 2 Z S 3 aldera	480,0,-
R3M 40 2 Z S 4 aldur 1	508,5,-



Order code	Price (EUR)
L3M 40 3 Z S 1 alsin	559,3,-
A3M 40 3 Z S 2 aldop	593,9,-
D3M 40 3 Z S 3 aldera	700,9,-
R3M 40 3 Z S 4 aldur 1	742,4,-

Lockers with lockable boxes



The lockers with lockable boxes are designed for safe storing of items of low volume. They are characterized by a durable construction, a modern look and quality processing. The standard locking system is a cylindrical lock or a turning security padlock cap.

For an extra charge you can order coin deposit locks, code mechanical locks or electronic locks.

We offer three product lines which differ in door construction and in range of the standard equipment.



1

2

3

Extra charge for version on feet 120 mm

Module	Product's width (mm)	Price (EUR)
all	all	10,9,-

Extra charge for height modification (socle and feet)

Module	Product's width (mm)	Price (EUR)
all	all	8,1,-

- 1 - alsin  
The locker is furnished with one-plated doors made of a massive closed profile. Along the whole door circumference there is a safety bending. The doors have a reinforcement of the mounting slot of the lock.
- 2 - aldop  
The locker is furnished with double-plated doors with superstandard resistance against bending and twisting. The doors have a reinforcement of the mounting slot of the lock. The opening limiter is supplied standardly.
- 3 - aldera  
The locker is furnished with doors made of laminated chipboard with ABS edge.


Extra charge for version on socle 160 mm

Module	Product's width (mm)	Price (EUR)
300	300	5,8,-
	600	7,5,-
	900	9,5,-



4 - Throw-in slot  
Doors of V version are furnished with a slot for mail.

5 - Slot with a flap  
Doors of K version are furnished with a covering flap.



All product's depth 500 mm

Module 300 mm / 80 l




Order code	Price (EUR)
L3M 30 1 3 0 1 alsin	198,8,-
A3M 30 1 3 0 2 aldop	215,8,-
D3M 30 1 3 0 3 aldera	254,7,-

Order code	Price (EUR)
L3M 30 2 3 0 1 alsin	305,8,-
A3M 30 2 3 0 2 aldop	332,0,-
D3M 30 2 3 0 3 aldera	391,8,-

Order code	Price (EUR)
L3M 30 3 3 0 1 alsin	446,4,-
A3M 30 3 3 0 2 aldop	484,8,-
D3M 30 3 3 0 3 aldera	572,0,-

60 l




Order code	Price (EUR)
L3M 30 1 4 0 1 alsin	222,2,-
A3M 30 1 4 0 2 aldop	243,5,-
D3M 30 1 4 0 3 aldera	287,3,-

Order code	Price (EUR)
L3M 30 2 4 0 1 alsin	341,8,-
A3M 30 2 4 0 2 aldop	374,6,-
D3M 30 2 4 0 3 aldera	442,0,-

Order code	Price (EUR)
L3M 30 3 4 0 1 alsin	499,1,-
A3M 30 3 4 0 2 aldop	546,8,-
D3M 30 3 4 0 3 aldera	645,3,-

45 l




Order code	Price (EUR)
L3M 30 1 5 0 1 alsin	252,4,-
A3M 30 1 5 0 2 aldop	277,9,-
D3M 30 1 5 0 3 aldera	327,9,-

Order code	Price (EUR)
L3M 30 2 5 0 1 alsin	388,4,-
A3M 30 2 5 0 2 aldop	427,6,-
D3M 30 2 5 0 3 aldera	504,5,-

Order code	Price (EUR)
L3M 30 3 5 0 1 alsin	567,0,-
A3M 30 3 5 0 2 aldop	624,3,-
D3M 30 3 5 0 3 aldera	736,7,-

24 l



Order code	Price (EUR)
L3M 30 1 10 0 1 alsin	453,8,-
A3M 30 1 10 0 2 aldop	500,3,-
L3M 30 1 10 OV 4 Throw-in slot	529,0,-
L3M 30 1 10 OK 5 Slot with a flap	590,9,-

Order code	Price (EUR)
L3M 30 2 10 0 1 alsin	698,1,-
A3M 30 2 10 0 2 aldop	769,7,-
L3M 30 2 10 OV 4 Throw-in slot	813,8,-
L3M 30 2 10 OK 5 Slot with a flap	909,1,-

Order code	Price (EUR)
L3M 30 3 10 0 1 alsin	1019,3,-
A3M 30 3 10 0 2 aldop	1123,8,-
L3M 30 3 10 OV 4 Throw-in slot	1188,2,-
L3M 30 3 10 OK 5 Slot with a flap	1327,2,-



### Lockers with inserted doors

Basic	reduced height	High volume	Divided	doors Z shape	lockable boxes	glass-filled doors	Miniboxes	Additional cabinets	for fire brigade
-------	----------------	-------------	---------	---------------	----------------	--------------------	-----------	---------------------	------------------

### Benches

Benches	benches for lockers	backrest and racks
---------	---------------------	--------------------

### Lockers with front-standing doors

Basic	Divided	doors Z shape
-------	---------	---------------

### Accessories

### Locking systems

### Surface treatment

All product's depth 500 mm

## Lockers with glass-filled doors



The lockers with glass-filled doors are designed for storing of luggage at stores, schools and industry plants. Their bodies are constructed as massive weldments with an integrated socle of 160 mm. The doors are made of safety hardened glass and they are fitted on bodies by massive metal hinges. The standard locking system is a cylindrical lock or a coin deposit lock.

#### Module 400 mm / 100 l

	400	554	1920	319	
Order code	Price (EUR)	Order code	Price (EUR)	Order code	Price (EUR)
G3S 40 1 3 0	769,4,-	G3S 40 2 3 0	1183,7,-	G3S 40 3 3 0	1728,1,-

#### 80 l

	400	410	1920	319	
Order code	Price (EUR)	Order code	Price (EUR)	Order code	Price (EUR)
G3S 40 1 4 0	974,5,-	G3S 40 2 4 0	1499,2,-	G3S 40 3 4 0	2188,9,-

#### Module 500 mm / 130 l

	500	554	1920	419
Order code	Price (EUR)	Order code	Price (EUR)	
G3S 50 1 3 0	900,2,-	G3S 50 2 3 0	1384,9,-	

#### 100 l

	500	410	1920	419
Order code	Price (EUR)	Order code	Price (EUR)	
G3S 50 1 4 0	1140,2,-	G3S 50 2 4 0	1754,2,-	

#### Extra charge for height modification socle

Module	Product's width (mm)	Price (EUR)
all	all	8,1,-



1 - Cylindrical lock

Miniboxes, modular boxes



The miniboxes are constructed as durable weldments in which you can store valuables, small electronics, keys etc. The boxes can be hung on a wall, inbuilt or set in special produced pedestals and socles. You can choose cylindrical or coin deposit locks.

Module 200 mm / 4,5 l

Order code	Price (EUR)						
M3B 20 1 3 0	117,1,-	M3B 20 2 3 0	193,5,-	M3B 20 3 3 0	282,5,-	M3B 20 5 3 0	369,1,-
M3B 20 1 4 0	142,3,-	M3B 20 2 4 0	235,0,-	M3B 20 3 4 0	343,0,-	M3B 20 5 4 0	448,3,-
M3B 20 1 5 0	167,4,-	M3B 20 2 5 0	276,4,-	M3B 20 3 5 0	403,6,-	M3B 20 5 5 0	527,4,-
BOX3 30 V30	58,7,-	BOX3 40 V40	60,9,-				

### Additional cabinets for cloakroom lockers, sloping tops

The additional cabinets for cloakroom lockers provide a simple way how to increase the deposit space of every single lockers user without any demand on larger ground area of the cloakroom. If you plan to use the additional cabinets for footwear storing, we recommend you placing a plastic box inside the cabinet. It will protect it against eventual water or dirt releasing from footwear into the bottom part of the cloakroom locker. Cloakroom lockers are from the standard versions equipped with mounting slots for additional cabinets connecting. If you order the cloakroom lockers together with the additional cabinets, take occasion to order the pair locks installation which allows you locking doors of the locker and of the cabinet by only one key.

All product's depth 500 mm



- 1 - alsin  
The locker is furnished with one-plated doors made of a massive closed profile. Along the whole door circumference there is a safety bending. The doors have a reinforcement of the mounting slot of the lock.
- 2 - aldop  
The locker is furnished with double-plated doors with superstandard resistance against bending and twisting. The doors have a reinforcement of the mounting slot of the lock. The opening limiter is supplied standardly.

#### Module 250 mm / 50 l

	250		500		750
Order code		Order code		Order code	
N3L 25 1 1 0	1 alsin 72,1,-	N3L 25 2 1 0	1 alsin 110,9,-	N3L 25 3 1 0	1 alsin 161,8,-
N3A 25 1 1 0	2 aldop 77,1,-	N3A 25 2 1 0	2 aldop 118,6,-	N3A 25 3 1 0	2 aldop 173,2,-

#### Module 300 mm / 60 l

	300		600		900
Order code		Order code		Order code	
N3L 30 1 1 0	1 alsin 74,4,-	N3L 30 2 1 0	1 alsin 114,4,-	N3L 30 3 1 0	1 alsin 167,0,-
N3A 30 1 1 0	2 aldop 79,4,-	N3A 30 2 1 0	2 aldop 122,2,-	N3A 30 3 1 0	2 aldop 178,4,-

#### Module 350 mm / 70 l

	350		700		1050
Order code		Order code		Order code	
N3L 35 1 1 0	1 alsin 83,3,-	N3L 35 2 1 0	1 alsin 128,2,-	N3L 35 3 1 0	1 alsin 187,2,-
N3A 35 1 1 0	2 aldop 88,4,-	N3A 35 2 1 0	2 aldop 136,0,-	N3A 35 3 1 0	2 aldop 198,6,-

#### Module 400 mm / 80 l

	400		800		1200
Order code		Order code		Order code	
N3L 40 1 1 0	1 alsin 91,6,-	N3L 40 2 1 0	1 alsin 141,-	N3L 40 3 1 0	1 alsin 205,8,-
N3A 40 1 1 0	2 aldop 96,7,-	N3A 40 2 1 0	2 aldop 148,8,-	N3A 40 3 1 0	2 aldop 217,3,-

#### Extra charge for a version with sloping tops

The lockers in version on socle of 40 mm can be furnished with integrated sloping tops with elevation of 195 mm and slope angle of 21°. The constructional height of the body is 1995/1800 mm.



Module	Order code	Product's width (mm)	Integrated version	Mounted version
250	SD 25	250	13,7,-	35,2,-
	SD 50	500	21,2,-	54,0,-
	SD 75	750	30,9,-	79,0,-
300	SD 30	300	14,1,-	36,3,-
	SD 60	600	21,8,-	55,7,-
	SD 90	900	31,8,-	81,4,-
350	SD 35	350	16,4,-	41,9,-
	SD 70	700	25,2,-	64,5,-
	SD 105	1050	36,7,-	94,1,-
400	SD 40	400	18,6,-	47,6,-
	SD 80	800	28,6,-	73,2,-
	SD 120	1200	41,7,-	106,8,-
				only for lockers with inserted doors



**Exhaustion system for lockers**  
We provide production of special cloakroom lockers which are prepared for connecting to air conditioning exhaustion system. These projects are dealt individually in cooperation with customer's planner.

**Plate valve**  
Extra charge equipment for lockers furnished with forced exhaustion. By the plate valve you can control intensity of exhaustion inside the locker.  
Order code: TVNO Price (EUR): 17,7,-

**Chimney for connecting to forced exhaustion 80 mm**  
Extra charge equipment, sloping additional cabinet in version for additional mounting is in its upper part furnished with a pipe of diam. 80 mm.  
Order code: KN080 Price (EUR): 20,4,-



### Lockers with inserted doors

Basic	reduced height	High volume	Divided	doors Z shape	lockable boxes	glass-filled doors	Miniboxes	Additional cabinets	for fire brigade
-------	----------------	-------------	---------	---------------	----------------	--------------------	-----------	---------------------	------------------

### Benches

Benches	benches for lockers	backrest and racks
---------	---------------------	--------------------

### Lockers with front-standing doors

Basic	Divided	doors Z shape
-------	---------	---------------

### Accessories

### Locking systems

### Surface treatment

All product's depth 500 mm

## Compact cloakroom units



The compact cloakroom units are suitable especially for cloakrooms at stores, hospitals and office buildings. The big advantage of the unit is that every employee has its own box for valuable personal things.

The space for storing clothes and footwear is open and can be used by all users. The compact cloakroom units can be made of all lockers with lockable boxes. But it is necessary to make an extra charge adjustment KY on them.

Part and parcel of this adjustment is a double-sided slots set up needed for connection of the central parts of the unit. The central parts of the units consist of two deposit shelves, a clothes bar and a footwear grate. Order codes are KY 55 H or KY 90 H.

Instead of the deposit shelves it is possible to order version with four lockable boxes placed side-by-side. Order code KY 30 4 1 5TR.

Order code	Price (EUR)	Order code	Price (EUR)
KYK3 5 55 S	468,2,-	A3S 30 1 5 0 KY	1 289,8,-
		KY 55 H	2 132,7,-
		KY 192 V	3 45,7,-

Order code	Price (EUR)	Order code	Price (EUR)
KYK3 5 90 S	740,1,-	A3S 30 1 5 0 KY	1 289,8,-
		KY 90 H	2 160,6,-

Order code	Price (EUR)	Order code	Price (EUR)
KYK3 5 4B5 5	877,3,-	A3S 30 1 5 0 KY	1 289,8,-
		KY 30 4 1 5TR	2 297,8,-

All product's depth 540 mm

ALTROS cloakroom lockers and lockers with lockable boxes



The cloakroom lockers with inserted, specially shaped doors are characterized by high durability and innovative look. The doors are specially profiled and furnished with a massive reinforcing profile. The construction of the doors is doubled in the area around mounting slot of the lock. The ALTROS lockers are available only in module 350 mm. The minimum order amount is 20 modules.

Module 350 mm / 285 l

 350 +269+ 1800 1715	 700	 1050			
Order code T3M 35 1 1 S	Price (EUR) 239,1,-	Order code T3M 35 2 1 S	Price (EUR) 367,8,-	Order code T3M 35 3 1 S	Price (EUR) 537,1,-

Module 350 mm / 142 l

 350 +269+ 1800 843	 700	 1050			
Order code T3M 35 1 2 A	Price (EUR) 296,8,-	Order code T3M 35 2 2 A	Price (EUR) 456,7,-	Order code T3M 35 3 2 A	Price (EUR) 666,8,-

Module 350 mm / 71 l

 350 +269+ 1800 410	 700	 1050			
Order code T3M 35 1 4 0	Price (EUR) 392,7,-	Order code T3M 35 2 4 0	Price (EUR) 604,1,-	Order code T3M 35 3 4 0	Price (EUR) 882,0,-

Module 350 mm / 56 l

 350 +269+ 1800 324	 700	 1050			
Order code T3M 35 1 5 0	Price (EUR) 448,0,-	Order code T3M 35 2 5 0	Price (EUR) 689,3,-	Order code T3M 35 3 5 0	Price (EUR) 1006,4,-

Extra charge for an extra shelf

Module	Price (EUR)	Price (EUR)
350	6,2,-	10,2,-
	Welded	For additional mounting



Extra charge for internal arrangement type S for horizontally divided lockers

Module	Product's width (mm)	Price (EUR)
350	350	12,3,-
	700	24,7,-
	1050	37,0,-



Extra charge for version on socle 160 mm

Module	Product's width (mm)	Price (EUR)
350	350	6,2,-
	700	8,2,-
	1050	10,5,-



Extra charge for version on feet 120 mm

Module	Product's width (mm)	Price (EUR)
all	all	10,9,-

Extra charge for height modification (socle and feet)

Module	Product's width (mm)	Price (EUR)
all	all	8,1,-



Lockers with inserted doors

Basic	reduced height	High volume	Divided doors Z shape	lockable boxes	glass-filled doors	Miniboxes	Additional cabinets	for fire brigade
-------	----------------	-------------	-----------------------	----------------	--------------------	-----------	---------------------	------------------

Benches

Benches	benches for lockers	backrest and racks
---------	---------------------	--------------------


Lockers with front-standing doors

Basic	Divided doors Z shape
-------	-----------------------


Accessories	Locking systems	Surface treatment
-------------	-----------------	-------------------

Cloakroom lockers for fire brigade


The special cloakroom lockers for fire brigade are designed so that the rescue clothes and equipment are stored in a way to save any second during the preparation for a rescue. In our assortment you will find basic versions of cloakroom lockers and accessories. If you wish we can design and prepare a special locker designed to your specific demands.



Dimensions (mm) - height x width x depth  
The given height is measured without a helmet holder.



Order code	Dimensions (mm)	Price (EUR)
H3FF 40 1 A	1 1800 X 400 X 500	179,8,-
H3FF 40 2 A	2 1800 X 800 X 500	276,3,-
H3FF 40 3 A	3 1800 X 1200 X 500	399,0,-




Order code	Dimensions (mm)	Price (EUR)
H3FF 40 1 B	1 1800 X 400 X 500	206,0,-
H3FF 40 2 B	2 1800 X 800 X 500	328,6,-
H3FF 40 3 B	3 1800 X 1200 X 500	477,4,-



Order code	Dimensions (mm)	Price (EUR)
H3GF 40 1 B	1 1920 X 400 X 500	225,1,-
H3GF 40 2 B	2 1920 X 800 X 500	331,1,-
H3GF 40 3 B	3 1920 X 1200 X 500	470,6,-



Order code	Dimensions (mm)	Price (EUR)
H3GF 40 1 C	1 1920 X 400 X 500	251,3,-
H3GF 40 2 C	2 1920 X 800 X 500	383,6,-
H3GF 40 3 C	3 1920 X 1200 X 500	549,1,-



Order code	Dimensions (mm)	Price (EUR)
H30F 40 1 A	1 2020 X 400 X 500	215,9,-
H30F 40 2 A	2 2020 X 800 X 500	316,9,-
H30F 40 3 A	3 2020 X 1200 X 500	449,5,-



Order code	Dimensions (mm)	Price (EUR)
H30F 40 1 B	1 2020 X 400 X 500	273,4,-
H30F 40 2 B	2 2020 X 800 X 500	431,8,-
H30F 40 3 B	3 2020 X 1200 X 500	621,9,-



Order code	Dimensions (mm)	Price (EUR)
H3KF 70 S	2 1920 x 700 x 500	293,7,-
H3KF 75 S	2 1920 x 750 x 500	307,3,-
H3KF 80 S	2 1920 x 800 x 500	319,6,-



Order code	Dimensions (mm)	Price (EUR)
H3PF 55 1 P	1 1920 X 550 X 550	456,2,-
H3PF 55 2 P	2 1920 X 1100 X 550	716,9,-



The lockers are furnished with a grooved clothes bar of oval section with higher carrying capacity.  
The clothes bar furnished with three metal hooks H1HK with carrying capacity 10 kg.  
Two massive hooks for belts on the side of each compartment.  
The locker's bottom is perforated.

Extra charge for height modification (socle and feet)

Product's width (mm)	Price (EUR)
all	8,1,-



Order code	Dimensions (mm)	Price (EUR)
K3H 1 60 1	1 1920 x 1200 x 500	576,1,-



Order code	Dimensions (mm)	Price (EUR)
K3H 2 120 2	1 1920 x 1800 x 500	733,2,-







Lockers for work clothes distribution



Module 400

All product's depth 500 mm



The lockers for work clothes distribution constructionally come out from ALSIN cloakroom lockers line. These lockers find their place at plants in which it is an external service organisation which takes care for work clothes.

The lockers for releasing the new work clothes are furnished with lockable boxes, so each box has its own user. The doors are set in a central lockable frame. So an employee of the service organisation has an easy access to all boxes and it also makes the process of supplying of work clothes and equipment much faster.

The lockers for collecting used work clothes are in the upper part furnished with a throw-in flap. Their bottom part is furnished with lockable doors accessible to an employee of the service organisation. Inside the locker there is a bag holder.



Lockers with inserted doors

Basic	reduced height	High volume	Divided	doors Z shape	lockable boxes	glass-filled doors	Miniboxes	Additional cabinets	for fire brigade
-------	----------------	-------------	---------	---------------	----------------	--------------------	-----------	---------------------	------------------

Benches

Benches	benches for lockers	backrest and racks
---------	---------------------	--------------------

Lockers with front-standing doors

Basic	Divided	doors Z shape
-------	---------	---------------

Accessories

Locking systems

Surface treatment

Additional cabinets and benches for lockers

Versions of construction of additional cabinets and benches for lockers:  
The construction of the frame is welded from steel profiles 30 x 30 mm.  
The feet of benches are standardly furnished with plastic sliders.  
For an extra charge it is possible to supply frames with an option of height modification under the order code VN.  
The surface treatment of the frame is made by powder coat in RAL 7035.

Order code VN.  
Price (EUR) 8,1,-

At the end of each line of benches with drawers for footwear we recommend installing a covering sheet PL ZB 80.

Versions of construction of additional cabinets and benches for lockers:

1- Basic version

2 - Version with a reclining grate for footwear

The grate can be removed so you can easily clean the space under the locker.

3 - Version with drawers for footwear

The drawers are guided in 100% telescopic slide rails with carrying capacity 40 kg.  
If you wish we can supply a pair lock so you will be able to lock both the drawer and the locker with one key. For visible sides we recommend using side covering sheet PL ZB 80 for benches or PL ZB 50 for additional cabinets.

Version of sitting desks of benches for lockers:

1 - Grey desk made of laminated chipboard with ABS edge

2 - Spruce varnished sticks A/B

3 - Beech varnished sticks A/B

4 - PVC reinforced sticks with blind flanges at the end of profiles



basic version	additional cabinet			bench for locker with laminated desk			bench for locker with spruce sticks			bench for locker with beech sticks			bench for locker with PVC sticks		
	Order code	Width (mm)	Price (EUR)	Order code	Width (mm)	Price (EUR)	Order code	Width (mm)	Price (EUR)	Order code	Width (mm)	Price (EUR)	Order code	Width (mm)	Price (EUR)
POD 40 S	400	57,8,-	PL 40 S	400	63,3,-	PL 40 LS	400	69,4,-	PL 40 LB	400	83,3,-	PL 40 LP	400	88,0,-	
POD 50 S	500	71,3,-	PL 50 S	500	78,3,-	PL 50 LS	500	87,2,-	PL 50 LB	500	103,2,-	PL 50 LP	500	105,9,-	
POD 60 S	600	73,3,-	PL 60 S	600	81,7,-	PL 60 LS	600	90,9,-	PL 60 LB	600	111,7,-	PL 60 LP	600	112,4,-	
POD 70 S	700	82,2,-	PL 70 S	700	91,9,-	PL 70 LS	700	102,5,-	PL 70 LB	700	126,9,-	PL 70 LP	700	125,6,-	
POD 75 S	750	83,6,-	PL 75 S	750	93,9,-	PL 75 LS	750	105,4,-	PL 75 LB	750	131,4,-	PL 75 LP	750	129,2,-	
POD 80 S	800	84,2,-	PL 80 S	800	95,3,-	PL 80 LS	800	110,0,-	PL 80 LB	800	135,3,-	PL 80 LP	800	132,0,-	
POD 90 S	900	92,8,-	PL 90 S	900	105,5,-	PL 90 LS	900	123,2,-	PL 90 LB	900	150,3,-	PL 90 LP	900	145,0,-	
POD 105 S	1050	100,5,-	PL 105 S	1050	115,7,-	PL 105 LS	1050	134,2,-	PL 105 LB	1050	167,7,-	PL 105 LP	1050	159,4,-	
POD 120 S	1200	105,9,-	PL 120 S	1200	122,5,-	PL 120 LS	1200	141,2,-	PL 120 LB	1200	182,5,-	PL 120 LP	1200	171,2,-	
POD 40 S R	400	97,6,-	PL 40 S R	400	103,1,-	PL 40 LS R	400	109,2,-	PL 40 LB R	400	123,1,-	PL 40 LP R	400	127,9,-	
POD 50 S R	500	113,9,-	PL 50 S R	500	120,8,-	PL 50 LS R	500	129,8,-	PL 50 LB R	500	145,7,-	PL 50 LP R	500	148,5,-	
POD 60 S R	600	118,6,-	PL 60 S R	600	126,9,-	PL 60 LS R	600	136,1,-	PL 60 LB R	600	156,9,-	PL 60 LP R	600	157,7,-	
POD 70 S R	700	130,1,-	PL 70 S R	700	139,9,-	PL 70 LS R	700	150,6,-	PL 70 LB R	700	174,8,-	PL 70 LP R	700	173,5,-	
POD 75 S R	750	133,0,-	PL 75 S R	750	143,2,-	PL 75 LS R	750	154,8,-	PL 75 LB R	750	180,8,-	PL 75 LP R	750	178,5,-	
POD 80 S R	800	134,9,-	PL 80 S R	800	146,0,-	PL 80 LS R	800	160,6,-	PL 80 LB R	800	186,0,-	PL 80 LP R	800	182,6,-	
POD 90 S R	900	146,2,-	PL 90 S R	900	158,9,-	PL 90 LS R	900	176,6,-	PL 90 LB R	900	203,7,-	PL 90 LP R	900	198,5,-	
POD 105 S R	1050	158,0,-	PL 105 S R	1050	173,2,-	PL 105 LS R	1050	191,6,-	PL 105 LB R	1050	225,2,-	PL 105 LP R	1050	216,9,-	
POD 120 S R	1200	167,5,-	PL 120 S R	1200	184,0,-	PL 120 LS R	1200	202,8,-	PL 120 LB R	1200	244,1,-	PL 120 LP R	1200	232,8,-	
POD B 40 1 S	400	136,0,-	PL B 40 1 S	400	141,6,-	PL B 40 1 LS	400	147,6,-	PL B 40 1 LB	400	161,5,-	PL B 40 1 LP	400	166,3,-	
POD B 25 2 S	500	200,6,-	PL B 25 2 S	500	207,6,-	PL B 25 2 LS	500	216,6,-	PL B 25 2 LB	500	232,6,-	PL B 25 2 LP	500	235,2,-	
POD B 30 2 S	600	206,7,-	PL B 30 2 S	600	215,1,-	PL B 30 2 LS	600	224,3,-	PL B 30 2 LB	600	245,0,-	PL B 30 2 LP	600	245,7,-	
POD B 35 2 S	700	225,1,-	PL B 35 2 S	700	234,8,-	PL B 35 2 LS	700	245,4,-	PL B 35 2 LB	700	269,7,-	PL B 35 2 LP	700	268,4,-	
POD B 25 3 S	750	277,5,-	PL B 25 3 S	750	287,9,-	PL B 25 3 LS	750	299,4,-	PL B 25 3 LB	750	325,4,-	PL B 25 3 LP	750	323,2,-	
POD B 40 2 S	800	240,7,-	PL B 40 2 S	800	251,8,-	PL B 40 2 LS	800	266,5,-	PL B 40 2 LB	800	291,8,-	PL B 40 2 LP	800	288,5,-	
POD B 30 3 S	900	292,9,-	PL B 30 3 S	900	305,5,-	PL B 30 3 LS	900	323,3,-	PL B 30 3 LB	900	350,3,-	PL B 30 3 LP	900	345,1,-	
POD B 35 3 S	1050	314,8,-	PL B 35 3 S	1050	330,0,-	PL B 35 3 LS	1050	348,4,-	PL B 35 3 LB	1050	382,1,-	PL B 35 3 LP	1050	373,8,-	
POD B 40 3 S	1200	340,7,-	PL B 40 3 S	1200	357,2,-	PL B 40 3 LS	1200	376,0,-	PL B 40 3 LB	1200	401,1,-	PL B 40 3 LP	1200	406,0,-	



Order code PL ZB 80  
Price (EUR) 26,2,-

PL B 30 2 S  
number of boxes

Basic	reduced height	High volume	Divided	doors Z shape	lockable boxes	glass-filled doors	Miniboxes	Additional cabinets	for fire brigade
-------	----------------	-------------	---------	---------------	----------------	--------------------	-----------	---------------------	------------------

Benches	benches for lockers	backrest and racks
---------	---------------------	--------------------

Basic	Divided	doors Z shape
-------	---------	---------------

## Benches

The construction of the frame is welded from steel profiles. Their feet have a rectangle section 60 x 30 mm and they are fitted with plastic sliders. For an extra charge we can supply frames of additional cabinets and benches with height modification.

Order code of the height modification is VN.  
Price (EUR) 8,1,-

Versions of bench constructions:

- 1 - Basic version
  - 2 - Version with a reclining grate for footwear
- The grate can be removed so you can easily clean the space under the bench.

Versions of sitting surfaces of benches:

- 1 - Grey desk made of laminated chipboard with ABS edge
- 2 - Spruce varnished sticks A/B
- 3 - Beech varnished sticks A/B
- 4 - PVC reinforced sticks with blind flanges on profile ends



Price (EUR)  
extra charge for a bar for anchoring to the floor 45,4,-



1 - Laminated desk



4 - PVC sticks



2 - Spruce sticks



3 - Beech sticks



Order code	Width (mm)	Price (EUR)	Order code	Width (mm)	Price (EUR)	Order code	Width (mm)	Price (EUR)	Order code	Width (mm)	Price (EUR)
S1L 100 A S	1000	132,7,-	S1L 100 A LS	1000	152,3,-	S1L 100 A LB	1000	185,8,-	S1L 100 A LP	1000	189,7,-
S1L 150 A S	1500	142,9,-	S1L 150 A LS	1500	172,3,-	S1L 150 A LB	1500	222,5,-	S1L 150 A LP	1500	219,9,-
S1L 200 A S	2000	163,3,-	S1L 200 A LS	2000	202,5,-	S1L 200 A LB	2000	269,5,-	S1L 200 A LP	2000	260,4,-

Laminated desk      Spruce sticks      Beech sticks      PVC sticks



Order code	Width (mm)	Price (EUR)	Order code	Width (mm)	Price (EUR)	Order code	Width (mm)	Price (EUR)	Order code	Width (mm)	Price (EUR)
S1L 100 A S SR	1000	189,9,-	S1L 100 A LS SR	1000	209,4,-	S1L 100 A LB SR	1000	242,9,-	S1L 100 A LP SR	1000	246,8,-
S1L 150 A S SR	1500	217,8,-	S1L 150 A LS SR	1500	247,1,-	S1L 150 A LB SR	1500	297,4,-	S1L 150 A LP SR	1500	294,7,-
S1L 200 A S SR	2000	255,8,-	S1L 200 A LS SR	2000	295,1,-	S1L 200 A LB SR	2000	362,0,-	S1L 200 A LP SR	2000	352,8,-



Order code	Width (mm)	Price (EUR)
S1L 100 A C	1000	246,5,-
S1L 150 A C	1500	330,0,-
S1L 200 A C	2000	376,7,-

Artificial leather



Order code	Width (mm)	Price (EUR)
S1LF 200 B C	2000	449,8,-

Laminated desk, artificial leather



Order code	Width (mm)	Price (EUR)
S1LF 200 O C	2000	727,1,-

Laminated desk, artificial leather

Artificial leather



## Benches with backrest and racks

The construction of the frame is welded from steel profiles. Their feet have a rectangle section 60 x 30 mm and they are fitted with plastic sliders.

The clothes racks moulding is fitted with safety clothes hooks and nameplate holders. Under the moulding there is a backrest and a perforated panel which protects clothes from touching the wall.

For an extra charge we can supply frames of additional cabinets and benches with height modification.


Order code of the height modification is VN.  
Price (EUR) 8,1,-

Versions of bench constructions:

- 1 - Basic version
- 2 - Version with a reclining grate for footwear. The grate can be removed so you can easily clean the space under the bench.

Versions of sitting surfaces of benches:

- 1 - Grey desk made of laminated chipboard with ABS edge
- 2 - Spruce varnished sticks A/B
- 3 - Beech varnished sticks A/B
- 4 - PVC reinforced sticks with blind flanges on profile ends



Order code	Width (mm)	Price (EUR)
S1L 100 VS	5 1000	272,2,-
S1L 150 VS	7 1500	306,2,-
S1L 200 VS	10 2000	347,1,-

Laminated desk

Order code	Width (mm)	Price (EUR)
S1L 100 VLS	5 1000	306,9,-
S1L 150 VLS	7 1500	358,3,-
S1L 200 VLS	10 2000	416,5,-

Spruce sticks

Order code	Width (mm)	Price (EUR)
S1L 100 VLB	5 1000	362,7,-
S1L 150 VLB	7 1500	442,0,-
S1L 200 VLB	10 2000	528,0,-

Beech sticks

Order code	Width (mm)	Price (EUR)
S1L 100 VLP	5 1000	357,7,-
S1L 150 VLP	7 1500	421,7,-
S1L 200 VLP	10 2000	492,5,-

PVC sticks




Order code	Width (mm)	Price (EUR)
S1L 100 VS SR	5 1000	329,3,-
S1L 150 VS SR	7 1500	381,0,-
S1L 200 VS SR	10 2000	439,5,-

Order code	Width (mm)	Price (EUR)
S1L 100 VLS SR	5 1000	364,1,-
S1L 150 VLS SR	7 1500	433,0,-
S1L 200 VLS SR	10 2000	509,0,-

Order code	Width (mm)	Price (EUR)
S1L 100 VLB SR	5 1000	419,9,-
S1L 150 VLB SR	7 1500	516,8,-
S1L 200 VLB SR	10 2000	620,5,-

Order code	Width (mm)	Price (EUR)
S1L 100 VLP SR	5 1000	414,8,-
S1L 150 VLP SR	7 1500	496,6,-
S1L 200 VLP SR	10 2000	585,1,-



Price (EUR)  
extra charge for a bar for anchoring to the floor 45,4,-



# ALFORT lockers with front-standing doors - technical description

On the following pages we introduce you a modified line of cloakroom lockers with front-standing doors with a trade name ALFORT. These cloakroom lockers are characterized by modern and clear lines and a wide range of material and colour versions of doors panels. Due to all these characteristics the lockers can be used in modern interior architecture, especially at cloakrooms of hotels, wellness and fitness centres or swimming pools.




- Doors hinged on furniture pivots with damped closing function

**Extra charge equipment:**

- Doors hinged on stainless pivots with damped closing function

- Oval clothes bar made of eloxal aluminium and movable plastic hooks in each compartment
- Square aluminium hold for comfortable manipulation



**Extra charge equipment:**

- Self-adhesive plastic tags in colour of aluminium with engraved digits.

### Locking systems

- Cylindrical lock C1, 4000 combinations, a master key option.
- Turning security padlock cap OB1 is intended for a padlock of stirrup diameter 5 - 8 mm.



Locking systems C1 and OB1 consist of a bolt with a safety hook which increases the resistance of the doors against violent breaking.

**Extra charge equipment:**

- Coin deposit lock
- Code mechanical lock
- Code electronic lock
- Online electronic systems
- Chip electronic lock



### Ventilation system

• The body is furnished with an efficient ventilation system which fulfil with a generous margin demands of DIN 4547 standard. Ventilation slots are cut in a safety section and they are placed into the horizontal body panels and on locker's back wall. To ensure the right function of ventilation please follow the installation instruction of the producer.

**Extra charge equipment:**

- **Version for moisty environments**  
For an extra charge we can supply lockers in version for moisty environments. For the metal parts of the locker is used steel, zinc galvanized plate which is then coated by an exterior colour.

- The bottom part of the body is fitted with plastic sliders.

**Extra charge equipment:**

- Heightly adjustable plastic sliders.



### Metal doors

Doors wings are made of steel plates and are standardly supplied in durable double-plated version. Doors are hinged on furniture pivots with damped closing function. Massive opening limiter is supplied standardly. Doors are fitted with an aluminium hold for better manipulation.

The surface treatment is made by resistant powder coat.



### Metal doors DECORAL

Doors wings are made of steel plates and are standardly supplied in durable double-plated version. Doors are hinged on furniture pivots with damped closing function. Massive opening limiter is supplied standardly. Doors are fitted with an aluminium hold for better manipulation.

The surface treatment is made by special technology DECORAL which enables applying wooden or stony surfaces, carbon surfaces and many other patterns. For an actual offer of patterns please contact your dealer.



### Metal doors UV print

Doors wings are made of steel plates and are standardly supplied in durable double-plated version. Doors are hinged on furniture pivots with damped closing function. Massive opening limiter is supplied standardly. Doors are fitted with an aluminium hold for better manipulation.

The surface treatment is made by durable powder coat which makes a base coat. On the door wing is then applied desired graphics by UV printing technology.



### Laminated doors

Doors wings are made of laminated chipboard desk with ABS edge. Doors are hinged on furniture pivots with damped closing function. Massive opening limiter is supplied standardly. Doors are fitted with an aluminium hold for better manipulation.



### HPL doors

Doors wings are made of a sandwich desk with HPL surface. Doors are hinged on furniture pivots with damped closing function. Massive opening limiter is supplied standardly. Doors are fitted with an aluminium hold for better manipulation.

Lockers with inserted doors

Basic	reduced height	High volume	Divided	doors Z shape	lockable boxes	glass-filled doors	Miniboxes	Additional cabinets	for fire brigade
-------	----------------	-------------	---------	---------------	----------------	--------------------	-----------	---------------------	------------------

Benches

Benches	benches for lockers	backrest and racks
---------	---------------------	--------------------

Lockers with front-standing doors

Basic	Divided	doors Z shape
-------	---------	---------------

Accessories

Locking systems

Surface treatment

All product's depth 520 mm

Cloakroom lockers with front-standing doors



Module 300 mm / 245 l

Order code	Price (EUR)	Order code	Price (EUR)	Order code	Price (EUR)
F3S 30 1 1 S AD	1 alfort ad 194,0,-	F3S 30 2 1 S AD	1 alfort ad 298,5,-	F3S 30 3 1 S AD	1 alfort ad 435,8,-
F3S 30 1 1 S DD	2 alfort dd 232,8,-	F3S 30 2 1 S DD	2 alfort dd 358,1,-	F3S 30 3 1 S DD	2 alfort dd 522,9,-

Module 350 mm / 285 l

Order code	Price (EUR)	Order code	Price (EUR)	Order code	Price (EUR)
F3S 35 1 1 S AD	1 alfort ad 217,2,-	F3S 35 2 1 S AD	1 alfort ad 334,1,-	F3S 35 3 1 S AD	1 alfort ad 487,8,-
F3S 35 1 1 S DD	2 alfort dd 260,6,-	F3S 35 2 1 S DD	2 alfort dd 400,9,-	F3S 35 3 1 S DD	2 alfort dd 585,3,-

Module 400 mm / 330 l

Order code	Price (EUR)	Order code	Price (EUR)	Order code	Price (EUR)
F3S 40 1 1 S AD	1 alfort ad 238,8,-	F3S 40 2 1 S AD	1 alfort ad 367,5,-	F3S 40 3 1 S AD	1 alfort ad 536,5,-
F3S 40 1 1 S DD	2 alfort dd 286,7,-	F3S 40 2 1 S DD	2 alfort dd 441,1,-	F3S 40 3 1 S DD	2 alfort dd 643,9,-

The cloakroom lockers of Alfort line are intended for using at representative rooms of spas, hotels, swimming pools, wellness and fitness centres. Ingenious space arrangement provides to their users deposit space of volume of 245-330 l.

For moisty environments you can order an extra charge version made of zinc galvanized plates coated by exterior powder coat. In this version, the door pivots with damped closing are made of stainless steel. We recommend ordering doors made of a sandwich desk with HPL surface.

Extra charge for version on feet 120 mm

Module	Product's width (mm)	Price (EUR)
all	all	33,3,-



Extra charge for height modification (socle and feet)

Module	Product's width (mm)	Price (EUR)
all	all	8,1,-



1



2

- 1 alfort ad  
Locker is furnished with double-plated doors with superstandard resistance against bending and twisting. Doors are reinforced around mounting slot of the lock. Opening limiter is supplied standardly.
- 2 alfort dd  
Locker is furnished with doors made of laminated chipboard with ABS edge. Opening limiter is supplied standardly.


All product's depth 520 mm

Cloakroom lockers with front-standing doors, divided



The cloakroom lockers of Alfort line are intended for using at representative rooms of spas, hotels, swimming pools, wellness and fitness centres. Lockers have two lockable boxes in each compartment. According to the locker's width the deposit space has volume of 120 - 160 l. You can choose from many versions of locking systems. In our assortment you can choose from cylindrical locks, turning security padlock caps, coin deposit locks, coin payment locks, code mechanical locks, code electronic locks, chip locks or online electronic locking systems.

Module 300 mm / 120 l



Order code	Price (EUR)
F3S 30 1 2 A AD 1 alfort ad	255,1,-
F3S 30 1 2 A DD 2 alfort dd	306,1,-



Order code	Price (EUR)
F3S 30 2 2 A AD 1 alfort ad	392,4,-
F3S 30 2 2 A DD 2 alfort dd	470,9,-



Order code	Price (EUR)
F3S 30 3 2 A AD 1 alfort ad	572,9,-
F3S 30 3 2 A DD 2 alfort dd	687,5,-

Module 350 mm / 140 l



Order code	Price (EUR)
F3S 35 1 2 A AD 1 alfort ad	285,6,-
F3S 35 1 2 A DD 2 alfort dd	342,7,-




Order code	Price (EUR)
F3S 35 2 2 A AD 1 alfort ad	439,3,-
F3S 35 2 2 A DD 2 alfort dd	527,2,-



Order code	Price (EUR)
F3S 35 3 2 A AD 1 alfort ad	641,5,-
F3S 35 3 2 A DD 2 alfort dd	769,7,-

Module 400 mm / 160 l



Order code	Price (EUR)
F3S 40 1 2 A AD 1 alfort ad	313,6,-
F3S 40 1 2 A DD 2 alfort dd	376,2,-



Order code	Price (EUR)
F3S 40 2 2 A AD 1 alfort ad	482,4,-
F3S 40 2 2 A DD 2 alfort dd	578,8,-



Order code	Price (EUR)
F3S 40 3 2 A AD 1 alfort ad	704,3,-
F3S 40 3 2 A DD 2 alfort dd	845,1,-

Extra charge for version on feet 120 mm

Module	Product's width (mm)	Price (EUR)
all	all	33,3,-



Extra charge for height modification (sole and feet)

Module	Product's width (mm)	Price (EUR)
all	all	8,1,-



- 1 alfort ad  
Locker is furnished with double-plated doors with superstandard resistance against bending and twisting. Doors are reinforced around mounting slot of the lock. Opening limiter is supplied standardly.
- 2 alfort dd  
Locker is furnished with doors made of laminated chipboard with ABS edge. Opening limiter is supplied standardly.

All product's depth 520 mm

Cloakroom lockers with front-standing Z-shaped doors



Module 300 mm / 120 l

Order code	Price (EUR)
F3S 30 1 Z S AD 1 alfort ad	319,0,-
F3S 30 1 Z S DD 2 alfort dd	382,8,-

Order code	Price (EUR)
F3S 30 2 Z S AD 1 alfort ad	490,8,-
F3S 30 2 Z S DD 2 alfort dd	589,0,-

Order code	Price (EUR)
F3S 30 3 Z S AD 1 alfort ad	716,5,-
F3S 30 3 Z S DD 2 alfort dd	859,9,-

Module 350 mm / 140 l

Order code	Price (EUR)
F3S 35 1 Z S AD 1 alfort ad	357,2,-
F3S 35 1 Z S DD 2 alfort dd	428,6,-

Order code	Price (EUR)
F3S 35 2 Z S AD 1 alfort ad	549,5,-
F3S 35 2 Z S DD 2 alfort dd	659,4,-

Order code	Price (EUR)
F3S 35 3 Z S AD 1 alfort ad	802,3,-
F3S 35 3 Z S DD 2 alfort dd	962,7,-

Module 400 mm / 160 l

Order code	Price (EUR)
F3S 40 1 Z S AD 1 alfort ad	392,2,-
F3S 40 1 Z S DD 2 alfort dd	470,6,-

Order code	Price (EUR)
F3S 40 2 Z S AD 1 alfort ad	603,4,-
F3S 40 2 Z S DD 2 alfort dd	724,0,-

Order code	Price (EUR)
F3S 40 3 Z S AD 1 alfort ad	880,9,-
F3S 40 3 Z S DD 2 alfort dd	1057,1,-

The cloakroom lockers of Alfort line are intended for using at representative rooms of spas, hotels, swimming pools, wellness and fitness centres. Lockers have two specially divided lockable boxes in each compartment. According to the locker's width the deposit space has volume of 120 - 160 l.

The innovative way of doors placing makes place for many interesting combinations of colours and shapes. These combinations can be not only esthetical but also very useful for users who can easily orientate themselves in lines of lockers.

Extra charge for version on feet 120 mm

Module	Product's width (mm)	Price (EUR)
all	all	33,3,-


Extra charge for height modification (socle and feet)

Module	Product's width (mm)	Price (EUR)
all	all	8,1,-

- 1 alfort ad  
Locker is furnished with double-plated doors with superstandard resistance against bending and twisting. Doors are reinforced around mounting slot of the lock. Opening limiter is supplied standardly.
- 2 alfort dd  
Locker is furnished with doors made of laminated chipboard with ABS edge. Opening limiter is supplied standardly.

All product's depth 520 mm

Lockers with lockable boxes with front-standing doors



Module 300 mm / 80 l

Module	Product's width (mm)	Price (EUR)
300	all	33,3,-

Order code	Module	Product's width (mm)	Price (EUR)
F3S 30 1 3 0 AD	1	alfort ad	302,4,-
F3S 30 1 3 0 DD	2	alfort dd	362,9,-

Order code	Module	Product's width (mm)	Price (EUR)
F3S 30 2 3 0 AD	1	alfort ad	465,2,-
F3S 30 2 3 0 DD	2	alfort dd	558,3,-

Order code	Module	Product's width (mm)	Price (EUR)
F3S 30 3 3 0 AD	1	alfort ad	679,2,-
F3S 30 3 3 0 DD	2	alfort dd	815,0,-

60 l

Module	Product's width (mm)	Price (EUR)
300	all	33,3,-

Order code	Module	Product's width (mm)	Price (EUR)
F3S 30 1 4 0 AD	1	alfort ad	340,7,-
F3S 30 1 4 0 DD	2	alfort dd	408,8,-

Order code	Module	Product's width (mm)	Price (EUR)
F3S 30 2 4 0 AD	1	alfort ad	524,0,-
F3S 30 2 4 0 DD	2	alfort dd	628,9,-

Order code	Module	Product's width (mm)	Price (EUR)
F3S 30 3 4 0 AD	1	alfort ad	765,1,-
F3S 30 3 4 0 DD	2	alfort dd	918,1,-

45 l

Module	Product's width (mm)	Price (EUR)
300	all	33,3,-

Order code	Module	Product's width (mm)	Price (EUR)
F3S 30 1 5 0 AD	1	alfort ad	388,0,-
F3S 30 1 5 0 DD	2	alfort dd	465,6,-

Order code	Module	Product's width (mm)	Price (EUR)
F3S 30 2 5 0 AD	1	alfort ad	596,9,-
F3S 30 2 5 0 DD	2	alfort dd	716,3,-

Order code	Module	Product's width (mm)	Price (EUR)
F3S 30 3 5 0 AD	1	alfort ad	871,5,-
F3S 30 3 5 0 DD	2	alfort dd	1045,8,-



The cloakroom lockers with lockable boxes of Alfort line are intended for using at representative rooms of office building, spas, hotels, swimming pools, wellness and fitness centres. According to the locker's version the deposit space has volume of 45 - 80 l.

The customer can choose from a version with durable metal double-plated doors or a version with doors made of laminated chipboard with ABS edge.

Extra charge for version on feet 120 mm



Extra charge for height modification (socle and feet)



- 1 alfort ad  
Locker is furnished with double-plated doors with superstandard resistance against bending and twisting. Doors are reinforced around mounting slot of the lock. Opening limiter is supplied standardly.
- 2 alfort dd  
Locker is furnished with doors made of laminated chipboard with ABS edge. Opening limiter is supplied standardly.



### Lockers with inserted doors

Basic	reduced height	High volume	Divided doors Z shape	lockable boxes	glass-filled doors	Miniboxes	Additional cabinets	for fire brigade
-------	----------------	-------------	-----------------------	----------------	--------------------	-----------	---------------------	------------------

### Benches

Benches	benches for lockers	backrest and racks
---------	---------------------	--------------------

### Lockers with front-standing doors

Basic	Divided doors Z shape
-------	-----------------------


### Accessories

### Locking systems

### Surface treatment

All product's depth 520 mm

## Lockers with lockable boxes with front-standing doors



#### Module 400 mm / 105 l

	400	1920	540
Order code	Price (EUR)	Order code	Price (EUR)
F3S 40 1 3 0 AD 1	alfort ad 371,9,-	F3S 40 2 3 0 AD 1	alfort ad 572,2,-
F3S 40 1 3 0 DD 2	alfort dd 446,4,-	F3S 40 2 3 0 DD 2	alfort dd 686,7,-

	800	1920	540
Order code	Price (EUR)	Order code	Price (EUR)
F3S 40 3 3 0 AD 1	alfort ad 835,5,-	F3S 40 3 3 0 DD 2	alfort dd 1002,5,-

#### 75 l

	400	1920	392
Order code	Price (EUR)	Order code	Price (EUR)
F3S 40 1 4 0 AD 1	alfort ad 419,0,-	F3S 40 2 4 0 AD 1	alfort ad 644,6,-
F3S 40 1 4 0 DD 2	alfort dd 502,7,-	F3S 40 2 4 0 DD 2	alfort dd 773,5,-

	800	1920	392
Order code	Price (EUR)	Order code	Price (EUR)
F3S 40 3 4 0 AD 1	alfort ad 941,1,-	F3S 40 3 4 0 DD 2	alfort dd 1129,2,-

#### 60 l

	400	1920	303
Order code	Price (EUR)	Order code	Price (EUR)
F3S 40 1 5 0 AD 1	alfort ad 477,3,-	F3S 40 2 5 0 AD 1	alfort ad 734,3,-
F3S 40 1 5 0 DD 2	alfort dd 572,7,-	F3S 40 2 5 0 DD 2	alfort dd 881,1,-

	800	1920	303
Order code	Price (EUR)	Order code	Price (EUR)
F3S 40 3 5 0 AD 1	alfort ad 1072,0,-	F3S 40 3 5 0 DD 2	alfort dd 1286,4,-



The cloakroom lockers with lockable boxes of Alfort line are intended for using at representative rooms of office building, spas, hotels, swimming pools, wellness and fitness centres. According to the locker's version the deposit space has volume of 60 - 105 l.

For an extra charge we can supply lockers with a shelf for letters and doors furnished with a throw-in slot.

In case of a big project the doors can be made of sandwich construction with HPL surface or of safety coloured or printed glass. The prices are then calculated individually according to the chosen material, surface and number of lockers.

#### Extra charge for version on feet 120 mm

Module	Product's width (mm)	Price (EUR)
all	all	33,3,-



#### Extra charge for height modification (socle and feet)

Module	Product's width (mm)	Price (EUR)
all	all	8,1,-




- 1 alfort ad  
Locker is furnished with double-plated doors with superstandard resistance against bending and twisting. Doors are reinforced around mounting slot of the lock. Opening limiter is supplied standardly.
- 2 alfort dd  
Locker is furnished with doors made of laminated chipboard with ABS edge. Opening limiter is supplied standardly.

**Throw-in slot with a shelf for letters**  
Extra charge equipment, in the upper part of the box there is a shelf for letters, metal doors (alfort ad) are furnished with a slot for mail throwing.

Order code	Price (EUR)*
PF4	23,4,-

\* The price is for furnishing one box of 400 mm module with a shelf for letters and a throw-in slot.



Accessories



**1** Plastic self-adhesive tag  
Plastic self-adhesive plate dim. 65 x 35 mm, finish - ground aluminium, engraved number.  
Order code Price (EUR)  
DPZ P 5,1,-

**2** Opening limiter for doors  
The limiter prevents from opening the door over its max. opening angle. Durability corresponds to DIN 4547.  
Order code Price (EUR)  
OD A1 3,3,-

**3** Plastic hook for a towel  
Spare plastic hook for a towel, carrying capacity 4 kg, mounting slot 10 x 10 mm.  
Order code Price (EUR)  
R1HP 0,7,-

**4** Mirror dim. 150 x 200 mm  
Order code Price (EUR)  
ZRC 12,8,-

**5** Plastic hook  
Spare plastic hook S1HP for cloakroom lockers ALSIN, ALDOP, ALDERA and ALDUR, carrying capacity 4 kg.  
Order code Price (EUR)  
S1HP 0,7,-

**6** Double towel hook  
Order code Price (EUR)  
HAK A 1,1,-

**7** Box for small things dim. 10 x 150 x 65mm  
Order code Price (EUR)  
KRB N A 3,4,-

**8** Box for small things dim. 40 x 150 x 65mm  
Order code Price (EUR)  
KRB H A 4,9,-

**9** Additional shelves  
Extra charge equipment, when ordered during locker's production, they are welded inside the locker. When ordered additionally, the shelves are in their frontal part fitted on locker's cutting, their bottom part have to be mounted by special clamps.  
Order code Module Price (EUR) Price (EUR)  
POL A3 250 250 5,1,- 8,4,-  
POL A3 300 300 5,5,- 9,0,-  
POL A3 350 350 6,2,- 10,2,-  
POL A3 400 400 6,8,- 11,2,-  
welded for additional mounting

**10** Plastic footwear box  
Extra charge equipment, plastic box intended for dirt and moisture catching. Due to the profiled bottom it enables right air circulation.  
Order code Module Price (EUR)  
VP25 250 5,9,-  
VP30 300 6,2,-  
VP40 400 6,7,-

**11** Dividing wall T  
Extra charge equipment, dividing wall is standardly welded under the shelf and is placed in axis of compartment.  
Order code Module Price (EUR) Price (EUR)  
T up 300 17,1,- 25,7,-  
welded for additional mounting

**Connecting material**  
Connecting material for connecting lockers by sides to lines  
Order code Price (EUR)  
SM 1,7,-

Connecting material for connecting lockers to lines (side and rear connecting)  
Order code Price (EUR)  
SMZ 2,5,-

Spacing moulding for increasing the efficiency of the natural ventilation system, intended for lockers on socle.  
Order code Price (EUR)  
DLA1 1800 6,2,-  
DLA1 1920 6,8,-

Spacing stoppers are intended to be mounted to the back wall of lockers. The stoppers ensure sufficient airspace to increase the system of natural ventilation.  
Order code Price (EUR)  
DPA1 2,3,-



Plastic hook  
Spare plastic hook S1HP for lockers ALSIN, ALDOP, ALDERA and ALDUR, carrying capacity 4 kg.  
Order code Price (EUR)  
S1HP 0,7,-



Plastic hook  
Spare plastic hook F1HP for lockers ALFORT and ALTROS, carrying capacity 4 kg.  
Order code Price (EUR)  
F1HP 1,6,-



Metal hook  
Spare metal hook H1HK for lockers for fire brigade, for lockers ALFORT and ALTROS, carrying capacity 10 kg.  
Order code Price (EUR)  
H1HK 1,6,-



Metal double hook  
Spare metal double hook H2HK for lockers for fire brigade, for lockers ALFORT and ALTROS, carrying capacity 10 kg.  
Order code Price (EUR)  
H2HK 2,3,-



Extra charge for version with sloping tops

Module	Order code	width (mm)	Integrated version		Mounted version	
			Price (EUR)	Price (EUR)	Price (EUR)	Price (EUR)
250	SD 25	250	13,7,-	35,2,-		
	SD 50	500	21,2,-	54,0,-		
	SD 75	750	30,9,-	79,0,-		
300	SD 30	300	14,1,-	36,3,-		
	SD 60	600	21,8,-	55,7,-		
	SD 90	900	31,8,-	81,4,-		
350	SD 35	350	16,4,-	41,9,-		
	SD 70	700	25,2,-	64,5,-		
	SD 105	1050	36,7,-	94,1,-		
400	SD 40	400	18,6,-	47,6,-		
	SD 80	800	28,6,-	73,2,-		
	SD 120	1200	41,7,-	106,8,-		

Only for lockers with inserted doors.



**Plate valve**  
Extra charge equipment for lockers furnished with forced exhaustion. By the plate valve you can control intensity of exhaustion inside the locker.  
Order code Price (EUR)  
TVNO 17,7,-



**Chimney for connecting to forced exhaustion 80 mm**  
Extra charge equipment, sloping additional cabinet in version for additional mounting is in its upper part furnished with a pipe of diam. 80 mm.  
Order code Price (EUR)  
KNO80 20,4,-



**Oval clothes bar with metal hooks**  
Extra charge equipment, standard equipment for ALFORT version. A clothes bar made of grooved eloxal aluminium profile, carrying capacity 20 kg. The bar is furnished with three movable metal hooks of varying capacity 10 kg.  
Order code Module Price (EUR)  
TPO 250 250 5,9,-  
TPO 300 300 6,3,-  
TPO 350 350 7,1,-  
TPO 400 400 7,8,-



**Plastic footwear box**  
Extra charge equipment, plastic box intended for dirt and moisture catching. Due to the profiled bottom it enables right air circulation.  
Order code Module Price (EUR)  
VP25 250 5,9,-  
VP30 300 6,2,-  
VP40 400 6,7,-

Extra charge for version on socle 160 mm

Order code	Module	Product's width (mm)	Price (EUR)	Price (EUR)
A1 SM 120 250	250	250	5,5,-	23,6,-
A1 SM 120 500		500	7,1,-	25,6,-
A1 SM 120 750		750	8,5,-	29,5,-
A1 SM 120 300	300	300	5,8,-	24,4,-
A1 SM 120 600		600	7,5,-	27,4,-
A1 SM 120 900		900	9,5,-	31,2,-
A1 SM 120 350	350	350	6,2,-	24,7,-
A1 SM 120 700		700	8,2,-	28,6,-
A1 SM 120 1050		1050	10,5,-	32,7,-
A1 SM 120 400	400	400	6,5,-	24,9,-
A1 SM 120 800		800	8,9,-	30,1,-
A1 SM 120 1200		1200	11,6,-	34,0,-

welded for additional mounting

Extra charge for version on feet 120 mm  
Only for lockers with inserted doors.

Order code	Module	Product's width (mm)	Price (EUR)	Price (EUR)
A1 NM 120	all	all	10,9,-	15,6,-

Extra charge for height modification of feet and socle  
Only for lockers with inserted doors.

Order code	Price (EUR)
VN	8,1,-



\* Only for lockers with inserted doors.



Terminating walls, locking systems

Terminating walls are intended to cover connecting joints in case when your lockers are assembled together by their rear parts. They are supplied in metal or specular illuminated versions. The wall can be used for installation of information system.



Order code	Price (EUR)
PZS 50 180	50,7,-

Metal terminating wall, dim. 1800 x 500 x 20 mm, connecting material included, finish in RAL 7035.

Order code	Price (EUR)
PZS 100 180	78,7,-

Metal terminating wall, dim. 1800 x 1000 x 20 mm, connecting material included, finish in RAL 7035.



Order code	Price (EUR)
ZZS 50 180	940,4,-

Terminating wall with mirror, LED lighting, dim. 1800 x 500 x 24 mm, connecting material included, finish in RAL 7035, stickers with symbols for an extra charge.

Order code	Price (EUR)
ZZS 100 180	1524,4,-

Terminating wall with mirror, LED lighting, dim. 1800 x 1000 x 24 mm, connecting material included, finish in RAL 7035, stickers with symbols for an extra charge.

Corner elements can be used for filling inner and also outer corners. Their price is calculated individually according to the demanded internal arrangement and chosen material of doors. We recommend using the corner lockers e.g. for storing of cleaning supplies, towels and bathrobes.



Order code	Price (EUR)
PG S	1,6,-

Sticker of direction arrow.



Order code	Price (EUR)
PG IS	7,9,-

Sticker with a symbol, following symbols are available:

WC, WC men, WC women, WC wheelchair users, room for mothers and children, cloakroom men, cloakroom women, cloakroom wheelchair users, family cloakroom, reception desk, restaurant, snack-bar, sauna, sun parlor, swimming pool, no footwear.



Order code	Price (EUR)
C1HO	6,1,-
C1HO par	16,9,-
CK	30,0,-

**Cylindrical lock - C1**  
Doors of the cloakroom lockers and lockers with lockable boxes are standardly furnished with cylindrical locks BURG C1HO. The lock has 4000 combinations and is standardly supplied with two keys. Pair locks, through these you can lock doors of the locker and the drawer for footwear in bench by with one key, are also available. You can order a master key CK.



Order code	Price (EUR)
OB1 HO	6,1,-

**Turning security padlock cap - OB1**  
Equipment on demand out of extra charge. The cap is intended for doors of cloakroom lockers and lockers with lockable boxes. Recommended stirrup diameter of the padlock is 5 - 8 mm. After inserting the padlock its outer part can turn round and makes a protection against violent turning of the cap in the mounting slot. The padlock is not a part of supply.



Order code	Price (EUR)
O1 HO	6,1,-

**Turning padlock cap - O1**  
Equipment on demand out of extra charge. The cap is intended for doors of cloakroom lockers and lockers with lockable boxes. Recommended stirrup diameter of the padlock is 5 - 7 mm. The padlock is not a part of supply.



**Coin deposit lock twin coin MZEL**  
**Extra charge equipment.** The customer can define nominal coin value, which the lock will be intended for. After inserting the coin the locker can be locked and the key is released. After unlocking the key stays fixed in the lock and the coin is given back. The extra charge for this lock installation is calculated individually according to the ordered amount.



**Coin deposit lock twin coin MZBU**  
**Extra charge equipment.** The customer can define nominal coin value, which the lock will be intended for. After inserting the coin the locker can be locked and the key is released. After unlocking the key stays fixed in the lock and the coin is given back. The extra charge for this lock installation is calculated individually according to the ordered amount.



**Coin deposit lock twin coin**  
**Extra charge equipment.** The customer can define two nominal coin values of same or different currency, which the lock will be intended for. After inserting the coin the locker can be locked and the key is released. After unlocking the key stays fixed in the lock and the coin is given back. The extra charge for this lock installation is calculated individually according to the ordered amount. Coin payment lock is also available. The extra charge for this lock installation is calculated individually according to the ordered amount.



**Mechanical code lock KWFK**  
**Extra charge equipment.** A lock with four-figure configurable code. An emergency unlocking option by a service key and following new code configuration. The extra charge for this lock installation is calculated individually according to the ordered amount.



**Mechanical code lock KELH**  
**Extra charge equipment.** A lock with four-figure configurable code. An emergency unlocking option by a service key and following new code configuration. The extra charge for this lock installation is calculated individually according to the ordered amount.



**Mechanical code lock KSIH**  
**Extra charge equipment.** A lock with four-figure configurable code. An emergency unlocking option by a service key and following new code configuration. More simple version without resetting code list after unlocking. The extra charge for this lock installation is calculated individually according to the ordered amount.



**Electronic code lock - easyPIN2**  
**Extra charge equipment.** The lock has a stable metal construction and a stainless keyboard. It can be used in a private or public mode. Emergency unlocking is also available. The extra charge for installation of this lock is calculated individually according to the ordered amount.

**Electronical online locking systems**  
We cooperate with several producers of locking systems so we can provide you advanced locking systems according to requirements of every customer. The locks can be controlled by RFID card, by PIN code, by fingerprint reader or by cell phone application.




**Electronic code lock SOT**  
**Extra charge equipment.** Locks can be supplied in four versions:  
LS 100 locking by a PIN code chosen by user, emergency opening by master PIN code  
LS 200 locking by a PIN code chosen by user, emergency opening by master PIN code or RFID card  
LS 300 locking by RFID card or NFC technology device, emergency opening by master RFID card  
LS 400 locking by a PIN code chosen by user, by RFID card or NFC technology device, emergency opening by master PIN code or RFID card The extra charge for the SOT lock installation is calculated individually according to the ordered amount and chosen version.




**Electronic code lock EL3780**  
**Extra charge equipment.** Durable electronic lock with public and private mode and mechanical function of emergency opening. Electronic master PIN, user PIN code 4 digits. The extra charge for this lock installation is calculated individually according to the ordered amount.



Surface treatment







The input material is steel plate or steel profiles. In painting line IDEAL-LINE there is applied a Fe-phosphate layer and the segments are dried. It ensures a better adhesion of the powder coat to the base coat. The powder coat of the desired shade is then applied onto the segments in electrostatic field and then it is hardened at temperature of approx. 180 °C. The final coat is hygienic, flexible and scratch resistant.



The input material is steel zinc galvanized plates or steel profiles with zinc base. In painting line IDEAL-LINE there is applied a Fe-phosphate layer and the segments are dried. It ensures a better adhesion of the powder coat to the base coat. The powder coat of the desired shade is then applied onto the segments in electrostatic field and then it is hardened at temperature of approx. 180 °C. The final coat is hygienic, flexible and scratch resistant. The price for this surface treatment is calculated individually according to the chosen products and actual material prices.

Recommended arrangement of lockers and benches according to ČSN 734108

Cloakrooms at plant with more than 5 employees have to be separated according to gender. The number of places has to correspond to the total amount of users with 10% margin. At workplaces with shifts operation one place cannot be used by two users even if they work in different shifts. One person should have at least 0,5 m2 of cloakroom 's surface.



Colour shades of KLASIK chart



Every colour combination of a body painted in RAL 7035 - pale grey with doors painted in any colour of KLASIK chart are for orders over 50 thousands CZK excl. VAT included in the basic price. The extra charge for orders under this amount is given in our current pricelist. Painting of the whole product in RAL 7035 or painting of body in RAL 7035 and doors in RAL 5012 are without any extra charge.

Body colour	RAL 7035								
Door colour	RAL 7035	RAL 1023	RAL 2004	RAL 3000	RAL 5012	RAL 5009	RAL 5010	RAL 6024	RAL 7016


Laminated doors



Laminated doors are produced of laminated chipboard. The desk's limits are furnished with ABS edge. This material is not suitable for moisty environments. The price of lockers with laminated doors is stated on relevant product pages.

Body colour	RAL 7035								
Door colour	birch	beech	calvados	oak	alder	nut	cherry		

Colour shades of TREND chart



Coating in colours of the TREND chart and in colours of RAL STANDARD is available for an extra charge. The extra charge is calculated individually according to the amount of lockers and chosen colour.

Body colour	RAL 7035								
Door colour	RAL 1019	RAL 3004	RAL 3022	RAL 6028	RAL 6034	RAL 8023			


Sandwich doors with HPL surface



The price of ALFORT line lockers with sandwich doors furnished with HPL (high-pressure laminate) surface panels is calculated individually according to the amount of ordered lockers and chosen colour.

This modern material is highly moisture and wear resistant. We recommend using it with combination with body and door's frame from zinc galvanized plates. This version is suitable especially for cloakrooms at swimming pools and hotels. The actual offer of available colours and surfaces is on demand.

Doors made of safety glass



The price of the ALFORT cloakroom lockers with doors made of safety glass is calculated individually.

Colour shades of DECORAL chart



Coating in colours of the DECORAL chart is realized for an individually calculated extra charge.

Body colour	RAL 7035								
Door colour	chestnut	alder	nut	zebrano	mahogany	golden oak	rustic		



ČESKÝ VÝROBEK

ALFA 3, s.r.o.  
Husova 247  
538 54 Luže

Tel.: +420 469 671 295

e-mail: [obchod@alfa3.cz](mailto:obchod@alfa3.cz)

[www.alfa3.eu](http://www.alfa3.eu)

